Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

onerbl AC-DC Adapter

onerbl AC-DC Adapter Instruction Manual

For Square Register POS System Hub Models: 5CW476, A-SKU-0665, A-SKU-0665-A1, SPS101, SPS1-01, SPS1-01+, SPS1-01-A, SPS4-01, SWB2-01, SWB201

1. Introduction

This manual provides essential instructions for the safe and effective use of your onerbl AC-DC Adapter. This power supply is designed to convert AC power from a standard electrical outlet into the 12 VDC power required by compatible Square Register POS System Hub models. Please read this manual thoroughly before use and retain it for future reference.

2. Safety Instructions

To ensure safe operation and prevent damage, please observe the following safety guidelines:

- Use the adapter only with compatible devices as specified.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to severe impact.
- Do not attempt to open, modify, or repair the adapter. Refer all servicing to qualified personnel.
- Ensure the power outlet is easily accessible and properly grounded.
- Unplug the adapter from the power outlet when not in use for extended periods.
- This adapter features **Over Voltage Protection**, **Over Heat Protection**, and **Short Circuit Protection** to safeguard your devices.

3. Package Contents

Verify that all items are present in your package:

- 1 x onerbl AC-DC Power Adapter
- 2 x Power Cables (AC input cable and DC output cable)



Image 1: The onerbl AC-DC Adapter shown with its two accompanying power cables.

4. Setup

Follow these steps to connect your onerbl AC-DC Adapter:

1. **Connect the AC Input Cable:** Plug the AC input cable (the one with the standard wall plug) into the AC input port on the power adapter.
2. **Connect the DC Output Cable:** Plug the DC output cable (the one with the barrel connector) into the DC output port on the power adapter.
3. **Connect to Device:** Insert the barrel connector of the DC output cable into the corresponding power input port on your Square Register POS System Hub.
4. **Connect to Power Outlet:** Plug the AC input cable into a standard electrical wall outlet (AC 100-240V, 50/61Hz).



Image 2: The onerbl AC-DC Adapter properly connected to a wall outlet and a device.

Once connected, the adapter's indicator light (if present) should illuminate, indicating it is receiving power and ready to supply power to your device.

5. Operation

The onerbl AC-DC Adapter functions as a dedicated power supply for your compatible Square Register POS System Hub. Once properly connected to both the power outlet and your device, it will continuously provide the necessary 12 VDC power for your device's operation or battery charging.

- Ensure the adapter is placed in a well-ventilated area to prevent overheating.
- Do not cover the adapter during operation.

6. Maintenance

The onerbl AC-DC Adapter requires minimal maintenance. Follow these guidelines to ensure its longevity:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Cable Care:** Avoid bending or crimping the cables excessively. Do not place heavy objects on the cables.

7. Troubleshooting

If you encounter issues with your onerbl AC-DC Adapter, consider the following:

- **No Power to Device:**
  - Ensure all cables are securely connected to the adapter, the device, and the wall outlet.
  - Test the wall outlet with another device to confirm it is functional.
  - Verify that the adapter's indicator light is on.
- **Adapter is Hot:** It is normal for the adapter to feel warm during operation. If it becomes excessively hot, disconnect it immediately and ensure it is in a well-ventilated area, not covered.
- **Device Not Charging/Operating Correctly:** Confirm that your device is compatible with a 12 VDC power supply and that the barrel connector fits securely.

If problems persist after following these steps, please contact customer support.

8. Specifications

Brand	onerbl
Input Voltage	AC 100-240V, 50/61Hz (Worldwide AC Input)
Output Voltage	12 Volts (DC)
Connector Type	Barrel Connector
Special Feature	Short Circuit Protection, Over Voltage Protection, Over Heat Protection

Compatible Devices	Square Register POS System Hub 5CW476, A-SKU-0665, A-SKU-0665-A1, SPS101, SPS1-01, SPS1-01+, SPS1-01-A, SPS4-01, SWB2-01, SWB201
Package Dimensions	6 x 4 x 2 inches
Item Weight	9.9 ounces




Image 3: Dimensional diagram of the onerbl AC-DC Adapter and its cables, indicating a total cable length of 127.8 inches.

9. Warranty and Support

This onerbl AC-DC Adapter is manufactured with high-quality materials and tested to ensure reliable performance. For information regarding warranty coverage, returns, or technical support, please refer to the retailer's policy or contact the manufacturer directly through their official channels.

For further assistance, please have your product model and purchase details available when contacting support.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DT95ST6X

More documents and user manuals: **https://manuals.plus/**