

## PeakPursuit GxiDo-WhJsEuEtK-DJP9qAO7F

# PeakPursuit 12.4 Cu.Ft. Commercial Display Refrigerator User Manual

Model: GxiDo-WhJsEuEtK-DJP9qAO7F

## 1. SAFETY INFORMATION

---

Please read all safety instructions carefully before operating the appliance to prevent injury or damage. Keep this manual for future reference.

- **Electrical Safety:** Ensure the refrigerator is connected to a grounded power outlet with the correct voltage (115V). Do not use extension cords or adapters.
- **Placement:** Place the unit on a stable, level surface. Ensure adequate ventilation around the unit (at least 4 inches from walls) to allow proper heat dissipation. Avoid direct sunlight or heat sources.
- **Handling:** The unit is heavy. Use appropriate lifting techniques or assistance when moving. The unit features 4 sturdy castors for enhanced mobility once positioned.
- **Glass Door:** The double-paned tempered glass door is designed for durability and insulation. Avoid striking or applying excessive force to the glass.
- **Children:** Keep children away from the appliance. Do not allow them to play with or inside the refrigerator.
- **Flammable Materials:** Do not store explosive substances or flammable materials inside the refrigerator.

## 2. SETUP AND INSTALLATION

---

### 2.1 Unpacking

- Remove all packaging materials, including tape and protective films.
- Inspect the refrigerator for any shipping damage. Report any damage immediately to the carrier or retailer.
- Retain packaging materials for potential future transport.

### 2.2 Placement

- Position the refrigerator on a firm, level floor capable of supporting its weight when fully loaded.
- Ensure there is at least 4 inches (10 cm) of space on the sides and back for proper air circulation.

- Avoid placing the unit near heat-generating appliances (e.g., ovens, dishwashers) or in direct sunlight.
- The unit is equipped with 4 sturdy castors for easy repositioning. Once in place, ensure the castors are locked to prevent movement.



Image: Product dimensions (25.59"D x 22.64"W x 77.95"H) are shown on a diagram of the refrigerator in a cafe setting.

## 2.3 Initial Cleaning

- Before first use, clean the interior and exterior surfaces with a mild detergent and warm water. Rinse thoroughly and dry with a soft cloth.

## 2.4 Power Connection

- Plug the refrigerator into a dedicated 115V, 60Hz, 3-prong grounded electrical outlet.
- Allow the unit to stand upright for at least 2-4 hours before plugging it in to allow compressor fluids to settle.

## 3. OPERATING INSTRUCTIONS

### 3.1 Temperature Control

- The refrigerator features an electronic temperature control system. The temperature range is 0-10°C (32-50°F).

- Use the digital display and control buttons to set your desired temperature. Refer to the control panel diagram for specific button functions.



Image: The digital temperature display shows '32' and is accompanied by control buttons. Below are two switches, one red for 'COLD' and one green for 'LIGHT', indicating a dual switch design for energy efficiency.

### 3.2 Cooling System

- The unit utilizes a 360° circulating air-cooling system for rapid and uniform cooling.
- An efficient R600a compressor ensures consistent cooling performance.
- The automatic defrost system prevents frost buildup, maintaining optimal cooling efficiency.

# R600a High Efficient Compressor

Cooling & Air Circulation Technology



Quiet Compressor



Large Circulating Fan



Smart Temperature Control

Image: A visual breakdown of the refrigerator's cooling technology, highlighting the R600a high-efficiency compressor, quiet operation, large circulating fan, and smart temperature control display.

### 3.3 Adjustable Shelves

- The refrigerator includes 5 adjustable shelves, allowing you to customize the storage space for various beverage sizes.
- To adjust a shelf, carefully lift it and reposition the support clips to the desired height. Ensure the shelf is securely seated before placing items on it.

## 5 ADJUSTABLE SHELVES

Convenient for placing goods of different sizes



Image: The interior of the refrigerator displaying beverages on five shelves, with an inset showing how the shelves can be moved up or down.

### 3.4 Interior Lighting

- The unit is equipped with a white internal LED light bar for bright and energy-efficient illumination of the cabinet interior.
- The LED light can be controlled independently using the dedicated light switch on the control panel.

## 4. MAINTENANCE

---

### 4.1 Cleaning the Interior

- Always unplug the refrigerator before cleaning.
- Remove all items and shelves. Wash shelves with mild detergent and warm water.
- Clean the interior surfaces with a solution of mild detergent and warm water. For stubborn stains, use a baking soda solution (2 tablespoons baking soda to 1 quart water).
- Rinse thoroughly and dry completely before returning items and plugging the unit back in.

### 4.2 Cleaning the Exterior

- Wipe the exterior surfaces with a soft cloth dampened with mild detergent and water.

- Clean the glass door with a glass cleaner.
- Regularly vacuum or brush the condenser coils at the back or bottom of the unit to ensure efficient operation.

### 4.3 Defrosting

- This unit features an automatic defrost system, minimizing manual defrosting.
- If excessive ice buildup occurs, unplug the unit and allow it to defrost naturally. Remove any accumulated water.

## 5. TROUBLESHOOTING

Before contacting customer service, please check the following common issues:

Problem	Possible Cause	Solution
Refrigerator does not operate	No power; power cord unplugged; circuit breaker tripped.	Check power supply, plug, and circuit breaker.
Unit is not cold enough	Temperature set too high; door opened too frequently; poor ventilation; excessive items loaded.	Adjust temperature setting; ensure door is closed properly; check ventilation; do not overload.
Excessive noise	Unit not level; items vibrating inside; fan obstruction.	Level the unit; rearrange items; check for fan obstructions.
Condensation on glass door	High humidity; door not sealed properly; door opened frequently.	Ensure door gasket is clean and sealing; minimize door openings.

## 6. SPECIFICATIONS

Feature	Specification
Product Dimensions (D x W x H)	25.59" x 22.64" x 77.95"
Capacity	12.4 Cubic Feet
Color	Black
Installation Type	Freestanding
Number of Doors	1
Defrost System	Automatic
Voltage	115V
Cooling Method	Compressor
Number of Shelves	5

Feature	Specification
Item Weight	188.5 Pounds
Model Number	GxiDo-WhJsEuEtK-DJP9qAO7F
Included Components	1 x Upright Freezer, 5 x Removable Tempered Glass Shelves

## 7. WARRANTY AND SUPPORT

---

### 7.1 Manufacturer's Warranty

This PeakPursuit Commercial Display Refrigerator comes with a **1-Year Manufacturer Warranty**. This warranty covers defects in materials and workmanship under normal use.

Please retain your proof of purchase for warranty claims. The warranty does not cover damage caused by misuse, accident, unauthorized repair, or normal wear and tear.

### 7.2 Customer Support

For technical assistance, warranty claims, or any questions regarding your PeakPursuit Commercial Display Refrigerator, please contact PeakPursuit customer service. Refer to your purchase documentation or the manufacturer's website for contact information.