

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Hipicute](#) /

› [Hipicute 7x12 FT Portable Carport Storage Shed Instruction Manual](#)

Hipicute SCQY-PAU_0JZSAFDZbV

Hipicute 7x12 FT Portable Carport Storage Shed

Model: SCQY-PAU_0JZSAFDZbV

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Hipicute 7x12 FT Portable Carport Storage Shed. Designed for versatility, this shelter offers protection for motorcycles, bicycles, garden tools, firewood, and other outdoor items. Please read these instructions carefully before beginning assembly to ensure safe and correct installation and use.

SAFETY INFORMATION

WARNING:

- Keep the carport away from heat sources and open flames to prevent fire hazards.
- Do not use this product in high wind conditions. Strong winds can cause structural damage or collapse, leading to injury or property damage.
- Always secure the shelter firmly to the ground using appropriate anchors when in use to ensure stability and prevent it from being lifted by wind.
- Ensure all connections are tight and secure after assembly and periodically check them during use.
- Do not climb on the carport structure.

PACKAGE CONTENTS

Before assembly, verify that all components are present. Each part is labeled for easy identification.

- Galvanized Steel Frame Components (Poles, Connectors, Base Plates)
- Heavy-Duty Waterproof Tarp Cover
- Two Roll-Up Zipper Doors
- Bungee Balls or Straps for Tarp Attachment
- Ground Anchors/Stakes (if included)
- Assembly Instructions (this manual)

If any parts are missing or damaged, please contact customer support.

SETUP AND ASSEMBLY INSTRUCTIONS

Assembly typically requires one person and can be completed in less than an hour. No specialized tools are required beyond what may be included or commonly available.

Step 1: Assemble the Roof Frame

Begin by connecting the roof frame components. Each piece is labeled. Follow the diagram to form the top structure of the carport.



Image: Step 1 - Install Roof Frame. This image illustrates the initial stage of assembly, showing the metal poles being connected to form the roof skeleton.


Step 2: Connect the Vertical Posts

Attach the vertical support poles to the assembled roof frame. Ensure all connections are secure and the frame stands upright.


EASY TO ASSEMBLE

- Solid Structure
- Easy to Assemble
- No Additional Tools Required


STEP 1



STEP 2



STEP 3



STEP 4



Image: Step 2 - Connecting Posts. This image shows the complete metal frame structure, with the roof and vertical posts connected, ready for the tarp.

Step 3: Install the Tarp Cover

Drape the heavy-duty waterproof tarp over the assembled frame. Ensure it is centered and covers the entire structure evenly. Secure the tarp to the frame using the provided bungee balls or straps.

PRODUCT DIMENSION

7FT*12FT*7.36FT




Image: Step 3 - Cover the Frame with Tarp. This image depicts the tarp being placed over the metal frame, showing how it begins to form the shed's exterior.

Step 4: Attach and Secure Doors

Attach the roll-up zipper doors to the front and back openings of the carport. Ensure the zippers function smoothly. Secure the entire structure to the ground using the provided ground anchors or stakes to prevent movement, especially in windy conditions.

PORTABLE STORAGE SHELTER SHED



Image: Completed Portable Storage Shelter Shed. This image shows the fully assembled carport with its tarp cover and roll-up doors, ready for use.

OPERATING INSTRUCTIONS

Your Hipicute Portable Carport is designed for easy access and protection.

- **Roll-Up Zipper Doors:** The carport features two roll-up zipper doors for convenient entry and exit. Unzip the doors

completely and roll them up, securing them with the attached buckles or straps to keep them open.

- **Ventilation:** Mesh windows are integrated to promote airflow and prevent insect entry. Ensure these are clear for optimal ventilation.
- **Storage:** This shelter is ideal for storing motorcycles, bicycles, garden tools, firewood, and other outdoor equipment. Arrange items to allow for easy access and to prevent damage to the tarp.

Protect Your Belongings



Image: Various Uses of the Carport. This image displays the carport being used as a utility room, a woodcutter's cabin, a motorcycle/bicycle shed, and a tool shed, highlighting its versatility.

MAINTENANCE

Regular maintenance will extend the life of your portable carport.

- **Cleaning:** Clean the tarp cover periodically with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Rinse thoroughly and allow to air dry.
- **Frame Inspection:** Regularly inspect the galvanized steel frame for any signs of rust, bending, or damage. Tighten any loose connections.
- **Tarp Inspection:** Check the tarp for tears, punctures, or excessive wear. Small damages can often be repaired with a tarp repair kit.
- **Anchoring:** Periodically check the ground anchors to ensure they remain firmly secured, especially after strong winds or heavy rain.
- **Snow Removal:** In areas with heavy snowfall, regularly remove accumulated snow from the roof to prevent structural collapse.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Carport instability / swaying	Loose frame connections; insufficient anchoring; strong winds.	Tighten all frame connections. Ensure ground anchors are fully engaged and secure. Add additional anchoring if necessary. Disassemble in extreme weather.
Water leakage	Tarp damage (tear/hole); improper tarp installation; seams compromised.	Inspect tarp for damage and repair with a waterproof patch kit. Re-adjust tarp to ensure proper coverage and tension.
Zipper difficulty	Dirt/debris in zipper; misaligned zipper teeth.	Clean zipper with a brush and mild soap. Apply a silicone-based lubricant. Gently realign zipper teeth if bent.

SPECIFICATIONS

- **Brand:** Hipicute
- **Model Number:** SCQY-PAU_0JZSAFDZbV
- **Dimensions (L x W x H):** 12 ft x 7 ft x 7.36 ft (6 ft door height)
- **Floor Area:** 84 Square Feet
- **Frame Material:** 19-gauge Rust-Resistant Galvanized Steel (1.5-inch diameter poles)
- **Tarp Material:** 220 gsm Heavy Duty Waterproof PE Tarp
- **Color:** Gray
- **Item Weight:** 73.5 Pounds
- **Features:** UV Protection, Waterproof, Anti-Snow, Windproof, Mesh Windows, Roll-Up Zipper Doors
- **Assembly Required:** Yes



Image: Product Dimensions. This image provides a visual representation of the carport's dimensions, including its length, width, and height.

PRODUCT DETAILS



Image: Product Details. This image highlights key construction details such as the spliced iron pipe, iron pipe gauge, roller blind buckle, bungee balls for securing the tarp, and the base plate for stability.

CUSTOMER SUPPORT

If you experience any difficulties during setup or use, or if you have questions about your Hipicute Portable Carport, please feel free to reach out to our customer support team for assistance. All parts are conveniently packaged in a single box, and we are here to help with any issues you may encounter.

For support, please refer to the contact information provided with your purchase or visit the official Hipicute website.

