

Coolski MF-83

Coolski 82"W 72 Cu.ft 3-Door Commercial Freezer (Model MF-83) User Manual

Comprehensive Guide for Setup, Operation, and Maintenance

1. PRODUCT OVERVIEW

The Coolski 82"W 72 Cu.ft 3-Door Commercial Freezer (Model MF-83) is a robust and efficient freezing solution designed for commercial and heavy-duty home use. Constructed from durable stainless steel, it offers ample storage and precise temperature control to preserve food freshness and nutrition.

Key Features:

- **Efficient Air Cooling System:** Features a digital temperature display, ensuring optimal temperatures between -13°F and -5°F.
- **Stainless Steel Build & Adjustable Shelves:** Polyurethane foam insulation maintains stable temperatures. Both exterior and interior are made from long-lasting stainless steel for easy cleaning and maintenance. Includes 12 adjustable shelves, each holding up to 210 lbs.
- **Spacious Storage Space:** A generous 72 cu.ft capacity is tailored for extensive food storage, suitable for busy kitchens in restaurants, cafes, or home setups.
- **User-Friendly Features:** Equipped with self-closing doors that stay open at 202 degrees for easy access, a secure door lock for enhanced food safety, and four bottom casters for effortless mobility. LED lighting enhances visibility.
- **Wide Applications:** Versatile for restaurants, bars, shops, garages, cafes, and food trucks.

LARGE CAPACITY

Free adjustment to placing need food

UP TO **1934L**
72 Cu.ft

UP TO **1934L**

72

Cu.ft

Image 1: The Coolski 72 Cu.ft Commercial Freezer highlighting its large capacity of up to 1934L.

PRECISE CONTROL

Preserving freshness and nutrition



Image 2: Digital control panel for precise temperature management, maintaining temperatures between -13°F and -5°F.

ADVANCED AIR COOLING & CIRCULATION SYSTEM




Image 3: Illustration of the advanced air cooling and 360° circulation system with a powerful compressor and recirculating fan.

HIGH QUALITY MATERIAL

Long lifespan and easy to clean




Image 4: Cross-section view demonstrating the high-quality insulation (60mm for all sides, 50mm for middle part and door) for long lifespan and easy cleaning.



Image 5: Overview of user-friendly features: White LED Lighting, Lockable Casters, Safety Lock, and Door Alarm.

Product Videos:

Your browser does not support the video tag. This video demonstrates the 72 Cu.ft Three Door Stainless Steel Refrigerator/Freezer.

Video 1: Overview of the 72 Cu.ft Three Door Stainless Steel Refrigerator/Freezer by TEChuang Store.

Your browser does not support the video tag. This video demonstrates the Coolski Solid Door Commercial Refrigerator/Freezer.

Video 2: Demonstration of the Coolski Solid Door Commercial Refrigerator/Freezer by TEChuang Store.

2. SAFETY INFORMATION

Please read all safety instructions carefully before operating the Coolski Commercial Freezer. Failure to follow these

instructions may result in property damage, personal injury, or death.

General Safety Precautions:

- **Electrical Safety:** Ensure the unit is connected to a properly grounded 115 Volt, 60Hz power outlet. Do not use extension cords or adapters.
- **Ventilation:** Maintain adequate clearance around the unit for proper airflow to the compressor and condenser coils.
- **Heavy Appliance:** This unit is heavy. Use appropriate lifting techniques and equipment (e.g., a hand truck or multiple people) when moving to prevent injury.
- **Flammable Materials:** Do not store flammable or explosive materials inside or near the freezer.
- **Children Safety:** Keep children away from the unit, especially when the doors are open. Ensure the door lock is engaged when unattended.

3. SETUP

Proper setup is crucial for the optimal performance and longevity of your Coolski Commercial Freezer.

Unpacking and Inspection:

1. Carefully remove all packaging materials, including tape and protective film.
2. Inspect the unit for any shipping damage. Report any damage immediately to the carrier and your supplier.
3. Ensure all included components (12 adjustable shelves, 5 casters) are present.

Placement:

- Place the freezer on a strong, level surface capable of supporting its weight (594 lbs empty, plus contents).
- Allow at least 6 inches of clearance on the back and sides for proper ventilation.
- Avoid placing the unit in direct sunlight or near heat-generating appliances.



Image 6: The Coolski 72 Cu.ft Commercial Freezer in a typical commercial kitchen environment, illustrating proper placement.

Caster Installation:

- The unit comes with 5 casters for mobility. Ensure they are securely attached and locked once the unit is in its final position.

Electrical Connection:

- Connect the freezer to a dedicated 115 Volt, 60Hz, 15 Amp circuit.
- The unit is equipped with a standard US plug. Do not modify the plug or use ungrounded outlets.

Initial Cleaning and Power-Up:

1. Clean the interior and exterior with a mild detergent and warm water. Dry thoroughly.
2. After cleaning, plug in the unit. Allow it to run for at least 2-4 hours empty to reach the desired temperature before loading with products.

4. OPERATING INSTRUCTIONS

Familiarize yourself with the control panel and features for efficient operation.

Control Panel:

- The digital temperature display allows you to monitor and adjust the internal temperature.
- Temperature range: -13°F to -5°F. Refer to the control panel manual for specific adjustment procedures.
- The unit features an automatic defrost system, minimizing manual intervention.

Loading and Storage:

- Utilize the 12 adjustable shelves to organize your products efficiently. Each shelf can hold up to 210 lbs.
- Do not block the internal air vents to ensure proper cold air circulation.
- The self-closing doors prevent cold air loss. For extended access, the doors can stay open at 202 degrees.
- Use the integrated door lock for enhanced security of contents, especially overnight.

LED Lighting:

- The internal LED lighting provides clear visibility of contents, even in low-light conditions.

5. MAINTENANCE

Regular maintenance ensures the longevity and efficient operation of your freezer.

Cleaning:

- **Exterior:** Wipe down the stainless steel exterior with a soft cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals.
- **Interior:** Clean the interior surfaces and shelves regularly with a mild detergent and warm water. Rinse and dry thoroughly to prevent odors and bacterial growth.
- **Door Gaskets:** Inspect and clean door gaskets regularly to ensure a tight seal. Replace if damaged or worn.

Condenser Coil Cleaning:

- The condenser coils should be cleaned every 3-6 months, or more frequently in dusty environments.
- Unplug the unit before cleaning. Use a stiff brush or vacuum cleaner to remove dust and debris from the coils.

Automatic Defrost:

- The unit features an automatic defrost cycle. Ensure the drain pan is clear and functioning correctly to collect and evaporate defrost water.

6. TROUBLESHOOTING

Before calling for service, please check the following common issues:

Problem	Possible Cause	Solution
Unit not cooling	Power supply issue, thermostat set too high, dirty condenser coils, door left open.	Check power connection/breaker, adjust thermostat, clean condenser coils, ensure doors are closed properly.
Excessive noise	Loose parts, unit not level, fan obstruction.	Check for loose components, level the unit, ensure fan is clear of obstructions.
Water on floor	Clogged drain line, damaged drain pan.	Clear drain line, inspect and replace drain pan if damaged.
Door not closing properly	Obstructed gasket, unit not level, damaged hinge.	Clean/adjust gasket, level the unit, contact service for hinge repair.

7. SPECIFICATIONS

Detailed technical specifications for the Coolski 82"W 72 Cu.ft 3-Door Commercial Freezer (Model MF-83).

Feature	Specification
Model Name	MF-83
Product Dimensions (D x W x H)	31.5"D x 81.9"W x 82.68"H
Capacity	72 Cubic Feet
Color	Silver
Material	Stainless Steel
Number of Doors	3
Defrost System	Frost Free (Automatic Defrost)
Voltage	115 Volts
Cooling Method	Compressor
Number of Shelves	12 (Adjustable)
Item Weight	594 Pounds
Certifications	DOE, ETL
Included Components	12 Adjustable Shelves, 5 Casters

8. WARRANTY AND SUPPORT

Coolski is committed to providing high-quality products and excellent customer service.

Warranty Information:

- Compressor Warranty: 6 years
- Parts Warranty: 2 years

For warranty claims or technical support, please contact Coolski customer service through the retailer where the product was purchased or visit the official Coolski website.

© 2026 Coolski. All rights reserved.
For more information, visit the [Coolski Store on Amazon](#).

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question