



Manuals.plus /

- › domi outdoor living /
- › Domi 8x12FT Sun Room Instruction Manual

domi outdoor living LGMF1678-8x12

Domi 8x12FT Sun Room Instruction Manual

Model: LGMF1678-8x12

1. SAFETY INSTRUCTIONS

Please read and understand all safety instructions before assembly and use of the Domi 8x12FT Sun Room. Failure to follow these instructions may result in injury or damage to the product.

- Always secure the gazebo to a stable foundation.
- Do not use the sunroom in winds exceeding 60 mph.
- Remove snow promptly after snowfall to prevent roof damage.
- Follow assembly instructions carefully to avoid injury.
- Ensure all connections are tightened securely before use.

2. SETUP AND ASSEMBLY

The Domi 8x12FT Sun Room requires assembly. It is recommended that at least two adults participate in the assembly process. Refer to the detailed assembly guide included in your product packaging for step-by-step instructions.

2.1 Wall-Mounted Design

This sunroom is designed for wall-mounted installation, allowing it to blend seamlessly with your house structure. Ensure the mounting surface is stable and capable of supporting the sunroom's weight.

Wall-mounted Design

Blend perfectly with the wall of your house.



Image: The sunroom's wall-mounted design, illustrating how it attaches to a house wall. Insets show details of the top beam and side pillar connection brackets.

2.2 Sturdy Aluminum Frame

The frame is constructed from premium powder-coated aluminum, designed for durability and resistance to rust and corrosion. This ensures long-term outdoor use and stability.

2.3 Galvanized Steel Sloping Roof

The roof features galvanized steel panels, providing anti-corrosion properties and strong weight-bearing capacity. It offers protection from direct sunlight, blocking 99% of UV rays, and provides rain protection.

Galvanized Steel Sloping Roof



Anti-Corrosion



Anti-UV



Sturdy&Stable



All weather Use



Image: Close-up of the galvanized steel sloping roof, emphasizing its protective qualities against corrosion and UV rays, and its suitability for all weather conditions.

2.4 Pre-drilled Anchoring Plates

Each post includes pre-drilled holes for anchoring plates. These are crucial for adding stability to your sunroom. Suitable expansion bolts (not included) should be used to secure the structure to your patio or deck.

2.5 Detachable Support Pole

An additional support pole is provided to enhance stability and snow load capacity, particularly during heavy snowfall. It is recommended to assemble this pole when anticipating harsh weather conditions.

DETACHEABLE SUPPORT POLE

The additional support pole can offer enhanced stability and snow load capacity during heavy snowfall.



Image: The detachable support pole in place, with detailed views of its connection points for added stability during heavy snow.

2.6 Dimensions

The sunroom measures 8x12FT. Detailed dimensions are provided below for planning your installation space.

8X12FT

WALL-MOUNTED SUNROOM DIMENSIONS






Image: Technical drawings illustrating the precise measurements of the 8x12FT sunroom, including height, width, and depth from various perspectives.

3. OPERATION

3.1 Generous Interior Space

The 8x12FT interior provides ample space for relaxation, gatherings, or enjoying natural light. Arrange your outdoor furniture to create a comfortable haven.

3.2 Detachable PC Screen & Mesh

The sunroom is equipped with translucent polycarbonate (PC) screens and breathable mesh. These offer privacy, resist UV rays, wind, and rain, and allow for air ventilation. The screens are removable, allowing you to adapt the sunroom to your needs. Removed screens can be stored efficiently on the provided shelves.

PC Screen & Breathable Mesh

Detachable windows with mesh allow excellent privacy and ventilation.



Privacy Protect



Anti-mosquito



Air Ventilation



Enjoy landscapes



Image: The sunroom's PC screen and mesh panels, detailing their benefits for privacy, insect protection, and airflow.

PC Windows Storage Shelves

Three alluminum storage organizers make your outdoor space clean and orderly.



Image: The dedicated storage shelves for the detachable PC screens, demonstrating how they keep the outdoor space organized.

3.3 Sliding Doors & Triple Entrance

The sunroom features double sliding doors at the front and on both sides, equipped with handles and durable sliding tracks. This design provides convenient access and allows for seamless integration of indoor and outdoor spaces, controlling light and airflow.



Image: Details of the sliding door, including the handle and track, illustrating smooth operation and access.

4. MAINTENANCE

Regular maintenance will extend the life and appearance of your Domi Sun Room.

- **Snow Removal:** The built-in drainage system helps manage rainwater and snow. However, it is advisable to conduct regular snow removal to enhance roof protection and ensure its long service life, especially in areas with heavy snowfall.
- **Cleaning:** Clean the aluminum frame and PC screens periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the finish or materials.
- **Inspection:** Periodically inspect all bolts and connections to ensure they remain tight. Re-tighten as necessary.
- **Drainage System:** Ensure the gutters and drainage channels are clear of debris to allow for efficient water runoff.

4.1 Built-in Drainage System

The sunroom incorporates a sloping drainage system designed to swiftly drain rainwater and snow into gutters, preventing accumulation on the roof.



Image: The roof's drainage system, illustrating how water is channeled away to prevent pooling.

5. TROUBLESHOOTING

This section addresses common issues you might encounter. For problems not listed here, please contact customer support.

Problem	Possible Cause	Solution
Water accumulation on roof	Blocked drainage system or excessive snow load.	Clear gutters of debris. Promptly remove snow from the roof.
Doors not sliding smoothly	Debris in tracks or misaligned panels.	Clean tracks thoroughly. Check panel alignment and adjust if necessary.
Sunroom feels unstable	Loose anchor bolts or improper foundation.	Ensure all anchor bolts are securely tightened. Verify the sunroom is on a level and stable surface.

6. SPECIFICATIONS

Key specifications for the Domi 8x12FT Sun Room:

- **Brand:** domi outdoor living
- **Model Number:** LGMF1678-8x12
- **Dimensions:** 8'x12' (Length x Width)
- **Material:** Galvanized Steel Roof, Aluminum Frame
- **Color:** Brown
- **Item Weight:** 467.38 Pounds
- **Frame Material:** Metal, Alloy Steel, Galvanized Steel, Aluminum
- **Top Material Type:** Galvanized Steel
- **Base Material:** Aluminum
- **Required Assembly:** Yes
- **Door Style:** Sliding Doors
- **Water Resistance Level:** Waterproof
- **Ultraviolet Light Protection:** 99% UV-proof, UPF 50+
- **Snow Load Capacity:** Up to 35 pounds per square foot
- **Wind Resistance Rating:** 60 miles per hour

7. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your purchase or contact Domi Outdoor Living customer service. This product typically includes a 30-day easy return policy.

7.1 Customer Support

If you have any questions, require assistance with assembly, or need to report a missing or damaged part, please contact Domi Outdoor Living customer support. Contact details can usually be found on the manufacturer's website or on your purchase receipt.

Please have your model number (LGMF1678-8x12) and purchase date ready when contacting support.