



[Manuals.plus](#) /

› [Exped](#) /

› Exped MegaMat Auto Self-Inflating Car Sleeping Mat Instruction Manual

Exped MegaMat Auto

Exped MegaMat Auto Self-Inflating Car Sleeping Mat Instruction Manual

Model: MegaMat Auto

1. PRODUCT OVERVIEW

The Exped MegaMat Auto is a premium self-inflating sleeping mat designed for vehicle camping. It features a 4-inch polyurethane foam core, asymmetrical wheel well cutouts for optimal vehicle fit, and a luxurious tricot fabric surface for enhanced comfort. This mat is engineered for ease of use, durability, and superior insulation, making your vehicle a comfortable sleeping space.



Figure 1: Top view of the Exped MegaMat Auto, highlighting its unique shape designed for vehicle interiors.

Key Features:

- **Superior Vehicle Design:** 4-inch polyurethane foam camping pad with asymmetrical wheel well cutouts, perfectly sized for mid-size trucks, SUVs, and Teslas.
- **Enhanced Handling:** Three welded side handles for easy transport and a compact roll-up design.
- **Advanced Valve System:** Dual sets of one-way FlatValves (2 inflate, 2 deflate) at both head and foot ends for easy inflation and deflation, with included Top-Up Pump.
- **Vehicle-Optimized Comfort:** Premium car mattress featuring luxurious tricot fabric and adjustable support, engineered to maximize sleeping space between wheel wells.
- **Quality Construction:** Insulated sleeping pad combining open-cell foam technology with practical design features for durability and support.

2. SETUP INSTRUCTIONS

2.1 Unpacking and Initial Inflation

1. Unroll the MegaMat Auto from its SideWinder stuff sack. Lay it flat in your desired sleeping area within the vehicle.
2. Locate the inflate valves (marked 'IN') at both the head and foot ends of the mat. Open both inflate valves.
3. Allow the mat to self-inflate for approximately 10-20 minutes. The open-cell foam will expand and draw air into the mat.
4. Once the mat has largely self-inflated, close the inflate valves.

2.2 Adjusting Firmness with the Top-Up Pump

1. Attach the included Top-Up Pump to one of the inflate valves.
2. Use the pump to add additional air until your desired firmness is achieved. The mat can be adjusted from firm to plush.
3. Remove the pump and ensure the inflate valve is securely closed.



Figure 2: Detail of the inflate and deflate valves, showing the connection point for the Top-Up Pump.

2.3 Vehicle Placement

The asymmetrical wheel well cutouts are designed to fit snugly around your vehicle's interior, maximizing usable sleeping space. Position the mat with the cutouts aligning with your vehicle's wheel wells.



Figure 3: The MegaMat Auto correctly positioned in a vehicle, showcasing its tailored fit.

2.4 Video Guide: Setup and Features

Your browser does not support the video tag.

Video 1: A detailed demonstration of the Exped Auto MegaMat's setup and key features.

3. OPERATING INSTRUCTIONS

3.1 Adjusting Comfort

The MegaMat Auto's firmness can be fine-tuned to your preference. For a softer feel, slightly open an inflate valve to release a small amount of air, then quickly close it. For a firmer feel, use the Top-Up Pump to add more air.



MEGAMAT AUTO

FIRM • **SOFT** • PLUSH • LUXURY

MegaMat Auto is the ultimate vehicle sleeping mat with wheel well cutouts that fit many mid-size trucks, compact SUVs & wagons, and Tesla models.

Like other sleeping mats in the MegaMat line, the MegaMat Auto is self-inflating and features four inches of open-cell polyurethane foam for soft support and warmth.

Figure 4: Illustration of the MegaMat Auto's soft comfort and internal foam structure.

4. MAINTENANCE

4.1 Cleaning

Clean the mat surface with a damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners. Ensure the mat is completely dry before storing.

4.2 Storage

1. Open both deflate valves (marked 'OUT') at the head and foot ends of the mat.
2. Roll the mat tightly from one end to the other, expelling as much air as possible.
3. Once rolled, secure the mat with the integrated straps or place it directly into the oversized SideWinder stuff sack.
4. Store the mat in a cool, dry place, away from direct sunlight and extreme temperatures.



SPECIFICATIONS

R-Value: 8.1	Temperature: -40 °F
Length: 77.6 in	Weight: 136 oz 8lbs 8 oz
Top Width: 52 in	Bottom Width: 39 in
Packed Dimensions 27.6 x 11.8 in	Includes Sleeping mat, Top-Up Pump, temporary repair kit, SideWinder stuff sack

Figure 5: The MegaMat Auto neatly packed in its SideWinder stuff sack for storage.

4.3 Repair Patch

A repair patch is included for minor punctures. Follow the instructions provided with the repair kit for proper application.

5. TROUBLESHOOTING COMMON ISSUES

5.1 Mat Not Fully Inflating

- Ensure both inflate valves are fully open and allow sufficient time (10-20 minutes) for initial self-inflation.
- Use the included Top-Up Pump to manually add air until desired firmness.
- Check for any leaks or punctures (see 'Mat Losing Air' below).

5.2 Mat Losing Air

- Verify that all inflate and deflate valves are securely closed.
- Inspect the mat surface for punctures. Use soapy water to locate leaks (bubbles will form).

- Apply the included repair patch according to its instructions for any small holes.

6. PRODUCT SPECIFICATIONS

Specification	Detail
Size	Auto
Product Dimensions (L x W x Th)	77.6"L x 52"W x 4"Th
Item Weight	127.9 Ounces
Material	Polyurethane Foam (Fill), Recycled 50D Tricot Polyester (Cover)
R-Value	8.1
Special Features	3D vertical sidewalls, Self Inflating, Wheel Cutouts
Included Components	Repair Patch, Top-Up Pump, SideWinder Stuff Sack
Target Audience	Adult

7. SAFETY GUIDELINES

- Do not leave children unattended on the mat.
- Maximum weight limit: 400 lbs.
- Use only the included pump for inflation and deflation to avoid damage or injury.
- Keep the mat away from sharp objects and open flames.

8. WARRANTY AND CUSTOMER SUPPORT

Exped stands by the quality of its products. For warranty information, product support, or to address any issues not covered in this manual, please visit the official Exped website or contact their customer service directly. Many users report excellent support and responsiveness from Exped regarding product concerns.

8.1 Video Guide: Product Overview and Usage

Your browser does not support the video tag.

Video 2: An extensive overview of the Exped MegaMat Auto, covering various aspects of its design and functionality.