

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

> [KEIKI](#) /

> KEIKI 8x8 FT Double Door Polycarbonate Greenhouse Instruction Manual

KEIKI CC01130

KEIKI 8x8 FT Double Door Polycarbonate Greenhouse

Model: CC01130

IMPORTANT SAFETY INFORMATION

Please read and understand all safety warnings and instructions before assembly and use of this greenhouse. Failure to follow these instructions may result in injury or damage to the product.

- This greenhouse contains sharp edges and heavy components. Always use caution when handling and assembling.
- Wear appropriate protective gear, including gloves and eye protection, during assembly.
- Avoid prolonged exposure to UV rays through the polycarbonate panels.
- Always anchor the greenhouse securely to the ground to prevent it from being blown over in strong winds.
- Follow all assembly instructions carefully to ensure safe and proper installation.

PRODUCT OVERVIEW

The KEIKI 8x8 FT Double Door Polycarbonate Greenhouse is designed to provide a protected environment for cultivating plants. It features a durable aluminum frame, polycarbonate panels, and a raised base for stability.

Key Features

- **Spacious Walk-in Design:** Offers ample space for various plants and flowers.
- **Efficient Drainage System:** Directs excess water away from the structure.
- **Convenient Two-Sliding Doors:** Provides easy access and protects plants.
- **Adjustable Roof Vent:** Allows for optimal ventilation and pollination.
- **Heavy-Duty and Durable Construction:** Features 4mm thick polycarbonate panels and a rust-resistant aluminum alloy frame.



Image: The KEIKI 8x8 FT Double Door Polycarbonate Greenhouse, showcasing its overall design and size.

Applicable to Multiple Scenarios

Provides multiple uses for the family

Vegetable Cultivation



Plant Flowers



Cultivate Seed



Heat Preservation



Image: Various applications of the greenhouse, such as vegetable cultivation, flower planting, seed starting, and heat preservation.

Durable and UV-resistant twin wall polycarbonate panel



Image: Visual representation of the greenhouse's durable and UV-resistant twin-wall polycarbonate panels, offering UV protection, insect control, and waterproof capabilities.

Video: An overview of the KEIKI 8x8 FT Greenhouse, demonstrating its features and appearance in a garden setting.

PACKAGE CONTENTS

Before beginning assembly, carefully unpack all components and verify that all parts are present and undamaged. Refer to the detailed parts list and diagrams provided in the manufacturer's assembly guide (not included in this document) to identify each piece.

DOUBLE DOOR GREENHOUSE

this greenhouse is ideal for the casual gardener or flower enthusiast for growing a wide variety of vegetables, plants.




Image: Exploded view of the greenhouse components, illustrating the adjustable roof vent, reinforced structure, upper drainage, sliding doors, and ground fixation points.

SETUP AND ASSEMBLY

Before You Begin

- Choose a level and stable location for your greenhouse, away from strong winds or potential falling debris.
- Ensure you have all necessary tools as specified in the manufacturer's instructions.
- It is highly recommended to have at least two people for assembly due to the size and number of components.

Assembly Steps

The assembly of this greenhouse involves numerous parts and requires careful attention to detail. Please refer to the comprehensive step-by-step instructions provided by the manufacturer with your product. It is crucial to follow the sequence precisely to ensure structural integrity and proper function.

1. **Base Construction:** Assemble the galvanized base frame first. Ensure it is level and securely fastened.
2. **Frame Assembly:** Construct the aluminum frame according to the diagrams, paying close attention to the orientation of each piece.
3. **Panel Installation:** Carefully insert the polycarbonate panels into the frame channels. Ensure they are seated correctly and secured as per instructions.
4. **Door and Vent Installation:** Install the sliding doors and roof vent, ensuring they operate smoothly.
5. **Ground Fixation:** Securely anchor the greenhouse to the ground using appropriate methods for your chosen location to prevent wind damage.

Note: Customer feedback indicates that assembly can be challenging. Patience and careful adherence to the provided instructions are essential.



Image: The assembled greenhouse positioned on a wooden deck in a garden, illustrating a typical setup environment.

OPERATING INSTRUCTIONS

Double Sliding Doors

The greenhouse is equipped with two sliding doors for easy access. To open, gently slide the doors along their tracks. Ensure the tracks are clear of debris for smooth operation. Close the doors completely to maintain internal temperature and protect plants from external elements.

Adjustable Roof Vent

The adjustable roof vent allows for ventilation and temperature control. Open the vent to release excess heat and humidity, or to allow beneficial insects for pollination. Close the vent during colder periods or adverse weather conditions. The vent mechanism may be manual or automatic depending on the specific model; refer to your product's specific instructions for operation.

Drainage System

The integrated drainage gutter system collects rainwater from the sloped roof and directs it away from the greenhouse base. Regularly check the gutters for blockages from leaves or debris to ensure efficient water runoff.

MAINTENANCE

Regular maintenance will extend the lifespan of your KEIKI greenhouse and ensure optimal performance.

- **Cleaning Panels:** Clean polycarbonate panels periodically with mild soap and water using a soft cloth or sponge. Avoid abrasive cleaners or brushes that could scratch the surface.
- **Frame Inspection:** Annually inspect the aluminum frame for any signs of corrosion, loose bolts, or damage. Tighten any loose fasteners.
- **Vent and Door Tracks:** Keep door and vent tracks clean and free of dirt or debris to ensure smooth operation. Lubricate if necessary with a silicone-based spray.
- **Anchoring:** Regularly check the ground anchors for stability, especially after strong winds. Re-secure if any movement is detected.
- **Winterization:** In areas with heavy snowfall, consider clearing snow from the roof to prevent excessive weight. Ensure all vents and doors are securely closed during cold weather.

TROUBLESHOOTING

This section addresses common issues you might encounter with your greenhouse.

Problem	Possible Cause	Solution
Difficulty during assembly	Complex design, unclear instructions, missing parts.	Review the manufacturer's instructions carefully. Ensure all parts are present before starting. Seek assistance from another person. Contact customer support if instructions are genuinely unclear or parts are missing.
Greenhouse unstable in wind	Improper anchoring, insufficient ground fixation.	Ensure the greenhouse is securely anchored to the ground using all provided fixation points. Consider additional anchoring methods for very windy locations. Verify the base is level.

Problem	Possible Cause	Solution
Doors or vent not sliding smoothly	Debris in tracks, misaligned components.	Clean tracks thoroughly. Check for any bent or misaligned frame pieces. Apply a silicone lubricant to the tracks if needed.
Water accumulation on roof	Blocked drainage gutters.	Clear any leaves, dirt, or debris from the drainage gutters and downspouts.

PRODUCT SPECIFICATIONS

Detailed specifications for the KEIKI 8x8 FT Double Door Polycarbonate Greenhouse, Model CC01130.



Image: Detailed product size diagram with measurements in feet.

Feature	Detail
Model Number	CC01130
Dimensions (L x W x H)	94.5 x 97.75 x 89.5 inches (approximately 7.87 x 8.14 x 7.45 feet)
Item Weight	50.7 pounds
Frame Material	Alloy Steel (Aluminum Alloy, rust-resistant coated)
Cover Material	4mm Polycarbonate (PC)
Number of Doors	2 (Sliding)
Number of Vents	1 (Adjustable Roof Vent)
Light Transmission	Up to 70%
UV Protection	Blocks over 99.9% of harmful UV rays
Temperature Resistance	-20°C to 70°C

WARRANTY AND SUPPORT

For any product-related issues, missing parts, or warranty inquiries, please contact KEIKI customer support.

Customer Support Email: csr@merax.com

Please have your model number (CC01130) and purchase information ready when contacting support.