

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Evenflo](#) /
- › [Evenflo Revolve360 Extend Convertible Car Seat User Manual](#)

Evenflo CS360212464

Evenflo Revolve360 Extend Convertible Car Seat User Manual

Model: CS360212464

INTRODUCTION

This manual provides comprehensive instructions for the safe and proper use, installation, and maintenance of your Evenflo Revolve360 Extend All-in-One Rotational Car Seat. Please read this manual thoroughly before using the car seat and keep it for future reference. The Evenflo Revolve360 Extend is designed to grow with your child, offering extended rear-facing, forward-facing, and booster modes.

IMPORTANT SAFETY INFORMATION

Always prioritize your child's safety. This car seat meets or exceeds all applicable federal safety standards. It has been structural integrity tested at energy levels approximately 2x the federal crash test standard, and is side-impact tested, rollover tested, and temperature tested.

- Ensure the car seat is correctly installed according to the instructions for your vehicle and child's weight/height.
- Always secure your child properly in the harness system.
- Never leave your child unattended in the car seat.
- Do not use the car seat if it has been involved in a crash, even if there is no visible damage.
- Refer to the weight and height limits for each mode to ensure proper use.

PRODUCT FEATURES

The Evenflo Revolve360 Extend offers a range of features designed for safety, convenience, and comfort:

- **360° Rotation:** Allows for easy loading and unloading of your child with one hand.
- **Extended Rear-Facing:** Supports rear-facing use up to 50 lbs, as recommended by child safety experts.
- **Sure360™ Safety Installation System:** Features LockStrong™ belt-tensioning system and Tether360™ technology for secure and simple installation.
- **10 Years of Use:** Adapts through three modes: rear-facing (4-50 lb), forward-facing (22-65 lb), and booster (40-120 lb).
- **Quick Clean Cover:** Removable and machine-washable cover for easy maintenance.
- **L.I.F.E. Guard:** Linear Impact Force Engineered to improve safety performance in side impact crashes.

- **Zip-on Ergonomic Leg Rest:** Provides added comfort for growing children.
- **Easy-Adjust Recline:** Allows angle adjustment without reinstalling the seat.

SETUP AND INSTALLATION

The Evenflo Revolve360 Extend is designed for a single installation for both rear-facing and forward-facing modes, eliminating the need to remove the seat to switch orientations.

Installation Steps (Latch System)

1. **Prepare the Car Seat:** Ensure the car seat is in the correct recline position for the chosen mode (rear-facing or forward-facing). Use the bead-level indicator for accurate leveling.



EASY- ADJUST RECLINE

Image: The car seat shown in a reclined position, demonstrating the easy-adjust recline feature which allows angle adjustment without reinstalling.

2. **Access the Sure360™ Safety Installation System:** Lift the seat portion to reveal the base and the LockStrong™ belt-tensioning system.



SURE360™ SAFETY INSTALLATION SYSTEM

Image: A person's hands are shown securing the base of the car seat into a vehicle, illustrating the Sure360 Safety Installation System designed for secure and simple installation.

3. **Connect LATCH Connectors:** Attach the LATCH connectors to your vehicle's lower anchors. Ensure a tight connection.
4. **Engage LockStrong™:** Press down firmly on the LockStrong™ mechanism to tighten the LATCH belt, securing the base to the vehicle seat. Verify the car seat is securely installed by attempting to move it at the belt path; it should not move more than one inch side-to-side or front-to-back.
5. **Attach Tether360™ (Forward-Facing):** If installing forward-facing, attach the top tether strap to your vehicle's tether anchor point and tighten it. This provides additional stability and reduces head excursion in a crash.
6. **Adjust Harness Height:** Adjust the shoulder harness straps to be at or just below your child's shoulders for rear-facing, and at or just above for forward-facing.

For detailed visual instructions, refer to the official Evenflo installation videos (if available) or contact ParentLink® customer service for live video support.

OPERATING THE CAR SEAT

360° Rotation Function

The unique 360° rotation feature allows you to swivel the car seat towards the car door for easy loading and unloading of your child. This function is available in both rear-facing and forward-facing modes.



Image: The car seat is shown with a blue arrow indicating its 360-degree rotation capability, allowing for easy access to the child.



ONE-HAND, 360° ROTATION

Image: A baby is seated in the car seat, and a hand is shown near the seat, illustrating the ease of use of the one-hand, 360-degree rotation feature for placing or removing the child.

To rotate the seat, locate the rotation lever (usually at the front or side of the base), squeeze or lift it, and swivel the seat to the desired position. Ensure it clicks securely into place before driving.

Child Modes and Weight/Height Limits

The Revolve360 Extend supports three distinct modes of use:

1



**EXTENDED
REAR-FACING**

4 to 50 lb

2



FORWARD-FACING

30 to 65 lb

3



BOOSTER

40 to 120 lb

10 YEARS OF USE

Image: A visual representation of the car seat's three modes: Extended Rear-Facing (4 to 50 lb), Forward-Facing (30 to 65 lb), and Booster (40 to 120 lb), highlighting its versatility for 10 years of use.

- **Extended Rear-Facing:** For children weighing 4 to 50 lbs and measuring 17 to 57 inches. This mode offers superior protection for infants and toddlers.



*Styles may vary.

EXTENDED REAR-FACING TO 50 LB

Image: A young child is shown comfortably seated in the car seat in the extended rear-facing position, emphasizing its capability to accommodate children up to 50 lbs in this mode.

- **Forward-Facing:** For children weighing 22 to 65 lbs and measuring 17 to 57 inches. Ensure your child meets the minimum age and developmental readiness for forward-facing.
- **Booster Mode:** For children weighing 40 to 120 lbs and measuring 17 to 57 inches. In this mode, the vehicle's seat belt is used to secure the child.

Always refer to the labels on the car seat and this manual for the most accurate and up-to-date weight and height limits.

L.I.F.E. Guard Side Impact Protection

The Evenflo Revolve360 Extend incorporates L.I.F.E. Guard (Linear Impact Force Engineered) technology, designed to improve safety performance in side impact crashes. This advanced feature provides additional protection for your child's head and body in the event of a side collision.



*Styles may vary

L.I.F.E. GUARD IMPROVES SAFETY PERFORMANCE IN SIDE IMPACT CRASHES

Image: A close-up view of the "L.I.F.E. Guard" label on the car seat, signifying its Linear Impact Force Engineered design for improved safety performance in side impact crashes.

CARE AND MAINTENANCE

Proper care and maintenance will extend the life of your Evenflo Revolve360 Extend car seat.

Cleaning Instructions

- **Quick Clean Cover:** The seat pad features a Quick Clean Cover, which is easy to remove and machine washable. Machine wash separately in cold water on a delicate cycle. Tumble dry for 10 to 15 minutes on low heat.




EASY-WASH QUICK CLEAN COVER

Image: A hand is shown zipping off a portion of the car seat cover, demonstrating the easy-wash Quick Clean Cover feature designed for convenient removal and cleaning.

- **Harness:** The harness can be wiped clean with mild soap and water. Allow the harness to air dry completely. Do not machine wash or immerse the harness in water.
- **Plastic and Metal Parts:** Plastic and metal parts may be wiped clean with mild soap and water and dried with a soft cloth.
- **General Warning:** DO NOT lubricate or immerse in water any part of this child restraint, unless rinsing is permitted.

Leg Rest Attachment

The car seat includes a zip-on ergonomic leg rest to provide additional comfort for growing children. Attach or remove it as needed.



ZIP ON THE LEG REST

Image: A person's hands are shown zipping on the ergonomic leg rest to the car seat, illustrating how this feature can be easily attached for a child's comfort.

TROUBLESHOOTING

If you encounter issues with your Evenflo Revolve360 Extend car seat, refer to the following common solutions:

Problem	Possible Cause	Solution
Car seat feels loose after installation.	LATCH belt not tight enough; LockStrong™ not fully engaged.	Re-read installation instructions. Ensure LATCH connectors are fully engaged and press down firmly on the LockStrong™ mechanism until it clicks. Check for movement at the belt path (should be less than 1 inch).

Problem	Possible Cause	Solution
Harness straps are difficult to tighten or loosen.	Harness may be twisted; child's clothing interfering; harness adjuster mechanism obstructed.	Untwist any twisted harness straps. Ensure no clothing is caught in the harness path. Check for debris around the harness adjuster.
Seat does not rotate smoothly.	Rotation lever not fully engaged; debris in rotation mechanism; seat not properly installed.	Ensure the rotation lever is fully squeezed or lifted. Check for any obstructions around the base. Verify the car seat is securely installed and not binding.
Child's head slumps forward in rear-facing.	Incorrect recline angle for child's age/weight.	Adjust the recline angle using the easy-adjust recline feature. Use the bead-level indicator to ensure the correct angle for rear-facing infants.

If these solutions do not resolve the issue, please contact Evenflo ParentLink® customer service.

SPECIFICATIONS

Attribute	Detail
Model Number	CS360212464
Product Dimensions	21 x 25.9 x 19.8 inches
Item Weight	29.6 pounds
Minimum Weight Recommendation	4 Pounds
Maximum Weight Recommendation	120 Pounds
Minimum Height Recommendation	17 Inches
Maximum Height Recommendation	57 Inches
Material Type	Polyester (100% polyester)
Number of Reclining Positions	6
Harness Type	5-Point
Installation Type	Latch

SUPPORT AND CONTACT INFORMATION

For any questions, installation assistance, or support regarding your Evenflo Revolve360 Extend car seat, please contact Evenflo ParentLink® customer service.

- **Live Video Support:** Evenflo offers live video support with a certified car seat safety technician to assist with proper vehicle installation. This service can help ensure your car seat is installed correctly for maximum safety.
- **Online Resources:** Visit the official Evenflo website for additional resources, FAQs, and product registration.

Specific contact details (phone number, website URL) are not provided in this manual. Please refer to the product packaging or the official Evenflo website for current contact information.

WARRANTY INFORMATION

Specific warranty terms and conditions for the Evenflo Revolve360 Extend car seat are typically provided with the product packaging or available on the official Evenflo website. Please retain your proof of purchase for warranty claims.

This manual does not contain the full warranty details. For complete information, please consult the warranty card included with your purchase or visit the Evenflo official website.

© 2024 Evenflo. All rights reserved.
Evenflo is a registered trademark of Evenflo Company, Inc.