

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Dapper Supply](#) /
- › [Dapper Supply Commercial Carpet Cleaner Extractor DP-CCE1206 User Manual](#)

Dapper Supply DP-CCE1206

Dapper Supply Commercial Carpet Cleaner Extractor User Manual

Model: DP-CCE1206

INTRODUCTION

This manual provides essential instructions for the safe and efficient operation, maintenance, and troubleshooting of your Dapper Supply Commercial Carpet Cleaner Extractor, Model DP-CCE1206. Please read this manual thoroughly before using the machine to ensure proper function and to prevent damage or injury.

SAFETY INSTRUCTIONS

- Always connect the machine to a properly grounded outlet.
- Do not operate the machine with a damaged cord or plug.
- Keep hands, feet, and loose clothing away from moving parts.
- Do not use the machine to pick up flammable or combustible liquids.
- Ensure all switches are in the OFF position before plugging in or unplugging the machine.
- Store the machine in a dry, secure location when not in use.

PRODUCT COMPONENTS

Familiarize yourself with the main components of your Dapper Supply Commercial Carpet Cleaner Extractor.



Figure 1: Front view of the Dapper Supply Commercial Carpet Cleaner Extractor, showing the main body, cleaning head, and handle.



Figure 2: Side view of the extractor, highlighting the large wheels for mobility and the compact design.



Figure 3: Rear view showing the power cord, main power switch, and product label.



Figure 4: Close-up of the recovery tank drain plug with chain,

located at the lower rear of the unit.



Figure 5: Top view showing the transparent lid for the recovery tank and the fill port for the solution tank.



Figure 6: Control panel on the handle with individual switches for Suction, Spray, and Roller functions.



Figure 7: The debris collection area, designed to capture larger particles during cleaning.



Figure 8: Power cord hook for organized storage and transport.

SETUP

1. **Unpacking:** Carefully remove the carpet extractor from its packaging. Inspect for any shipping damage.
2. **Positioning:** Place the machine on a flat, stable surface.
3. **Filling the Solution Tank:** Open the solution tank cap (refer to Figure 5). Fill the 10-gallon solution tank with clean water and an appropriate carpet cleaning solution, following the solution manufacturer's instructions for dilution. Do not overfill.
4. **Power Connection:** Ensure all switches (Suction, Spray, Roller) are in the OFF position (refer to Figure 6). Plug the 50-foot power cord into a grounded 110V electrical outlet.

OPERATING INSTRUCTIONS

1. **Pre-Cleaning:** Vacuum the carpet thoroughly to remove loose dirt and debris before using the extractor.
2. **Starting the Machine:** Turn on the main power switch. Then, activate the desired functions using the switches on the handle:
 - **Suction:** Activates the vacuum motor for water recovery.
 - **Spray:** Activates the pump for solution application.
 - **Roller:** Activates the brush roller for agitation.
3. **Cleaning Process:**
 - For deep cleaning, engage the Spray and Roller switches. Push the machine forward slowly, allowing the solution to penetrate the carpet fibers.
 - For extraction, engage the Suction switch. Pull the machine backward over the treated area to remove the

cleaning solution and dirt. Repeat as necessary until the water being extracted appears clean.

- Overlap each pass slightly to ensure even cleaning across the 18-inch cleaning path.

4. **Monitoring Tanks:** Periodically check the recovery tank (transparent lid, Figure 5) and the solution tank. Refill the solution tank as needed and empty the recovery tank when it reaches its maximum capacity.
5. **Finishing:** Once cleaning is complete, turn off the Spray and Roller switches, then make a few final passes with only the Suction engaged to remove as much moisture as possible. Turn off the Suction switch, then the main power switch.

MAINTENANCE

1. **Emptying Recovery Tank:** After each use, or when full, drain the recovery tank using the drain plug (Figure 4). Rinse the tank with clean water.
2. **Cleaning Solution Tank:** Empty any remaining solution from the solution tank and rinse thoroughly.
3. **Cleaning Debris Filter:** Regularly check and clean the debris collection area/filter (Figure 7) to prevent blockages and maintain optimal suction.
4. **Brush Roller Inspection:** Inspect the brush roller for tangled hair or debris. Clean as needed to ensure effective agitation.
5. **Hose and Nozzle Cleaning:** Flush the spray hose and nozzle with clean water after each use to prevent chemical buildup and clogging. A solution of water and white vinegar can be used for stubborn residue.
6. **Exterior Cleaning:** Wipe down the exterior of the machine with a damp cloth.
7. **Storage:** Store the machine in a dry, climate-controlled area. Wrap the power cord neatly around the cord hooks (Figure 8).

TROUBLESHOOTING

Problem	Possible Cause	Solution
Machine does not turn on	Not plugged in; Power switch off; Circuit breaker tripped.	Ensure power cord is securely plugged into a grounded outlet; Turn main power switch ON; Check and reset circuit breaker.
No spray from nozzle	Solution tank empty; Spray switch off; Nozzle clogged; Pump malfunction.	Refill solution tank; Turn Spray switch ON; Clean nozzle; Contact customer support.
Low or no suction	Recovery tank full; Suction switch off; Debris filter clogged; Suction hose blocked.	Empty recovery tank; Turn Suction switch ON; Clean debris filter; Clear any blockages in the suction hose.
Brush roller not rotating	Roller switch off; Debris tangled in brush; Motor malfunction.	Turn Roller switch ON; Remove tangled debris from brush; Contact customer support.

SPECIFICATIONS

Feature	Detail
Brand	Dapper Supply
Model Name	Commercial Carpet Extractor

Feature	Detail
Model Number	DP-CCE1206
Solution Tank Capacity	10 Gallons
Recovery Tank Capacity	8 Gallons
Cleaning Path Width	18 inches
Motor RPM	900 RPM
Power	1400W
Power Source	Corded Electric
Voltage	110V
Power Cord Length	50 feet
Noise Level	70 dB
Item Weight	83 Pounds
Product Dimensions (D x W x H)	34"D x 16"W x 34"H
UPC	850064526301

WARRANTY AND SUPPORT

The Dapper Supply Commercial Carpet Extractor comes with a **1-year warranty** from the date of purchase, covering manufacturing defects and workmanship under normal use.

For technical assistance, warranty claims, or to order replacement parts, please contact Dapper Supply customer support. Refer to the product packaging or the official Dapper Supply website for current contact information.

When contacting support, please have your model number (DP-CCE1206) and proof of purchase readily available.