



[Manuals.plus](#) /

> [Quicrent](#) /

> Quicrent Heavy Duty 12x20 ft Carport Tent Instruction Manual

Quicrent 028W

Quicrent Heavy Duty 12x20 ft Carport Tent Instruction Manual

Model: 028W

1. PRODUCT OVERVIEW

This manual provides detailed instructions for the assembly, use, and maintenance of your Quicrent Heavy Duty 12x20 ft Carport Tent. This outdoor canopy shelter is designed with an ultra-high peak and ventilation windows, offering waterproof protection for various uses including events, storage, and parking.



Figure 1: Assembled Quic Tent 12x20 ft Carport Tent.

2. SAFETY INFORMATION

Please read and understand all safety warnings before assembly and use of the carport tent.

- Always ensure the tent is properly anchored to the ground using all provided anchoring hardware.
- Do not use the carport tent in high winds or severe weather conditions. Disassemble if strong winds are forecasted.
- Keep away from heat sources and open flames to prevent fire hazards.
- Always follow the manufacturer's instructions for setup, use, and dismantling.
- Regularly inspect the structure for any signs of wear or damage. Replace damaged parts immediately.
- Ensure adequate clearance around the tent to prevent contact with sharp objects or structures.

3. PRODUCT FEATURES

The QuicTent Carport Tent is designed with several key features for durability and versatility:

- **Ultra-High Peak Design:** Features an 11/12 roof pitch, engineered to reduce snow and water accumulation by 60% compared to traditional designs, preventing structural damage.
- **Spacious Vertical Space:** Provides ample vertical clearance, ideal for storing taller vehicles or hanging lights and decorations.
- **Enhanced Stability:** Equipped with 4 reinforcing bars on both the top and sides, creating a sturdy triangular structure for increased stability.
- **Ventilation Windows:** Includes 6 large mesh windows on the side with roll-up covers to improve airflow, prevent moisture buildup, and offer privacy or wind protection.
- **Multi-Use Functionality:** Detachable sidewalls and zipper doors allow conversion into a storage shed, carport, outdoor wedding tent, or horse stable.
- **Waterproof and Wind-Resistant:** Constructed with materials designed to withstand various weather conditions.




Figure 2: Ultra-high peak design for efficient snow and water runoff.



Figure 3: Heavy-duty reinforcement system for enhanced stability.



Figure 4: Ventilation windows for improved airflow and heat dissipation.

4. SETUP AND INSTALLATION

Assembly of the Quiccent Carport Tent is designed to be quick and easy, typically requiring 1-2 people and approximately 1 hour. No special tools are required.

1. **Step 1: Install the Top Frame.** Assemble the roof frame components according to the diagram. Ensure all connections are secure.
2. **Step 2: Install the Top Cover.** Drape the top cover over the assembled roof frame. Secure it in place as instructed.
3. **Step 3: Install Leg Bars.** Attach the leg bars to the roof frame, ensuring they are properly aligned and secured.
4. **Step 4: Install Sidewalls and Doors.** Attach the sidewalls and zipper doors. Secure them using the provided fasteners.
5. **Step 5: Anchor the Tent.** Securely anchor the entire structure to the ground using all provided ground nails and bouncy cords to ensure stability.



Figure 5: Quick installation steps for the carport tent.

Durability Testing Video

Your browser does not support the video tag.

Video 1: Demonstrates the load-bearing, wind, and rain resistance tests of the Quiccent Carport. This video provides insight into the structural integrity and weather performance of the tent, which is relevant for understanding proper installation and anchoring.

5. OPERATING INSTRUCTIONS

The Quiccent Carport Tent is designed for versatile use. Here are general operating guidelines:

- **Ventilation:** Utilize the mesh windows by rolling up their covers to ensure proper airflow, especially during warmer weather or when storing items that require ventilation. Close covers for privacy or protection from wind and rain.
- **Access:** Use the zipper doors for easy entry and exit. Ensure zippers are fully closed when not in use to protect contents from elements.
- **Adaptability:** The detachable sidewalls allow you to customize the tent's configuration based on your needs, whether for an open canopy or an enclosed shelter.
- **Anchoring:** Regularly check the tension of ropes and ground anchors, especially after strong winds or heavy rain, and re-tighten as necessary.



Figure 6: Carport tent providing shelter for a vehicle and storage.

Quick Installation

Just four steps to complete the installation, simple, fast, and effortless.



Figure 7: Carport tent configured for an outdoor event.

6. MAINTENANCE

Proper maintenance will extend the lifespan of your carport tent:

- **Cleaning:** Clean the canopy and sidewalls regularly with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Rinse thoroughly and allow to air dry completely before storage.
- **Inspection:** Periodically inspect all frame connections, ropes, and anchors for tightness and wear. Tighten any loose connections and replace worn components.
- **Snow Removal:** While the high-peak design helps, heavy snow accumulation should be removed promptly to prevent excessive load on the structure.
- **Storage:** When not in use for extended periods, or during severe weather, disassemble the tent and store it in a dry, protected area. Ensure all components are clean and dry before packing.

7. TROUBLESHOOTING

Here are some common issues and their solutions:

Problem	Possible Cause	Solution
Tent instability / swaying in wind	Insufficient anchoring; loose frame connections.	Ensure all ground anchors are fully secured and ropes are taut. Check and tighten all frame connections. Disassemble in extreme weather.
Water pooling on roof	Incorrect assembly of roof frame; excessive snow/debris.	Verify roof frame is assembled correctly to maintain the 11/12 pitch. Promptly remove any snow or debris accumulation.
Leaking	Damage to canopy material; improper installation of cover.	Inspect canopy for tears or punctures. Ensure the top cover is correctly installed and fully covers the frame. Contact support for replacement parts if damaged.
Difficulty with zipper operation	Dirt or debris in zipper; misalignment.	Clean zipper teeth with a brush. Apply a silicone-based lubricant if needed. Ensure sidewalls are properly aligned to prevent tension on the zipper.

8. SPECIFICATIONS

Attribute	Detail
Brand	Quiccent
Model Number	028W
Material	Metal (Frame), Polyethylene (Cover)
Color	White
Product Dimensions (L x W x H)	240"L x 144"W x 143"H (20 ft L x 12 ft W x 11.9 ft H)
Size	12'x20' High Peak
Water Resistance Level	Waterproof
Ultraviolet Light Protection	Yes
Recommended Uses	Wedding, Party, Storage, Parking
Required Assembly	Yes




Figure 8: Detailed dimensions of the carport tent.

9. WARRANTY AND SUPPORT

Quicent provides comprehensive support for your product:

- **Warranty:** Enjoy peace of mind with a 1-year warranty on poles and tarps.
- **Lifetime Accessory Coverage:** Lifetime coverage is provided for joints, ground nails, and bouncy cords.
- **Customer Support:** For any questions, issues, or to claim warranty, please contact Brandline, the seller. They offer 30-day easy returns and customer support.

Company Overview Video

Your browser does not support the video tag.

Video 2: An overview of Quicent, highlighting their commitment to shelters and customer satisfaction over 20 years. This video provides context on the brand's reliability and support.