Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

SISESOL EJZEC

SISESOL Metal Storage Cabinet User Manual

Model: EJZEC - 73"H - 2 Drawer

1. Introduction

This manual provides detailed instructions for the assembly, operation, and maintenance of your SISESOL Metal Storage Cabinet with Wheels and Drawers. Please read this manual thoroughly before assembly and use to ensure safe and efficient operation of the product. Keep this manual for future reference.

2. Safety Information

WARNING: Failure to follow these safety instructions may result in injury or property damage.

- Always keep the keys for the lockable doors in a safe place and do not leave the cabinet unlocked when not in use.
- Be cautious when moving the cabinet on its wheels to prevent tipping. Ensure all items are securely placed inside before moving.
- Be aware of the weight of the cabinet when fully loaded to prevent injury. Distribute weight evenly on shelves and in drawers.
- Ensure the cabinet is placed on a level surface to prevent instability.
- Do not climb on or hang from the cabinet doors or shelves.
- Keep small children and pets away from the cabinet during assembly and operation.

3. Package Contents

Before beginning assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, do not proceed with assembly and contact SISESOL customer support.

- Cabinet Panels (Top, Bottom, Sides, Back, Doors)
- Adjustable Shelves (6 pieces)
- Drawers (2 pieces) with sliding mechanisms
- Heavy-duty Wheels (4 pieces, 2 with locking brakes)
- Locking Mechanisms with Keys (multiple sets for doors and drawers)

- Assembly Hardware (screws, bolts, nuts, washers)
- Assembly Instructions Manual

4. Setup and Assembly

Assembly typically requires two people. An electric screwdriver is recommended for faster and easier assembly. Please refer to the included assembly diagram for specific step-by-step instructions.

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Lay them out on a clean, soft surface to prevent scratches. Identify each part using the provided parts list.
2. **Assemble the Frame:** Attach the side panels to the bottom panel, followed by the top panel. Secure with the provided hardware. Ensure all connections are tight.
3. **Install Back Panel:** Secure the back panel to the assembled frame.
4. **Attach Wheels:** Fasten the four heavy-duty wheels to the bottom of the cabinet. Ensure the two wheels with locking brakes are positioned at the front for stability.
5. **Install Drawer Slides:** Attach the drawer slides to the cabinet frame and the drawers according to the instructions. Insert the drawers into their respective slots.
6. **Mount Doors:** Attach the cabinet doors to the frame using the hinges. Adjust as necessary to ensure proper alignment and smooth closing.
7. **Insert Adjustable Shelves:** Place the shelf clips at the desired height within the cabinet. Insert the adjustable shelves onto the clips.
8. **Install Locks:** Ensure all locking mechanisms are correctly installed on the doors and drawers. Test them with the provided keys.



Figure 1: Fully assembled SISESOL Metal Storage Cabinet, showcasing its internal organization with adjustable shelves and drawers.



Figure 2: Detailed view of cabinet features including magnetic door closures, keyed locks, adjustable shelves, and mobile wheels.

5. Operating Instructions

- **Opening/Closing Doors:** Turn the key to unlock the doors. Use the integrated handles to open and close. Magnetic closures assist in keeping doors shut when unlocked.
- **Using Drawers:** Pull the drawers open and push them closed. Ensure they slide smoothly. Use the key to lock the drawers for secure storage.
- **Adjusting Shelves:** To adjust shelf height, remove all items from the shelf. Lift the shelf, remove the four shelf clips, reposition them to the desired height, and then reinsert the shelf. Ensure clips are securely seated.
- **Moving the Cabinet:** To move the cabinet, unlock the brakes on the front wheels. Carefully push the cabinet to its new location. Once in position, engage the wheel brakes to secure the cabinet.



Figure 3: Demonstration of adjustable shelves for versatile storage of various item sizes.



Figure 4: The two large capacity drawers designed for organizing smaller items and tools.

6. Maintenance

- **Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the powder-coated finish.
- **Lubrication:** Periodically apply a small amount of silicone lubricant to the drawer slides and door hinges to ensure smooth operation.
- **Hardware Check:** Regularly inspect all screws and bolts to ensure they are tight. Retighten if necessary.
- **Lock Maintenance:** Ensure locks operate smoothly. If a lock becomes stiff, apply a small amount of graphite lubricant to the keyhole.
- **Wheel Inspection:** Check wheels for debris and ensure they roll freely. Clean as needed.

7. Troubleshooting

Problem	Possible Cause	Solution
Doors do not close properly or are misaligned.	Hinges are loose or bent; cabinet is not on a level surface.	Tighten hinge screws. Adjust cabinet leveling feet (if applicable) or reposition on a level surface.
Drawers stick or are difficult to open/close.	Drawer slides are dirty or dry; drawer is overloaded.	Clean drawer slides and apply silicone lubricant. Reduce weight in the drawer.
Lock is stiff or key does not turn.	Lock mechanism is dry or obstructed.	Apply a small amount of graphite lubricant into the keyhole. Ensure the key is fully inserted.
Cabinet wobbles or is unstable.	Uneven floor; loose assembly hardware.	Ensure cabinet is on a level surface. Retighten all assembly hardware.
Wheels do not roll smoothly.	Debris in wheels; wheels are locked.	Clear any debris from the wheels. Ensure wheel brakes are disengaged.

8. Specifications

Feature	Detail
Brand	SISESOL
Model Name	EJZEC
Color	Black
Product Dimensions	15.8"D x 31.5"W x 73"H
Material	Cold-rolled Steel
Finish Type	Powder Coated
Number of Shelves	6 (Adjustable)
Number of Drawers	2
Lock Type	Key Lock
Mobility	4 Heavy-duty Wheels (2 with brakes)
Item Weight	110 Pounds
Assembly Required	Yes

9. Warranty and Support

SISESOL products are manufactured to high-quality standards. For warranty information, product support, or to order replacement parts, please contact SISESOL customer service directly. Refer to your purchase documentation for specific warranty terms and contact details.
For further assistance, please visit the official SISESOL store or contact their customer support channels.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DWK4LQTJ

More documents and user manuals: **https://manuals.plus/**