

[Manuals.plus](#) /

› [Raysfung](#) /

› Raysfung 12' x 14' Hardtop Gazebo User Manual

Raysfung B-PYSS24-G035-1

Raysfung 12' x 14' Hardtop Gazebo User Manual

Model: B-PYSS24-G035-1

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your new Raysfung 12' x 14' Hardtop Gazebo. Designed for outdoor living spaces, this gazebo features a durable polycarbonate double roof, a sturdy metal frame, and includes both netting and curtains for enhanced comfort and privacy. Please read this manual thoroughly before assembly and use to ensure safe and proper operation.

2. SAFETY INFORMATION

Your safety is paramount. Please adhere to the following safety guidelines:

- Always assemble and disassemble the gazebo with at least two people. This product is large and heavy, requiring multiple individuals for safe handling.
- Secure the gazebo to a stable foundation to prevent it from tipping over in windy conditions. Use ground stakes or expansion screws as recommended.
- Regularly inspect the gazebo for any signs of wear or damage, including loose bolts, damaged frame components, or tears in the netting/curtains. Perform necessary maintenance promptly to ensure its longevity and safety.
- Do not hang heavy objects from the gazebo frame or roof. The ceiling hook is designed for light decorations or lighting only.
- In extreme weather conditions, such as heavy winds, snow, or hail, it is recommended to remove the netting and curtains and, if possible, disassemble the gazebo to prevent damage.
- Keep children and pets away from the assembly area to prevent accidents.

3. PRODUCT FEATURES

Double Polycarbonate Roof

DOUBLE POLYCARBONATE ROOF




Waterproof



Withstand Wind



Block Harmful
UV Rays



The 12'x14' patio hardtop gazebo features a polycarbonate double roof designed to block harmful UV rays while allowing for excellent airflow. The sloped roof design facilitates quick drainage, preventing rainwater accumulation and making it suitable for year-round use. Enjoy sunlight without the worry of sunburn.

Sturdy & Stable Metal Frame

STURDY AND STABLE

*Durable, high quality
and weather resistant*




HIGH QUALITY DETAIL



Velcro Straps



Triangular Structure




Stable Anchoring Plate

Our hardtop gazebo is constructed with a reinforced triangular powder-coated metal frame, ensuring durability and resistance to deformation. The frame is built to last and is equipped with pre-drilled bases for installing ground stakes or expansion screws, providing enhanced stability.

Good Ventilation & Privacy


Detachable Nettings and Curtains




Breathable Netting



Dual Track Design



Privacy Curtains




Dual Smooth Zipper

The gazebo includes detachable curtains for blocking UV rays and creating a private space. Breathable nettings with zippers offer good ventilation while keeping insects out. The dual track design allows for independent movement of netting and curtains, providing flexibility for your outdoor leisure time.

Spacious Design & Ceiling Hook

Dimension Of Gazebo

12 X 14 Ft



Sun-shading



Easy to Set up



4 BOXES

With overall dimensions of 13.94' L x 11.97' W x 9.02' H (Column Spacing: 13.19' x 11.28"), this gazebo offers ample space for various outdoor events like parties, picnics, and gatherings. It also features a convenient J-hook design on the ceiling for hanging lights or other decorations.

4. SPECIFICATIONS

Attribute	Detail
Brand	Raysfung
Model Number	B-PYSS24-G035-1
Material	Polycarbonate (Roof), Metal (Frame)
Style	Garden
Product Dimensions (L x W x H)	167.28"L x 143.64"W x 108.24"H (13.94' L x 11.97' W x 9.02' H)
Item Weight	199.16 Pounds

Attribute	Detail
Water Resistance Level	Waterproof
Shape	Rectangular
Ultraviolet Light Protection	Yes
Assembly Required	Yes
Color	Gray

5. SETUP AND ASSEMBLY

Assembly of the Raysfung Hardtop Gazebo typically requires 2-3 people. Please follow the detailed assembly instructions provided in the separate assembly guide included with your product packaging. Ensure all parts are present before beginning assembly. Do not overtighten bolts until all components are loosely fitted, then tighten them securely.

Key Assembly Steps:

1. Unpack all components and verify against the parts list.
2. Assemble the main frame structure, ensuring all connections are secure.
3. Attach the polycarbonate roof panels, following the specific layering and sealing instructions.
4. Install the netting and curtains onto the dual track system.
5. Anchor the gazebo securely to the ground using the provided hardware or appropriate expansion screws for your surface.



Image: Fully assembled gazebo, ready for use.

6. OPERATING INSTRUCTIONS

Your gazebo is designed for versatile outdoor use. Here's how to operate its key features:

- **Netting:** The breathable netting can be zipped closed to protect against insects while maintaining airflow. Use the integrated zippers for easy opening and closing.
- **Curtains:** The detachable curtains provide privacy and additional shade from the sun. They can be tied back when not in use or fully closed for complete enclosure.
- **Dual Track System:** Both the netting and curtains operate on separate tracks, allowing you to adjust them independently to suit your needs for ventilation, privacy, and sun protection.
- **Ceiling Hook:** Utilize the central J-hook to hang lightweight outdoor lighting, fans, or decorative items. Ensure the weight does not exceed the hook's capacity.



Image: Gazebo adaptability for various weather conditions.

7. MAINTENANCE

Regular maintenance will extend the life and appearance of your gazebo:

- **Cleaning:** Clean the polycarbonate roof panels and metal frame with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the materials. Rinse thoroughly with clean water.
- **Fabric Care:** The netting and curtains can be spot cleaned with mild soap and water. For deeper cleaning, follow care instructions on the fabric tags if available. Ensure they are completely dry before storing or zipping up for extended periods to prevent mildew.
- **Inspection:** Periodically check all bolts and connections to ensure they remain tight. Inspect the frame for any signs of rust or damage, and the roof panels for cracks or leaks. Address any issues promptly.
- **Winterization:** In areas with heavy snow or ice, it is highly recommended to remove the roof panels and store them indoors to prevent damage from snow load. Curtains and netting should also be removed, cleaned, and stored in a dry place.

8. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

Problem	Possible Cause	Solution
Gazebo feels unstable or wobbly.	Loose connections; inadequate anchoring; uneven ground.	Check and tighten all bolts. Ensure the gazebo is properly anchored to a level surface. Use additional weights or anchors if in a windy area.
Water pooling on the roof.	Improper roof panel installation; debris on roof.	Verify that roof panels are installed correctly and securely. Clear any leaves or debris from the roof surface.
Netting or curtains snagging.	Debris in tracks; bent tracks; fabric caught.	Clean the tracks of any dirt or small obstructions. Gently straighten any bent sections of the track. Ensure fabric is not caught in the zipper or track mechanism.
Rust spots on metal frame.	Exposure to moisture; damaged powder coating.	Clean the rust spots with a wire brush, then apply a rust-inhibiting primer and touch-up paint suitable for outdoor metal.

9. WARRANTY AND SUPPORT

Raysfung stands behind the quality of its products. For specific warranty details regarding your 12' x 14' Hardtop Gazebo, please refer to the warranty card included in your original packaging or visit the official Raysfung website. If you encounter any issues not covered in this manual or require replacement parts, please contact Raysfung customer support with your model number and purchase details.

Customer Support:

Website: [Visit the Raysfung Store on Amazon](#)

Email: support@raysfung.com (Example Email, replace if actual email is known)

Phone: 1-800-XXX-XXXX (Example Phone, replace if actual phone is known)