



[Manuals.plus](#) /

> [Aoxun](#) /

> Aoxun 41 Inch Propane Fire Pit Table Instruction Manual

Aoxun 41 IN

Aoxun 41 Inch Propane Fire Pit Table Instruction Manual

Model: 41 IN

1. INTRODUCTION

Thank you for choosing the Aoxun 41 Inch Propane Fire Pit Table. This versatile 2-in-1 unit functions as both a stylish patio dining table and a cozy 50,000 BTU fire pit, perfect for enhancing your outdoor living space. Designed for ease of use and safety, this manual provides essential information for proper assembly, operation, and maintenance to ensure years of enjoyment.



Image 1.1: The Aoxun 41 Inch Propane Fire Pit Table providing warmth and ambiance.

2. SAFETY INFORMATION

WARNING: For outdoor use only. Improper installation, adjustment, alteration, service, or maintenance can cause injury or property damage. Read the installation, operating, and maintenance instructions thoroughly before installing or servicing this equipment.

- Always keep the fire pit area clear and free from combustible materials, gasoline, and other flammable vapors and liquids.
- Maintain a minimum clearance of 36 inches (91 cm) from the top and sides to any combustible construction.
- Never leave the fire pit unattended, especially when children or pets are nearby.
- Ensure adequate ventilation. Do not operate in an enclosed space.
- Use only propane gas. Do not use any other fuel.
- Always turn off the gas supply at the cylinder when the fire pit is not in use.

- Do not store a spare propane cylinder under or near the fire pit.
- This product is CSA Certified for safety.

3. PACKAGE CONTENTS

Carefully unpack all components and ensure you have received the following items:

- 41" Rectangular Fire Table (Black)
- Removable Dual-Use Lid
- Lava Rocks (Pre-Installed)
- Waterproof Cover
- Tool-Free Assembly Hardware
- Illustrated Instructions Manual



Image 3.1: Overview of the 41-inch propane fire table and its components.

4. ASSEMBLY

Assembly of your Aoxun Fire Pit Table is designed to be straightforward with the included tool-free hardware. Follow the detailed illustrated instructions provided in the package for step-by-step guidance.

1. Unpack all components and verify against the package contents list.
2. Assemble the main body of the fire pit table using the provided hardware. Ensure all connections are secure.
3. Place the pre-installed lava rocks into the burner pan.
4. Connect the gas hose to the burner assembly.
5. Position the fire pit table on a flat, stable surface in your desired outdoor location.

5. SETUP AND PROPANE TANK CONNECTION

Before operating, ensure the fire pit is placed on a level, non-combustible surface. A standard 20-lb propane tank (not included) is required for operation.

1. Open the access door on the side of the fire pit table.
2. Place the 20-lb propane tank into the designated compartment.
3. Connect the regulator hose from the fire pit to the propane tank valve. Hand-tighten firmly.
4. Ensure all gas connections are tight before opening the propane tank valve.
5. Slowly open the propane tank valve fully.

Product Dimensions

Propane tank not included



Image 5.1: Proper placement of the propane tank within the fire pit table.

6. OPERATING INSTRUCTIONS

Your Aoxun Fire Pit Table features a convenient one-touch ignition system.

6.1. Ignition

1. Ensure the propane tank valve is fully open.
2. Locate the control knob on the side of the fire pit table.
3. Push and turn the control knob to the "LOW" position.
4. While holding the knob in, press the igniter button repeatedly until the burner ignites.
5. Once ignited, continue to hold the control knob in for approximately 15-20 seconds to allow the thermocouple to heat up.
6. Release the control knob. If the flame extinguishes, repeat steps 3-5.

6.2. Flame Adjustment

After ignition, you can adjust the flame height by rotating the control knob between "LOW" and "HIGH" settings.

6.3. Turning Off

1. Turn the control knob to the "OFF" position.
2. Close the valve on the propane tank completely.
3. Allow the fire pit to cool down completely before covering or moving.



Image 6.1: External control panel for ignition and flame adjustment.

Your browser does not support the video tag.

Video 6.1: Demonstration of the Aoxun Propane Fire Pit's features, including ignition and 2-in-1 functionality.

7. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your fire pit table.

- **Cleaning:** Clean the exterior surfaces with a soft cloth and mild detergent. Avoid abrasive cleaners. The lava rocks may accumulate dust; gently rinse them if necessary and allow them to dry completely before use.
- **Covering:** Use the provided waterproof cover when the fire pit is not in use to protect it from weather elements, dust, and debris. This helps maintain the powder-coated finish and prevents rust.
- **Inspection:** Periodically inspect the gas hose and connections for any signs of wear, damage, or leaks. Perform a leak test with soapy water if you suspect a leak.
- **Storage:** If storing for an extended period, disconnect the propane tank and store it in a well-ventilated outdoor area. Cover the fire pit table.

2 IN 1 PATIO TABLE

The tabletop fire pit comes with a lid so you can use this dining table or fire table as you see fit!




Image 7.1: The fire pit table with its removable lid, demonstrating its 2-in-1 functionality.

8. TROUBLESHOOTING

If you encounter issues with your fire pit table, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Burner does not ignite	No gas flow Igniter not sparking Air in gas line	Ensure propane tank valve is open. Check gas hose for kinks or damage. Verify igniter battery (if applicable) and connection. Purge air by repeating ignition steps several times.
Low flame or irregular flame pattern	Low gas pressure Obstructed burner ports	Check propane tank level. Ensure control knob is set to "HIGH". Clean burner ports if clogged.
Gas odor detected	Gas leak	Immediately turn off gas supply at the tank. Perform a leak test with soapy water on all connections. Do not operate if a leak is detected. Contact qualified service personnel.

9. SPECIFICATIONS

- **Model:** 41 IN
- **Material:** Low Carbon Steel with Powder-Coated Finish
- **Product Dimensions (D x W x H):** 19.5" x 41" x 25.3"
- **Item Weight:** 57 Pounds
- **Fuel Type:** Propane Gas
- **BTU Output:** 50,000 BTU
- **Certification:** CSA Certified

Product Dimensions

Propane tank not included



Image 9.1: Detailed product dimensions for the Aoxun 41 Inch Propane Fire Pit Table.

10. WARRANTY AND CUSTOMER SUPPORT

For warranty information, technical assistance, or to order replacement parts, please contact Aoxun customer support. Refer to the contact information provided in your purchase documentation or visit the official Aoxun website. Please have your model number (41 IN) and purchase date available when contacting support.

