

FAHKNS 177118-3

FAHKNS Strapping Cart Model 177118-3 Instruction Manual

Heavy Duty Steel/Plastic Strapping Dispenser

1. INTRODUCTION

This manual provides essential instructions for the safe and efficient assembly, operation, and maintenance of your FAHKNS Strapping Cart Model 177118-3. This heavy-duty dispenser is designed for use with various packaging materials, including polyester (PET) and polypropylene (PP) strapping coils.

The strapping cart is compatible with strapping coils having an inner diameter ranging from 9.5 to 15.7 inches. Each purchase includes 50 free packing buckles to assist with your strapping needs.

STRAPPING CART SIZE



Pack of 50



Figure 1: FAHKNS Strapping Cart Model 177118-3.




Figure 2: Strapping Cart compatibility with various strapping materials and coil inner diameters.

2. SETUP AND ASSEMBLY

Follow these steps to assemble your strapping cart:

1. **Step 1: Install the Center Shaft and Brake Device.** Install the center shaft onto the cart frame. Attach the automatic brake device, secure it with the provided screw, and hang the tension spring.

Part 1.

Install the center shaft on the frame, install the automatic brake device, fix the screw, and hang the tension spring



Figure 3: Installation of the center shaft and automatic brake device.

2. **Step 2: Install the Inner Disk and Strapping Tape.** Place the inner disk, which features a screw valve, onto the center shaft. Then, load your strapping tape coil onto the inner disk.

Part 2.

Install the inner disk with screw valve into it and put in the strapping tape




Figure 4: Loading the inner disk and strapping coil.

3. **Step 3: Secure the Outer Disk.** Insert the outer disk onto the center shaft. Turn the handle nut fastener to remove the handle, then use it to secure the outer disk firmly in place.

Part 3.

Insert the outer disk into the center shaft, turn the nut to remove the handle, and secure the outer disk



Figure 5: Securing the outer disk with the handle nut fastener.

4. **Step 4: Install Wheels.** Install the left and right anti-slip silicone tires onto the cart axles. Ensure to tighten the anti-slip screws securely to prevent accidental movement.

Part 4.

Install the left and right anti-slip silicone tires and tighten the anti-slip screws



Figure 6: Installation of the anti-slip tires.

3. OPERATING INSTRUCTIONS

The FAHKNS Strapping Cart is designed for easy and continuous strapping operations, enhancing efficiency and safety in various packaging tasks.

- **Loading Strapping:** After assembly, ensure the strapping coil is properly seated on the inner disk and secured by the outer disk. The cart is compatible with strapping diameters between 9.5 and 15.7 inches.
- **Dispensing Strapping:** Pull the strapping material from the coil as needed. The integrated curved handle provides an ergonomic grip for comfortable maneuvering, reducing effort during operation.
- **Braking System:** The cart is equipped with a highly sensitive braking device and anti-slip tires featuring an anti-slip screw design. This ensures stability and prevents accidental sliding during use and when parked on various surfaces.
- **Toolbox:** A large capacity toolbox is integrated into the cart for convenient storage of tools and buckles, keeping them accessible during strapping operations.



Figure 7: Ergonomic design for reduced effort during operation.



Figure 8: Integrated toolbox and examples of strapping applications.

Applications

The FAHKNS Strapping Cart is suitable for a wide range of packaging applications, including:

- Wood panels and plank packaging
- Marble and brick packaging
- Steel bundling
- Cargo boxes and warehouse packaging
- Ceramic tile packaging



Figure 9: Versatile applications for bundling various bulky items.

4. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your strapping cart.

- **Cleaning:** Regularly wipe down the cart frame to remove dust and debris. The robust steel structure with a waterproof coating is designed for durability in harsh environments.
- **Inspection:** Periodically inspect all nuts, bolts, and fasteners to ensure they are tight. Check the wheels and bearings for smooth operation. The upgraded bearings contribute to a prolonged service life.
- **Rust Prevention:** The cart features a rust-proof design. However, avoid prolonged exposure to excessive moisture or corrosive substances to maintain its integrity.
- **Strap Compatibility:** When changing strapping materials, ensure the new coil's inner diameter is within the compatible range (9.5-15.7 inches). The stainless-steel nuts with handles at the disc position facilitate easy material changes.

5. TROUBLESHOOTING

If you encounter any issues with your FAHKNS Strapping Cart, consider the following:

- **Difficulty Dispensing Strapping:** Ensure the strapping coil is correctly loaded and not jammed. Check that the outer disk is not overtightened, which could impede rotation.
- **Cart Movement Issues:** Verify that the anti-slip screws on the tires are properly tightened. Inspect wheels for any obstructions or damage.
- **Unusual Noises:** Check all moving parts for proper lubrication and ensure no components are loose or rubbing against each other.

For persistent issues or concerns not addressed here, please contact FAHKNS customer support.

6. SPECIFICATIONS

Brand	FAHKNS
Model Number	177118-3

Color	Blue
UPC	198519119075
Compatible Strapping Inner Diameter	9.5 - 15.7 inches
Included Components	Strapping Cart, 50 Packing Buckles
Approximate Dimensions (H x W x D)	40 inches x 23 inches x 17 inches



STRAPPING DISPENSER

Wheels with anti-back screws are safer

With highly sensitive braking device

Suitable for any strapping diameter 9.5-15.7 inches

Figure 10: Key dimensions of the FAHKNS Strapping Cart.

7. WARRANTY AND SUPPORT

For information regarding product warranty, please refer to the documentation provided at the time of purchase or contact FAHKNS customer service directly. Warranty terms may vary.

If you require technical assistance, have questions about product operation, or need to report a defect, please contact FAHKNS customer support through their official website or the retailer where the product was purchased. Please have your model number (177118-3) and purchase details ready when contacting support.

© 2024 FAHKNS. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question