Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

GarveeTech 3jXJfzS5DTNsJGSYVzlgjQS5g

GarveeTech 36 x 24 Inch Concession Window Instruction Manual

Model: 3jXJfzS5DTNsJGSYVzlgjQS5g

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your GarveeTech 36 x 24 inch concession window. Designed for food trucks, catering trailers, and other mobile service applications, this window features a durable aluminum alloy frame, dual sliding screen windows, and an awning door with hydraulic lifting pillars. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.



Image: The GarveeTech 36 x 24 inch concession window shown with its awning door fully open, supported by hydraulic arms. The window frame is white, and the interior is visible.

Important Safety Instructions

- Always wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.

- Ensure the installation surface is structurally sound and capable of supporting the window's weight.
- Professional installation is recommended to ensure secure mounting and proper operation.
- Keep hands and fingers clear of moving parts, especially when opening or closing the awning door and sliding screens.
- Do not attempt to modify the window's hydraulic system or locking mechanisms.
- Securely lock the window when the vehicle is unattended or in transit to prevent theft and accidental opening.

Package Contents

Please verify that all components are present and undamaged before proceeding with installation.

- GarveeTech 36 x 24 Inch Concession Window Unit (with pre-installed hydraulic lifts and sliding screens)
- Mounting Hardware (screws, bolts, and seals - quantity may vary based on specific model)
- Instruction Manual (this document)

Setup and Installation

Proper installation is crucial for the performance and security of your concession window. Follow these steps carefully.

Pre-Installation Checklist

- **Tools Required:** Drill, appropriate drill bits, screwdriver set, measuring tape, level, sealant gun, caulk/sealant, marking tool.
- **Opening Preparation:** Ensure the wall opening for the window is precisely measured and cut to the specified dimensions (refer to the specifications section). The opening should be clean, dry, and free of debris.
- **Structural Support:** Verify that the area around the opening has adequate structural support to bear the weight of the window and withstand operational forces.



Image: A diagram showing the installation dimensions of the concession window, including 36 inches (915 mm) width and 24 inches (610 mm) height for the opening, and overall product dimensions of 37 inches (943 mm) by 25 inches (638 mm) by 3 inches (80 mm).

Installation Steps

1. **Position the Window:** Carefully lift the concession window unit and insert it into the prepared opening from the exterior. Ensure it is centered and level.
2. **Secure the Frame:** From the interior, use the provided mounting hardware to secure the window frame to the wall structure. Start by loosely fastening screws or bolts, then gradually tighten them, ensuring the window remains level and plumb. Do not overtighten.
3. **Seal the Edges:** Apply a high-quality, weather-resistant sealant around the exterior perimeter of the window frame to prevent water intrusion. Ensure a continuous and watertight seal.
4. **Test Operation:** Once securely installed and sealed, test the opening and closing of the awning door and the sliding screen windows to ensure smooth operation.



Image: A concession window seamlessly installed on the side of a food truck, demonstrating its integration and ease of access for serving customers.



Image: A detailed view of the concession window's durable frame construction, highlighting the aluminum alloy material and indicating an approximate glass thickness of 4mm (0.16 inches). Note: Glass is sold separately.

Operating Instructions

Opening the Awning Door

The awning door is equipped with hydraulic lifting pillars for effortless operation. To open, gently push the door upwards. The hydraulic arms will assist in lifting and holding the door at your desired angle, up to a maximum of 85 degrees. This provides a sunshade and protection from light rain for your service area.



Image: A concession window on a food truck, with its awning door open at an 85-degree angle, demonstrating its function as a sunshade and shelter for customers and staff.

Using the Sliding Screen Windows

The concession window features two horizontal sliding screen windows. These screens can be easily moved to allow airflow while keeping insects out. To open or close, grasp the screen frame and slide it horizontally along the track. The screens can be retracted fully or secured in any position as needed.

Locking Mechanism

For enhanced security, the window includes a robust locking mechanism. Ensure the awning door is fully closed before engaging the lock. Always lock the window when the food truck or trailer is not in use or during transport.

Maintenance

Regular maintenance will help preserve the appearance and functionality of your concession window.

Cleaning

- **Frame:** Clean the aluminum alloy frame with a soft cloth and mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Screens:** The stainless steel screen windows are rust-proof and can be cleaned with a soft brush or damp cloth to remove dust and debris.
- **Glass (if installed):** Use standard glass cleaner and a lint-free cloth.

Inspection

- Periodically inspect the hydraulic lifting pillars for smooth operation and any signs of wear or damage.
- Check the integrity of the sealant around the window frame and reapply if any cracks or gaps are observed.
- Ensure all mounting hardware remains tight.



Image: Graphic illustrating the benefits of the aluminum alloy material, including sturdiness, durability, rust-proof properties, and corrosion resistance, ensuring long-term performance.

Troubleshooting

If you encounter any issues with your concession window, refer to the following common problems and solutions.

- **Awning Door Difficult to Open/Close:**
  Solution: Check for any obstructions in the hinges or hydraulic arms. Ensure the window frame is not warped or misaligned. If hydraulic arms are failing, contact customer support for replacement.
- **Sliding Screens Sticking:**
  Solution: Clean the screen tracks to remove any dirt or debris. A small amount of silicone lubricant can be applied to the tracks if needed.
- **Water Leakage:**
  Solution: Inspect the exterior sealant around the window frame. Reapply sealant to any compromised areas. Ensure the window is properly installed and level.
- **Locking Mechanism Not Engaging:**
  Solution: Ensure the awning door is fully closed and properly aligned with the frame. Check for any debris preventing the lock from engaging.

Product Specifications

Feature	Specification
Model Number	3jXJfzS5DTNsJGSYVzlgjQS5g
Installation Dimensions (W x H)	36 in x 24 in (915 mm x 610 mm)
Product Dimensions (L x W x H)	38.82"D x 6.1"W x 27.05"H (approx. 943 x 638 x 80 mm)
Main Material	Aluminum Alloy
Screen Material	Rust-proof Stainless Steel
Awning Opening Angle	Up to 85 degrees (supported by hydraulic lifts)
Color	White
Item Weight	30.5 Pounds (13.8 kg)
Assembly Required	Yes (Installation)

Warranty and Customer Support

GarveeTech products are manufactured to high-quality standards. For information regarding warranty coverage, technical assistance, or to purchase replacement parts, please contact GarveeTech customer support through the retailer where the product was purchased or visit the official GarveeTech website. Please have your model number (3jXJfzS5DTNsJGSYVzlgjQS5g) and purchase date available when contacting support.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DWX2J5R5

More documents and user manuals: **https://manuals.plus/**