Quictent 1134W

Quictent 20x20 ft Metal Roof Carport Assembly and User Manual

Model: 1134W

1. Introduction

This manual provides detailed instructions for the assembly, safe operation, and maintenance of your Quictent 20x20 ft Metal Roof Carport. This heavy-duty steel carport is designed to provide substantial shelter for vehicles, equipment, or as a versatile outdoor space. Please read this manual thoroughly before beginning assembly or use to ensure proper installation and long-term durability.



Image: The Quictent 20x20 ft Metal Roof Carport providing shelter for a vehicle and agricultural equipment.

2. Safety Information

Adhering to these safety guidelines is crucial for preventing injury and damage to the carport.

- **Anchoring:** Always ensure the carport is properly anchored to the ground using the provided expansion screws, especially in areas prone to heavy snow, strong winds, or seismic activity. Inadequate anchoring can lead to structural failure.
- **Assembly Safety:** Assembly requires multiple individuals. Wear appropriate safety gear, including gloves and eye protection. Be aware of pinch points and falling hazards during construction.
- **Site Selection:** Choose a level, stable surface for installation, clear of overhead power lines, trees, or other obstructions. Ensure adequate drainage to prevent water accumulation around the base.
- **Weather Conditions:** Do not attempt assembly during high winds, heavy rain, lightning, or other severe weather conditions.
- **Load Capacity:** The carport has a 30 PSF (pounds per square foot) snow load rating. Regularly clear heavy snow accumulation from the roof to prevent structural stress.
- **Modifications:** Do not modify the structure of the carport. Any alterations may compromise its integrity and void the warranty.

3. Assembly Instructions

The Quictent carport features pre-drilled holes for a streamlined assembly process. It is recommended that at least two to three adults participate in the assembly. Refer to the detailed parts list and diagrams included in your product packaging for specific component identification.

3.1. Unpacking and Preparation

- Carefully unpack all boxes and verify that all parts listed in the packing list are present and undamaged.
- Organize components by type and size to facilitate easier assembly.
- Ensure you have the necessary tools, such as wrenches, a ladder, and a measuring tape.

3.2. Frame Assembly

- Begin by assembling the base frame according to the provided diagrams.
- Connect the vertical support posts to the base frame. Ensure all connections are secure but do not fully tighten bolts until the entire frame is upright and aligned.
- Assemble the roof trusses and attach them to the vertical support posts. The pre-drilled holes simplify alignment.



Image: Detail of pre-drilled holes on a roof panel, indicating simplified screw installation.

3.3. Roof Panel Installation

- Carefully lift and position the metal roof panels onto the assembled roof trusses.
- Align the panels with the pre-drilled holes and secure them using the provided screws and plastic gaskets. Ensure proper overlap for water resistance.
- Work systematically from one end to the other, ensuring each panel is securely fastened before proceeding.




Image: An aerial view of the carport frame with several roof panels already attached, illustrating the assembly progress.

3.4. Anchoring

- Once the frame and roof are fully assembled and aligned, tighten all bolts and nuts securely.
- Install the expansion screws into the ground through the designated anchor points on the base of the carport. This step is critical for stability and wind resistance.
- Verify that the carport is level and stable before use.



Image: The carport structure with an inset showing the ground anchoring mechanism, highlighting its heavy-duty load capacity.

4. Usage Guidelines

Your Quictent 20x20 ft Metal Roof Carport is designed for versatile outdoor use.

- **Vehicle Shelter:** Provides protection for up to two standard-sized cars, trucks, boats, or other large equipment from sun, rain, and snow.
- **Outdoor Storage:** Ideal for storing lawnmowers, ATVs, garden tools, and other outdoor items.
- **Multi-Purpose Space:** Can be utilized as a temporary workshop, an outdoor event shelter, or an additional covered area for various activities.
- **UV Protection:** The extended edge design and UPF 50+ protection help shield items from harmful UV rays.



Image: An overhead perspective of the 20x20 ft carport demonstrating its capacity to cover a truck and a boat.

5. Maintenance

Regular maintenance will extend the lifespan of your carport.

- **Cleaning:** Periodically clean the roof and frame with mild soap and water to remove dirt, debris, and environmental buildup. Avoid abrasive cleaners or tools that could damage the spray-painted finish.
- **Inspection:** Annually inspect all bolts, nuts, and anchoring points for tightness. Re-tighten as necessary. Check for any signs of rust, corrosion, or damage to the steel frame and roof panels.
- **Snow Removal:** In areas with heavy snowfall, regularly remove accumulated snow from the roof to prevent exceeding the 30 PSF snow load capacity.
- **Rust Prevention:** The 19-gauge steel frame features a spray-painted surface for anti-corrosion and waterproof protection. If any scratches or chips occur, touch up with appropriate rust-inhibiting paint to maintain protection.



Image: A visual representation highlighting the robust 19-gauge steel construction and the protective spray-painted finish.

6. Troubleshooting

This section addresses common issues you might encounter.

- **Carport feels unstable:** Ensure all bolts are fully tightened and that the expansion screws are securely anchored into the ground. Re-check the levelness of the installation site.
- **Water leakage from roof:** Verify that all roof panels are correctly overlapped and that all screws with plastic gaskets are properly installed and tightened. Check for any damaged panels that may require replacement.
- **Parts missing or damaged upon arrival:** Immediately contact Quictent customer support with your purchase details and a description of the missing or damaged components.

7. Specifications

Feature	Detail
Brand	Quictent
Model Number	1134W
Product Dimensions	240"L x 240"W x 132"H (20 ft L x 20 ft W x 11 ft H)
Material	Metal (Alloy Steel)
Frame Material	19-Gauge Alloy Steel
Roof Style	Hard Top
Color	White
Water Resistance Level	Water Resistant
Ultraviolet Light Protection	Yes (UPF 50+)
Snow Load Capacity	30 PSF
Assembly Required	Yes
Item Weight	625 pounds

8. Warranty and Support

The Quictent 20x20 ft Metal Roof Carport is constructed with durable materials designed for long-term service, offering years of reliable outdoor protection. For specific warranty details, please refer to the documentation included with your purchase or contact Quictent customer support directly.

If you have any questions regarding assembly, missing parts, or product performance, please contact Quictent customer service. Provide your model number (1134W) and purchase date for efficient assistance.

Contact Information: Refer to the contact details provided in your product packaging or visit the official Quictent website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question