

CG3A

User Manual for Generic Security Camera CG3A

1080P Color Night Vision WiFi Outdoor Security Camera

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Generic CG3A Outdoor Security Camera. Designed for reliable outdoor surveillance, this camera features 1080P live video, full-color night vision, wireless connectivity, and a rechargeable battery. Please read this manual thoroughly before using the product to ensure proper setup and optimal performance.



Figure 1: Generic CG3A Outdoor Security Camera. This image shows the white bullet-style camera with its lens, infrared lights, and a blue status indicator, attached to a white wall-mount base.

2. PACKAGE CONTENTS

Verify that all items listed below are present and in good condition upon opening the package. If any items are missing or damaged, please contact customer support.

- Generic CG3A Outdoor Security Camera
- Wall Mount Bracket
- USB Charging Cable
- Mounting Screws and Wall Anchors (typically 4 sets)
- Instruction Manual (this document)



Figure 2: Package Contents. This image displays the security camera, its wall mount, a USB charging cable, a set of screws and wall anchors, and a small instruction manual booklet.

3. PRODUCT FEATURES

- **1080P Full HD Video:** Captures clear and detailed video footage.

- **Full Color Night Vision:** Provides vivid, full-color video even in low-light conditions, enhancing visibility and detail compared to traditional black-and-white infrared night vision.
- **Wireless Connectivity:** Connects to your home Wi-Fi network for flexible placement without network cables.
- **Rechargeable Battery:** Equipped with a long-lasting battery for wire-free operation.
- **IP65 Weatherproof:** Designed to withstand various outdoor weather conditions, ensuring durability and reliable performance.
- **PIR Motion Detection & AI Recognition:** Advanced passive infrared (PIR) sensor detects human motion, and AI technology helps differentiate between humans, pets, cars, and packages, reducing false alarms.
- **Two-Way Audio:** Built-in microphone and speaker allow for real-time communication with visitors or to deter intruders.
- **Cloud Storage:** Offers free 3-day video history cloud storage for convenient access to recorded events.

PIR Motion Detection & AI Recognition Technology

Can tell among humans, pets, cars and packages.
Sending you to notice once PIR motion detection is activated




Figure 3: PIR Motion Detection & AI Recognition. This image illustrates the camera's ability to distinguish between humans, pets, cars, and packages, with examples of detected objects highlighted by green boxes on a smartphone screen displaying the camera's app interface.

4. SETUP GUIDE

4.1 Initial Charging

Before first use, fully charge the camera battery. Connect the provided USB cable to the camera's charging port and plug the other end into a 5V/1A USB power adapter (not included). The indicator light will show charging status and turn solid when fully charged.

4.2 App Installation and Account Creation

1. Download the "Smart Camera" app from your smartphone's app store (Google Play Store for Android or Apple App Store for iOS).
2. Open the app and follow the on-screen instructions to create a new account.
3. Log in to your newly created account.

4.3 Camera Pairing

1. In the app, tap the "+" icon to add a new device.
2. Select "Security Camera" or "Wireless Camera" from the device list.
3. Power on the camera. Ensure the camera's indicator light is blinking, indicating it's ready for pairing. If not, press and hold the reset button for 5 seconds until it blinks.
4. Enter your 2.4GHz Wi-Fi network name (SSID) and password into the app. *Note: This camera supports 2.4GHz Wi-Fi only.*
5. The app will generate a QR code. Hold your smartphone approximately 6-8 inches (15-20 cm) in front of the camera lens until you hear a confirmation sound from the camera.
6. Once connected, the camera's indicator light will turn solid blue, and the app will confirm successful pairing. You can then name your camera.

4.4 Mounting the Camera

1. Choose a suitable outdoor location for mounting. Consider Wi-Fi signal strength, viewing angle, and proximity to a charging point if needed.
2. Use the wall mount bracket as a template to mark the drilling points on the wall.
3. Drill holes at the marked positions. Insert wall anchors if mounting on masonry or drywall.
4. Secure the wall mount bracket to the wall using the provided screws.
5. Attach the camera to the wall mount bracket and adjust the angle for optimal coverage. Ensure it is securely fastened.

5. OPERATING INSTRUCTIONS

5.1 Live View

Open the "Smart Camera" app and select your camera from the device list. You will see the live video feed. From here, you can take screenshots, record manually, or use the two-way audio function.

5.2 Motion Detection and Recording

- The camera automatically records video clips when motion is detected. These clips are stored in the cloud for 3 days.
- To adjust motion detection sensitivity or set detection zones, navigate to the camera settings within the app.
- You will receive push notifications on your smartphone when motion is detected, allowing you to view the live feed or recorded event.

5.3 Full Color Night Vision

The camera automatically switches to full-color night vision mode in low-light conditions. This feature utilizes built-in spotlights to illuminate the area, providing clear, color images at night.

5.4 Two-Way Audio

While in live view, tap the microphone icon in the app to speak through the camera's speaker. Tap it again to end speaking. The speaker icon allows you to hear audio from the camera's microphone.

5.5 Playback Recorded Videos

Access the "Playback" or "History" section in the app to review recorded motion-triggered events. You can filter by date and time.

6. MAINTENANCE

6.1 Battery Charging

Monitor the battery level via the app. When the battery is low, remove the camera from its mount and recharge it using the USB cable. A full charge typically takes several hours.

6.2 Cleaning the Camera

Periodically clean the camera lens and housing with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners, as these can damage the camera's finish or lens coating.

6.3 Firmware Updates

Check the app regularly for firmware updates. Keeping your camera's firmware updated ensures optimal performance, security, and access to new features. Follow the in-app instructions for any available updates.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Camera won't power on.	Battery is depleted.	Charge the camera fully using the provided USB cable.
Unable to connect to Wi-Fi.	Incorrect Wi-Fi password; camera too far from router; 5GHz Wi-Fi network.	Ensure correct 2.4GHz Wi-Fi password. Move camera closer to router. Confirm router is broadcasting 2.4GHz. Reset camera and try pairing again.
Motion detection is too sensitive/not sensitive enough.	Sensitivity settings are not optimized.	Adjust the PIR motion detection sensitivity in the app settings. Ensure camera is not facing busy streets or swaying trees if false alarms are an issue.
No video or poor image quality.	Lens is dirty; poor Wi-Fi signal; camera offline.	Clean the camera lens. Check Wi-Fi signal strength in the app. Ensure camera is online and connected.
Two-way audio not working.	Microphone/speaker muted in app; app permissions.	Check if microphone/speaker icons are enabled in the app. Verify app has microphone permissions on your smartphone.

8. SPECIFICATIONS

Feature	Detail
Model Name	CG3A
Indoor/Outdoor Usage	Outdoor
Video Capture Resolution	1080p
Connectivity Technology	Wireless (Wi-Fi 2.4GHz)
Power Source	Battery Powered (1 Lithium Ion battery included)
Special Feature	2-Way Audio, Full Color Night Vision, PIR Motion Detection, AI Recognition, IP65 Waterproof
Compatible Devices	Smartphone (Android, iOS)
Mounting Type	Wall Mount
Product Dimensions	5.04 x 3.27 x 6.26 inches
Item Weight	14.1 ounces

9. WARRANTY AND SUPPORT


This product comes with a standard manufacturer's warranty. For specific warranty terms and conditions, please refer to the documentation included with your purchase or contact the retailer. For technical support, troubleshooting assistance, or inquiries regarding your Generic CG3A Security Camera, please contact the manufacturer's customer service. Contact information can typically be found on the product packaging or the manufacturer's official website.

Please retain your purchase receipt for warranty claims.

Documents - CG3A – CG3A



[\[pdf\]](#) User Manual Guide Accessories
Daniels DMC tooling guidechrisgrossman manuals daniels guide |||
Tooling Guide for Aerospace Wiring Systems C
ARonAemgSISpi9saO1tne09yr00e:d0210:024008 Preface an ... ludes DBS-CG2
G691 Field Verification Fixture for DBS-1200 Go/No-Go Gage for DBS-CG3 Fixture
DBS-**CG3A** AS81306/2-XX Verification Set which includes DBS-CG3 G752 Banding
Application Kit DMC1379 ...
lang:en score:30 filesize: 8.21 M page_count: 175 document date: 2012-09-26



[pdf] User Manual Instructions

31200355 book mwagner Service Manual Rentalex 28 janv 2021 — manual and obey all locally approved safety practices procedures rules codes regulations laws These instructions cannot cover details or Lull 944E 42 rentalex 01 |||


Service Manual Model 944E-42 S/N 0160041827 After 31200355 Original December 31, 2011 An Oshkosh C ... 7 F3 3 15 PB6A PB6B 87 TCR_NO 30 TCR_NC C TR8 87A 30 SYMBOL 88 sht 1 S4 PB3B S4 sht 2 PB3B sht1**CG3A** 1A VP1 S3 sht 1 S3 C EG1 sht 1 EG1 PB2B PB_F 7 BAR 7 PB_F PBG 3 ON3 PB3 5 PB3A A F 1... lang:en score:28 filesize: 20.73 M page_count: 266 document date: 2012-01-19



[pdf]

Track Task Routing Events in a Contact Center Enterprise Environment 30 gen 2024 — The API supports the use of Call variables and ECC for task requests Use these to send user specific information with request 221684 track routing events contact c cisco en us support docs center unified enterprise 1261 ||| Track Task Routing Events in a Contact Center Enterprise Environment Contents Introduction Prerequisites Requirements Components Used Logs Required Background Information CCP and Task Routing Log Analysis Simple Message Flow Download CCP Logs Using RTMT Using CCP command line Related Information Int...

lang:en score:26 filesize: 176.5 K page_count: 12 document date: 2024-02-14



[pdf] Guide Accessories

Daniels Manufacturing M85049 128 EMI RFI Tooling Guide It provides your service technicians with both the DBS 2100 M81306 1A 250 Wide Band Application Tool and 2200 1B 125 Mini dmc emi rfi shield band tooling srsltld AfrmBOoo 1yaD1JvMaabAc59cXrd9xpivf1FGLFYLDXY3Dlt8Fs8TxfC tti content dam ttiinc manufacturers daniels manufacturing resources |||

EMI/RFI Band Application System for M85049/128 Shield Termination Bands EMI/RFI Band Application Sy ... ol tension. Ordering information for the field verification equipment Part Numbers DBS-CG2A and DBS**CG3A** can be found in the chart at the end of this catalog. The DBS-CG1 Laboratory Calibration Inst...

lang:en score:26 filesize: 1.09 M page_count: 12 document date: 2015-07-24

Configure Secure Communication Between Finesse and CTI Server

Contents

[Introduction](#)
[Prerequisites](#)
[Requirements](#)
[Components Used](#)
[Background Information](#)
[Configure](#)
[CCE CTI Server Secure](#)
[Finesse Secure Configuration](#)
[Generate Agent PKI Certificate \(CTI Server\)](#)
[Get the CCE Certificate Signed by a CA](#)
[Import the CCE PKI CA Signed Certificate](#)
[Generate Finesse Certificate](#)
[Sign Finesse Certificate by a CA](#)
[Import Finesse Certificate and Root Signed Certificate](#)
[Verify](#)
[Troubleshoot](#)

Introduction

This document describes how to implement Certificate Authority (CA) signed certificates between Cisco Finesse and Computer Telephony Integration (CTI) Server in Cisco Contact Center Enterprise (CCE) solution.

Prerequisites

Requirements

Cisco recommends that you have knowledge of these topics:

- CCE Release 12.0(1)
- Finesse Release 12.0(1)
- CTI Server

Components Used

The information in this document is based on these software versions:

- Packaged CCE (POCE) 12.0(1)

[pdf] Troubleshooting Guide

Configure Secure Communication Between Finesse and CTI Server Cisco 217188 configure secure communication between f cisco c en us support docs contact center finesse |||

Configure Secure Communication Between Finesse and CTI Server Contents

Introduction Prerequisites Re ... AW , open the Unified CCE Tools folder and double-click on Peripheral Gateway Setup. Step 2. Select **CG3A** and click on Edit. Step 3. On the CTI server properties, click Next. On the question about se...

lang:en score:24 filesize: 1.19 M page_count: 18 document date: 2021-06-16

[pdf] Guide

MZ CG3A Louise User Guide TMEZON 1080p Indoor Outdoor Security Wireless Camera Rechargeable Battery Solar Powered for Home Surveillance PIR Motion Detection Stunning Night Vision Smart

Supported Without Panel Amazon au Electronics A1gGjOqU1sL m media amazon images I |||

,I RXKDYHDQ SUREOHPGXULQJWKHLQVWDOODWLRQRUWKH
XVDJHSHODVHVHQGHGHPDLOWRRRXUVXSSRUWWHDPZHZLOO KHOS
RXVROYHWKHSUREOHP 6 3 6T eXScShRnUiWcHaPI
sDuLOpVpXoSrtS:RUW#WPH RQFRP :L L DWWHU DPHUD
,QVWUXFWLRQDQXDO 2IILFLDO:HEVLWHKWWWSZZWPH RQFRP
0DQXIDFWXUHU=KXKDL7PH RQ7HFKQRORJ R/LPLWHG
GGUHV1R3LQJEHLQG5G1...

lang:i-klngon score:23 filesize: 1.48 M page_count: 36 document date: 2023-06-29



Performance Counters

[Import Unified CCE Data Collector Set Template, on page 1](#)
[Platform Health Mon ... y Enabled Cisco ICM CTISVR Optional Counter Instance](#)
[Instance Name CG#A/B For example, acme **CG3A**](#)
[Table 14: CTI Server Counters](#)
[Always ON Counter Name N Reported Call Count N Active Cal...](#)

Import Unified CCE Data Collector Set Template

This chapter describes how to import the Unified CCE Data Collector Set Template to the Performance Monitor.

In the Performance Monitor, use the template file, CCE and its contents Data Collector Set to capture the performance counters for the Unified CCE components. The template file is located in the `tools\performance\cpe\cpe_data_collector_set\cpe_data_collector_set.xml` file.

The performance counters log file for the Data Collector Set generates an XML file.

Procedure

Step 1: Open the Performance Monitor web browser and log in to the Performance Monitor. The default user is admin and the password is admin.

Step 2: In the left pane, click on the Data Collector Set link.

Step 3: In the right pane, click on the Add New Data Collector Set link.

Step 4: In the Add New Data Collector Set dialog box, click on the Data Collector Set link.

Step 5: In the Add New Data Collector Set dialog box, click on the Data Collector Set link.

[pdf] Guide Configuration Guide

Performance Counters Unknown ucce b serviceability guide for cisco unified1 chapter 0111 c en us td docs voice ip comm cust contact center icm enterprise 11 6 1 Configuration Guide |||

Performance Counters Import Unified CCE Data Collector Set Template, on page 1 Platform Health Mon ... y Enabled Cisco ICM CTISVR Optional Counter Instance Instance Name CG#A/B For example, acme **CG3A** Table 14: CTI Server Counters Always ON Counter Name N Reported Call Count N Active Cal...

lang:en score:22 filesize: 1.44 M page_count: 40 document date: 2018-11-02




[pdf] User Manual Datasheet Guide

Table of Contents Mouser Electronics MANUAL WIRE STRIPPERS The Custom Stripmaster® and the Lite strip wire from 10 30 AWG Each tool features Tooling Guide for High Reliability Electrical Syst 1839821 th mouser datasheet 2 697

Table of Contents INTRODUCTION Important Facts About

Crimping..... I tension. Ordering information for the field verification equipment Part Numbers DBS-CG2A and DBS-**CG3A** can be found in the charts in the following pages. The DBS-CG1 Laboratory Calibration Instrum...


lang:en score:22 filesize: 33.17 M page_count: 197 document date: 2020-04-24



[pdf] Declaration of Conformity

Declaration Letter of Model Difference Shenzhen ADDX Innovation Technology co LTD CG62Y Smart Battery Camera 2AUDF 2AUDFCG62Y cg62y

Shenzhen ADDX Innovation Technology co., LTD. Add: NO. 2902, Building 9A-1. Shenzhen Bay Technology ... s are the same, only difference is model name: Product name: Smart Battery Camera Model no.: CG6, **CG3A** Sincerely, Name/Title Company: Address: Phone: Fax: E-Mail: Garry yang/N/A Shenzhen ADDX Inno... lang:tl score:20 filesize: 183.25 K page_count: 1 document date: 2023-10-13



[pdf] Agent Authorization

PLEASE PRINT ON COMPANY LETTERHEAD MiCOM Labs Inc QMS Agent Authorization Rev 1 0


Shenzhen ADDX Innovation Technology co LTD CG6 Smart Battery Camera 2AUDF 2AUDFCG6 cg6 Shenzhen Addx Innovation Technology Co., Ltd Agent Authorization Company: Shenzhen Addx Innovation Technology Co., Ltd Address: NO.2902, Building 9A-1.Shenzhen Bay Technology and Ecological Park, Nanshan District, Shenzhen, China Product Name: Smart Battery Camera Model Number s : **CG3A** Product Desc... lang:en score:20 filesize: 108.66 K page_count: 1 document date: 2021-10-25



[pdf] Declaration of Conformity

Declaration Letter of Model Difference docx Administrator Shenzhen ADDX Innovation Technology co LTD CG625A Smart Battery Camera 2AUDF 2AUDFCG625A cg625a

Shenzhen ADDX Innovation Technology co. ,LTD. Add: NO.2902,Building 9A-1.Shenzhen Bay Technology and ... ferent model name is different for these model: Product name: Smart Battery Camera Model no.: CG6 , **CG3A**, CRS300, X82, X83, X84, CG6S, CG6F, CG6X, CG6H, CG6D, CG6K, CG6E, CG6CBC01BCam-02HB911 Sincerel... lang:tl score:20 filesize: 192.76 K page_count: 1 document date: 2024-11-15



[pdf] Declaration of Conformity

Declaration Letter of Model Difference Shenzhen ADDX Innovation Technology co LTD CG628 Smart Battery Camera 2AUDF 2AUDFCG628 cg628

Shenzhen ADDX Innovation Technology co., LTD. NO.2013, Building 9B-3. Shenzhen Bay, Technology and E ... cal circuit, The only difference is model name.: Product name: Smart Battery Camera Model no.: CG6, **CG3A**,X82,X83,X84,CG6S ,CG6F, CG6X, CG6H, CG6D ,CG6K, CG6E ,CG6C BC01, BCam-02, HB911, CRS300, CG6T, ... lang:tl score:20 filesize: 263.04 K page_count: 1 document date: 2025-06-20



[\[pdf\]](#) User Manual Guide

DMC Tooling Guide for High Reliability Wiring Systems MCD Tools GmbH at electronica 2022 tooling guide high reliability electrical systems rev exhibitors de 1121 11 1 5521 805 |||

Table of Contents INTRODUCTION Important Facts About

Crimping..... .. I tension. Ordering information for the field

verification equipment Part Numbers DBS-CG2A and DBS-**CG3A** can be found in the charts in the following pages. The DBS-CG1 Laboratory Calibration Instrum...

lang:en score:20 filesize: 33.35 M page_count: 202 document date: 2020-07-29



[\[pdf\]](#) Warranty Catalog

View Catalog HereDMC USA Precision Crimping Tools in India Aerospace Defense Marine Ved Group

ElectricalsDMC Banding Groupcdn shopify s files 1 0255 9277 DMC v 1742700894 |||


BANDING TOOLS DHaniiegls hMa-nPufaectrurfinog rComrpoarantiocn 2e02E3 MI

Shielding Solutions www. ... a Go/No-Go gage to confirm the tool s tension accuracy.

DBS-CG2A M81306/2-02F For DBS-1100 DBS-**CG3A** M81306/2-01E For DBS-1200

ELECTRONIC CALIBRATION INSTRUMENT The DBS-CG1 calibration instrum...

lang:en score:20 filesize: 7.67 M page_count: 12 document date: 2025-03-21



[\[pdf\]](#) User Manual

123 Smmvinnr Solar Security Camera Wireless Outdoor 2 4GHz WiFi with 1 6W Panel 1080P Night

Vision Motion Detection IP65 Waterproof Powered for Home With CG3A Installation Manual

B0BSDYVC1F B0B3XQ65MC B0B8NGN4Z3 B09NPW8VSG 51So3djlerL m media amazon images I |||

...

lang:en score:20 filesize: 48.56 K page_count: 1 document date: 2022-09-26

TOBY Shenzhen Toby Technology Co., Ltd.

Report No.: TBR-C-202505-0155-9
Page: 1 of 11

Maximum Permissible Exposure Evaluation
FCC ID: 2AUDF-CG28661C:29207-CG628

Report No.	TBR-C-202505-0155-9
Applicant	Shenzhen ADDX Innovation Technology co., LTD.
Equipment Under Test (EUT)	
EUT Name	Smart Battery Camera
Model No.	CG6
HW	CG628
Series Model No.	CG3A,SRS300,X82,X83,X84,CG6S,CG6F,CG6X,CG6H,CG6D,CG6K,CG6E,CG6C,BC01,BCam-02,HB911,CRS300,CG6T,CG6L
Brand Name	N/A
Sample ID	HC-C-202505-0155-01-01
Receipt Date	2025-05-29
Test Date	2025-05-29 to 2025-06-16
Issue Date	2025-06-16
Standards	FCC Part 2, 1091 RSS-102 Issue 6 December 15, 2023
Test Method	KCR 447498 D01 General RF Exposure Guidance v06
Conclusions	PASS
Test By	Li Jing
Reviewed By	Li Jing
Approved By	Li Jing

This report details the results of the testing carried out pursuant to the test plan. The results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in the report.

TB-RF-074.1.5

1/F, Building 6, Huidongsheng Industrial Zone, Longgushi, Xixiang, Bao'an District, Shenzhen, Guangdong, China
Tel: +86 7552650301 Fax: +86 7552650105

[pdf] Declaration of Conformity Test Report SAR Rating

RF Exposure Shenzhen ADDX Innovation Technology co LTD CG628 Smart Battery Camera 2AUDF 2AUDFCG628 cg628

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202505-0155-9 Page: 1 of 11 Maximum Permiss ... T EUT Name : Smart Battery Camera Model No. : CG6 HVIN Series Model No. Brand Name CG628 :

CG3A,SRS300,X82,X83,X84,CG6S,CG6F,CG6X,CG6H,CG6D,CG6K,CG6E,CG6C,BC01,BCam-02, HB911,CRS300,CG6T,CG6...

lang:en score:20 filesize: 978.75 K page_count: 11 document date: 2025-06-20

RF EXPOSURE EVALUATION

1. PRODUCT INFORMATION

Product Description	Smart Battery Camera
Model Name	CG3A
FCC ID	2AUDF-CG6

2. EVALUATION METHOD AND LIMIT

Human exposure to RF emissions from mobile devices (47 CFR §2.1091) may be evaluated based on the MPE limits adopted by the FCC for electric and magnetic field strength and power density, as appropriate, since exposure is assumed to occur at distances of 20 cm or more from persons.

LIMITS FOR GENERAL POPULATION UNCONTROLLED EXPOSURE

Frequency Range (MHz)	E-field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm²)	Averaging Time (μT, 30" or 30 Minutes)
0.3 - 1.54	614	1.63	1007	30
1.54 - 30	8247	2.199	116077	30
30 - 300	27.5	0.073	0.2	30
300 - 1500	--	--	11500	30
1500 - 100,000	--	--	1.0	30

Notes:

1. Frequency in MHz - Plane-wave Equivalent Power Density
2. The averaging time for General Population Uncontrolled exposure to field transmitters is not applicable for mobile and portable transmitters. See 47 CFR §2.1091 and 2.1093 on source-based time-averaging requirement for mobile and portable transmitters.

S-FIELD

Where:


- S-power density
- P-power input to antenna
- G-power gain of the antenna in the direction of interest relative to an isotropic radiator
- R-distance to the center of radiation of the antenna

[pdf] SAR Rating

USER RF Exposure Shenzhen ADDX Innovation Technology co LTD CG6 Smart Battery Camera 2AUDF 2AUDFCG6 cg6

RF EXPOSURE EVALUATION 1. PRODUCT INFORMATION Product Description Smart Battery Camera Model Name **CG3A** FCC ID 2AUDF-CG6 2. EVALUATION METHOD AND LIMIT Human exposure to RF emissions from mobile devices 47 CFR 2.1091 may be evaluated based on the MPE limits adopted by the FCC for electric an...

lang:en score:19 filesize: 163.42 K page_count: 2 document date: 2021-10-22



[pdf] Guide Accessories

Final Beta 08 20 2015 indd Backshell Tooling Guide crimpptech au 2018 05 |||

COPYRIGHT 2015 DANIELS MANUFACTURING CORP., ORLANDO, FL PHONE 407-855-6161 FAX 407-855-6884 E-MA ... S-2200 DBS-CG7 DBS-CG8 DBS-2100-32 DBS-1101 DBS-1201 DBS-1100 DBS-1200 DBS-RO3 DBS-RO5 DBS-CG2A DBS-**CG3A** APPLICATION M85049/128-3 -4 M85049/128-7 -8 M85049/128-3 -4 M85049/128-7 -8 DBS-2100 D...

lang:en score:18 filesize: 42.2 M page_count: 60 document date: 2015-10-01

TOBY

Shenzhen Toby Technology Co., Ltd.

Report No.: TBR-C-202205-0351-7
Page: 1 of 3

Maximum Permissible Exposure
Evaluation

FCC ID: 2A5OS-CG6S

1. Client Information

Applicant

Address

Manufacturer

Address

2. General Description of EUT

EUT Name

Models No.

Model Different

Product Description

Power Rating

Software Version

Hardware Version

Connecting IO Port(s)

Remark

TOBY

Shenzhen Toby Technology Co., Ltd.

Table 1: Wireless Smart Battery Camera

Table 2: Model Different

Table 3: Product Description

Table 4: Power Rating

Table 5: Software Version

Table 6: Hardware Version

Table 7: Connecting IO Port(s)

Table 8: Remark

[pdf] MPE EVALUATION Shenzhen Tino Security Corp LTD CG6S Wireless Smart Battery Camera 2A5OS 2A5OSC6S cg6s

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202205-0351-7 Page: 1 of 3

Maximum Permissi ... a Models No. Model Different Product Description Power Rating CG6S , CQ1, CQ1F, CQ1S, CQ1X, CQ1H, **CG3A**, CG3F, CG3H, CG3S, CG3X, CG5, CG5F, CG5S, CG5X, CG5H, CG6, CG6F, CG6H, CG6S, CG6X, CG7, CG7F, C...

lang:en score:18 filesize: 757.94 K page_count: 3 document date: 2022-06-24

[pdf] User Manual SAR Rating

TBR C 202405 0026 7 TB MPE RF Exposure Air Conditioner E97068 Smart Tsai Shenzhen ADDX Innovation Technology co LTD CG625X Battery Camera 2AUDF 2AUDFCG625X cg625x

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202401-0043-7 Page: 1 of 4

Maximum Permissi ... on of EUT EUT Name : Smart Battery Camera Models No. Model Different Product Description : CG6, **CG3A**, SRS300 : All these models are identical in the same PCB, layout and electrical circuit, The ...

lang:en score:18 filesize: 1.59 M page_count: 4 document date: 2024-05-31

[pdf] User Manual

SM0178 90x110mmCG3A 1 2 Smmvinnr Solar Security Camera Wireless Outdoor 4GHz WiFi with 6W Panel 1080P Night Vision Motion Detection IP65 Waterproof Powered for Home With CG3A User Manual B0BSDYVC1F B0B3XQ65MC B0B8NGN4Z3 B09NPW8VSG C1NoDmYEGmL m media amazon images I |||

...

lang:en score:18 filesize: 4.57 M page_count: 20 document date: 2022-10-22

TOBY

Shenzhen Toby Technology Co., Ltd.



Report No.: TBR-C-202305-0271-18
Page: 1 of 4

[pdf] User Manual SAR Rating

RF Exposure Shenzhen ADDX Innovation Technology co LTD CG62X Smart Battery Camera 2AUDF 2AUDFCG62X cg62x

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202305-0271-18 Page: 1 of 4 Maximum Permiss ... ing Software Version Hardware Version Connecting I/O Port S
Remark : Smart Battery Camera : CG6, **CG3A** : All these models are identical in the same PCB, layout and electrical circuit, the only diff...

lang:en score:18 filesize: 773.43 K page_count: 4 document date: 2023-06-16

TOBY

Shenzhen Toby Technology Co., Ltd.



Report No.: TBR-C-202207-0111-7
Page: 1 of 4

Maximum Permissible Exposure Evaluation
FCC ID: 2AUDF-CG62X

1. Client Information

Applicant	Shenzhen ADDX Innovation Technology co., LTD.
Address	NCD 3902 Building 3A-1, Shenzhen Bay Technology and Ecological Park, Nanshan District, Shenzhen, China
Manufacturer	Shenzhen ADDX Innovation Technology co., LTD.
Address	NCD 3902 Building 3A-1, Shenzhen Bay Technology and Ecological Park, Nanshan District, Shenzhen, China

2. General Description of EUT

EUT Name	Smart Battery Camera
Model No.	CG6, CG3A
Model Difference	All these models are identical in the same PCB, layout and electrical circuit, the only difference is appearance
Sample ID	Rev-C-202207-0111-7-1848(RW-C-202207-0111-6-28)
Product Description	Bluetooth 5.0(BLE); 2402MHz-2480MHz
Power Rating	Input: DC 5V DC 3.6V by 500mAh Rechargeable Li-ion battery (HUA KE) DC 3.7V by 500mAh Rechargeable Li-ion battery (PENG XIN)
Software Version	V0.6.1
Hardware Version	CG62X, CG3, V1
Connecting I/O Port(s)	Please refer to the User's Manual
Remark	the MPE report used the EUT-2(RW-C-202207-0111-6-28)

1/F, Building 6, Hongdaohang Industrial Zone, Longhua, Xixiang, Baoan District, Shenzhen, Guangdong, China
Tel: +86 (755) 23203207 Fax: +86 (755) 23203198

[pdf] User Manual

18 CG6 RFExp r1 Shenzhen ADDX Innovation Technology co LTD CG62X Smart Battery Camera 2AUDF 2AUDFCG62X cg62x

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202207-0111-7 Page: 1 of 4 Maximum Permissi ... ing Software Version Hardware Version Connecting I/O Port S
Remark : Smart Battery Camera : CG6, **CG3A** : All these models are identical in the same PCB, layout and electrical circuit, the only diff...

lang:en score:18 filesize: 771.4 K page_count: 4 document date: 2022-08-10

TOBY

Shenzhen Toby Technology Co., Ltd.




[pdf] User Manual SAR Rating

RF Exposure Shenzhen ADDX Innovation Technology co LTD CG62Z Smart Battery Camera 2AUDF 2AUDFCG62Z cg62z

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202312-0317-5 Page: 1 of 4 Maximum Permissi ... ing Software Version Hardware Version Connecting I/O Port S
Remark : Smart Battery Camera : CG6, **CG3A**, CRS300 : All these models are identical in the same PCB, layout and electrical circuit, the ...

lang:en score:18 filesize: 771.91 K page_count: 4 document date: 2024-01-26



[pdf] SAR Rating

RF Exposure Shenzhen ADDX Innovation Technology co LTD CG62Y Smart Battery Camera 2AUDF 2AUDFCG62Y cg62y

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202309-0097-9 Page: 1 of 4
Maximum Permissi ... ing Software Version Hardware Version Connecting I/O Port S
Remark : Smart Battery Camera : CG6, **CG3A** : All these models are identical in the same PCB, layout and electrical circuit, the only dif...

lang:en score:18 filesize: 772.3 K page_count: 4 document date: 2023-10-20




[pdf] User Manual

FR NS TSC 1 4 NSTSC zojirushi servicesupport manuals manual

0, -03 .- 3,4 - 35 620. 7, 7 , - .0 ,1, 2 , # # * 01234 5 6 716 846 7967 : ... ;0 L1G 1;3
3207;;3 230 7;0 HC3 83 C312 0E:129 E ;3 C30 01 326903 71 ;3 C30 9;0 21903 1
01K3 83 **CG3A** C79 83 :3 239C= Y30 3;B ; 0 83627; V 23 012639CCE0 712 0G
001232 L1G9C0 ;3 K713; 0 ...

lang:i-kl Klingon score:18 filesize: 1.71 M page_count: 12 document date: 2013-11-08



[pdf] User Manual Quick Start Guide Guide Declaration of Conformity Warranty

Biopod Setup Guide2 Administrator User Manual BIOPOD SYSTEMS INC BIOPODONE System
2AK7QBIOPODONE biopodone

Biopod Setup Guide Large.pdf 1 2016-12-27 11:46 PM C M Y CM MY CY CMY K
Biopod Setup Guide Large.p ... AGF76EAF:3FF:7K3D73 AEF FAG5;;
9F:7E;67EA8F:7F3 = AF;;EEF7B97 F K EAF:7FG47E6A MF=; = 8KAG:3H73
CG3ADCG3 E=;BFAEF7B F7B 7 ,7DD3 D3 65A 75FF:7H7 F; 3F;A FG47E; FAF:7H7
F; 3F;A 7 4AIE ;:7D;9:...


lang:en score:18 filesize: 3.65 M page_count: 31 document date: 2017-03-16



[Daniels Manufacturing Corporation: Aerospace Wiring Systems Tooling Guide](#)

Comprehensive guide from Daniels Manufacturing Corporation (DMC) detailing tooling for aerospace wiring systems, including crimp tools, tensile testers, and accessories. Features technical specifications and application data.

lang:en score:17 filesize: 5.73 M page_count: 176 document date: 2013-10-30




[\[pdf\]](#) Declaration of Conformity Test Report

Test report Shenzhen ADDX Innovation Technology co LTD CG62X Smart Battery Camera 2AUDF 2AUDFCG62X cg62x

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202305-0271-19 Page: 1 of 25 Radio Test Rep ... Equipment Under Test EUT EUT Name : Smart Battery Camera Model No. : CG6 Series Model No. : **CG3A** Brand Name : ---- Sample ID : RW-C-202305-0271-11-1# RW-C-202305-0271-11-2# Receipt Date ...

lang:en score:17 filesize: 2.22 M page_count: 25 document date: 2023-06-12




[\[pdf\]](#) Declaration of Conformity Test Report

Test report Shenzhen ADDX Innovation Technology co LTD CG62X 2AUDF 2AUDFCG62X cg62x

Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202303-0049-2 Page: 1 of 25 Radio Test Repo ... Equipment Under Test EUT EUT Name : Smart Battery Camera Model No. : CG6 Series Model No. : **CG3A** Brand Name : ---- Sample ID : RW-C-202303-0049-1-1# RW-C-202303-0049-1-2# Receipt Date : ...

lang:en score:17 filesize: 2.24 M page_count: 25 document date: 2023-03-25




[\[pdf\]](#) Declaration of Conformity Test Report

Test report Shenzhen ADDX Innovation Technology co LTD CG62X Smart Battery Camera 2AUDF 2AUDFCG62X cg62x


Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202305-0271-191 Page: 1 of 25 Radio Test Re ... Equipment Under Test EUT EUT Name : Smart Battery Camera Model No. : CG6 Series Model No. : **CG3A** Brand Name : ---- Sample ID : RW-C-202305-0271-11-1# RW-C-202305-0271-11-2# Receipt Date ...

lang:en score:16 filesize: 2.06 M page_count: 25 document date: 2023-06-12




[pdf] Declaration of Conformity Test Report

Test report Shenzhen ADDX Innovation Technology co LTD CG62X 2AUDF 2AUDFCG62X cg62x
Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202303-0049-22 Page: 1 of 25
Radio Test Rep ... Equipment Under Test EUT EUT Name : Smart Battery Camera
Model No. : CG6 Series Model No. : **CG3A** Brand Name : ---- Sample ID : RW-C-202303-0049-1-1# RW-C-202303-0049-1-2# Receipt Date : ...
lang:en score:16 filesize: 2.07 M page_count: 25 document date: 2023-03-25



[pdf] Test Report SAR Rating

TBR C 202407 0308 7 RF Exposure TEST REPORT E97068 TOBY Shenzhen ADDX Innovation
Technology co LTD CG625A Smart Battery Camera 2AUDF 2AUDFCG625A cg625a
Shenzhen Toby Technology Co., Ltd. Report No.: TBR-C-202407-0308-7 Page: 1 of 7
Maximum Permissi ... ry Software Version Hardware Version Connecting I/O Port S
Remark : Smart Battery Camera : CG6, **CG3A**, CRS300, X82, X83, X84, CG6S, CG6F, CG6X, CG6H, CG6D, CG6K, CG6E, CG6C, BC01, BCam-02, HB911 ...
lang:en score:16 filesize: 751.4 K page_count: 7 document date: 2024-11-22



[pdf] User Manual Specifications Guide Warranty

Serviceability Guide for Cisco Unified ICM Contact Center Enterprise Release 11 6 1 Brinda ucce b
serviceability guide cisco unified1 c en us td docs voice ip comm cust contact center icm enterprise
Configuration |||
Serviceability Guide for Cisco Unified ICM/Contact Center Enterprise, Release 11.6 1
First Publishe ... y Enabled Cisco ICM CTISVR Optional Counter Instance Instance
Name CG#A/B For example, acme **CG3A** Table 28: CTI Server Counters Always ON
Counter Name N Reported Call Count N Active Cal...
lang:en score:16 filesize: 10.22 M page_count: 420 document date: 2018-11-02




[\[pdf\]](#) User Manual Datasheet Guide Accessories

Tooling Guide for Aerospace Wiring Systems v1 mouser datasheet 2 697 DMC 1766043 3219647 srsLtd
AfmBOop0vWYq5glQmf3 lonWiROoR7NQB1lwcMMd4quHuaop41fFD366 |||

Tooling Guide for Aerospace Wiring Systems C

ARonAemgSISpi9saO1tne09yr00e:d0210:024008 Preface and ... ludes DBS-CG2
G691 Field Verification Fixture for DBS-1200 Go/No-Go Gage for DBS-CG3 Fixture
DBS-**CG3A** AS81306/2-XX Verification Set which includes DBS-CG3 G752 Banding
Application Kit DMC1379 ...

lang:en score:16 filesize: 8.37 M page_count: 176 document date: 2012-09-26



[\[pdf\]](#) User Manual Specifications Guide Configuration Guide Warranty

Serviceability Best Practices Guide for Cisco Unified ICM/Contact Center Enterprise Hosted Release 8 5
1 Systems Inc icm85servg cisco 80 c dam en us td docs voice ip comm cust contact center icm enterprise
configuration guide |||

Serviceability Best Practices Guide for Cisco Unified ICM/Contact Center Enterprise
Hosted Release ... ionally Enabled: Cisco ICM CTISVR Optional Counter Instance:
Instance Name CG#A/B Ex: acme **CG3A** Always Counter Name ON Description N
Reported Call Count Number of calls that are ahead...

lang:en score:16 filesize: 3.82 M page_count: 230 document date: 2013-12-03



[\[pdf\]](#) User Manual Datasheet Guide Accessories

Tooling Guide for Aerospace Wiring Systems The PT 150H Manual Wire Crimp Pull Tester is ideal testing
crimp strength up to size 10 Mil Spec applications and 4 AWG commercial automotive HPT 200 hand held
pull tester blends the accuracy rugged design of Alphatron testers into a self contained portable
rechargeable battery powered unit 1918659 farnell datasheets 80

Tooling Guide for Aerospace Wiring Systems C

ARonAemgSISpi9saO1tne09yr00e:d0210:024008 Preface and ... ludes DBS-CG2
G691 Field Verification Fixture for DBS-1200 Go/No-Go Gage for DBS-CG3 Fixture
DBS-**CG3A** AS81306/2-XX Verification Set which includes DBS-CG3 G752 Banding
Application Kit DMC1379 ...

lang:en score:16 filesize: 8.21 M page_count: 175 document date: 2012-09-26



[\[pdf\]](#) Accessories Catalog

banding tools sl dmctools Catalogs


EMI/RFI Band Application System for M85049/128 Shield Termination Bands
EMI/RFI Band Application Sy ... ol tension. Ordering information for the field
verification equipment Part Numbers DBS-CG2A and DBS**CG3A** can be found in the
chart at the end of this catalog. The DBS-CG1 Laboratory Calibration Inst...
lang:en **score:16** filesize: 1.09 M page_count: 12 document date: 2015-07-24



[\[pdf\]](#) Accessories

Thomasnet 230223 cdn thomasnet ccp 01054421 |||

EMI/RFI Band Application System for M85049/128 Shield Termination Bands
EMI/RFI Band Application Sy ... ol tension. Ordering information for the field
verification equipment Part Numbers DBS-CG2A and DBS**CG3A** can be found in the
chart at the end of this catalog. The DBS-CG1 Laboratory Calibration Inst...
lang:en **score:16** filesize: 1.09 M page_count: 12 document date: 2015-07-24




[\[pdf\]](#) Guide

Performance Counters Unknown CiscoThis chapter describes performance counters supported for
Microsoft Windows Monitor to monitor Unified CCE componentsucce b serviceability guide cisco unified12
5 0111cisco c en us td docs voice ip comm cust contact center icm enterprise 12 1 configuration ucce
0111 |||

Performance Counters Import Unified CCE Data Collector Set Template, on page 1
Platform Health Mon ... y Enabled Cisco ICM CTISVR Optional Counter Instance
Instance Name CG#A/B For example, acme **CG3A** Table 14: CTI Server Counters
Always ON Counter Name N Reported Call Count N Active Cal...

lang:en **score:16** filesize: 1.29 M page_count: 40 document date: 2025-08-06



[\[pdf\]](#) User Manual Specifications Guide Configuration Guide Warranty

Serviceability Best Practices Guide for Cisco Unified ICM CCE CCH CC Enterprise Hosted Release 8 x S Harter 9 0 cisco c dam en us td docs voice ip comm cust contact center ipcc enterprise ippcenterprise9 1 configuration guide |||

Serviceability Best Practices Guide for Cisco Unified ICM/Unified CCE Unified CCH Release 9.0 Last ... nabled: Cisco ICM CTISVR Optional Counter Instance: Instance Name CG#A/B For example, acme **CG3A** Always Counter Name ON Description N Reported Call Count Number of calls that are ahead...

lang:en score:16 filesize: 5.45 M page_count: 254 document date: 2013-12-03




[\[pdf\]](#) User Manual Guide Application Guide

untitled M22520 1 01 Manual Pdf Standard Adjustable Crimp Tool 230219 cdn thomasnet ccp 01054421

|||

Table of Contents INTRODUCTION Important Facts About Crimping..... I tension. Ordering information for the field verification equipment Part Numbers DBS-CG2A and DBS-**CG3A** can be found in the charts in the following pages. The DBS-CG1 Laboratory Calibration Instrum...

lang:en score:16 filesize: 2.75 M page_count: 90 document date: 2016-07-27



[\[pdf\]](#) User Manual Specifications Guide Warranty

Serviceability Guide for Cisco Unified ICM Contact Center Enterprise Release 15 0 1 Padma Apr 30 2025 — ucce b serviceability guide cisco unified icm contact center enterprise release c en us td docs voice ip comm cust configuration |||

Serviceability Guide for Cisco Unified ICM/Contact Center Enterprise, Release 15.0 1 First Publishe ... y Enabled Cisco ICM CTISVR Optional Counter Instance Instance Name CG#A/B For example, acme **CG3A** Table 30: CTI Server Counters Always ON Counter Name N Reported Call Count N Active Cal...

lang:en score:16 filesize: 11.88 M page_count: 426 document date: 2025-05-26




[\[pdf\]](#) User Manual Specifications Guide Configuration Guide Warranty

Serviceability Best Practices Guide for Cisco Unified ICM Contact Center Enterprise Hosted Release 8 x
CC S Harter icm85srvg cisco 80 c dam en us td docs voice ip comm cust contact center ipcc enterprise
ipccenterprise8 5 1 configuration guide |||

Serviceability Best Practices Guide for Cisco Unified ICM/Contact Center Enterprise Hosted Release ... nabled: Cisco ICM CTISVR Optional Counter Instance: Instance Name CG#A/B For example, acme **CG3A** Always Counter Name ON Description N Reported Call Count Number of calls that are ahead...

lang:en **score:16** filesize: 5.88 M page_count: 256 document date: 2013-12-03




[\[pdf\]](#) Documentation Guide

Serviceability Guide for Cisco Unified ICM Contact Center Enterprise Release 11 0 1 Robert Perry UCCE
BK S5C6E0AE 00 serviceability best practices guide ucce cisco c en us td docs voice ip comm cust
contact center icm enterprise Configuration |||

Serviceability Guide for Cisco Unified ICM/Contact Center Enterprise, Release 11.0 1 First Publishe ... y Enabled Cisco ICM CTISVR Optional Counter Instance Instance Name CG#A/B For example, acme **CG3A** Table 29: CTI Server Counters Always ON Counter Name N Reported Call Count N Active Cal...

lang:en **score:16** filesize: 9.42 M page_count: 402 document date: 2018-11-02



[\[pdf\]](#) User Manual Specifications Guide Warranty

Serviceability Guide for Cisco Unified ICM Contact Center Enterprise Release 12 6 2 Parmeshwar
Complete Book 57 MB ucce b serviceability guide cisco unified 62 c en us td docs voice ip comm cust
contact center icm enterprise configuration |||

Serviceability Guide for Cisco Unified ICM/Contact Center Enterprise, Release 12.6 2 First Publishe ... 8 Performance Counters CTI Server Counter Instance Instance Name CG#A/B For example, acme **CG3A** Table 29: CTI Server Counters Always ON Counter Name Description N Reported Call Count ...

lang:en **score:15** filesize: 12.58 M page_count: 476 document date: 2023-06-13