

Anycash T01

Anycash T01 Portable Tire Inflator User Manual

Model: T01

1. INTRODUCTION

Thank you for choosing the Anycash T01 Portable Tire Inflator. This compact and cordless air compressor is designed for convenient and efficient inflation of various items, including car tires, motorcycle tires, bicycle tires, and sports balls. Featuring a digital pressure gauge, automatic shut-off, and an integrated LED light, it provides a reliable solution for your inflation needs.



Image 1.1: The Anycash T01 Portable Tire Inflator, showcasing its compact design and the range of items it can inflate, including cars, motorcycles, bicycles, and sports balls. Various nozzles and a charging cable are also visible.

2. SAFETY INFORMATION

- Read all instructions before use.
- Keep out of reach of children.
- Do not operate the inflator in wet conditions or near flammable liquids/gases.
- Ensure the air hose is securely connected before starting inflation.
- Do not over-inflate. Always refer to the recommended pressure for your item.
- The device may become warm during prolonged use. Allow it to cool down if necessary.
- Use only the provided charging cable and accessories.

3. PACKAGE CONTENTS

The Anycash T01 Portable Tire Inflator package includes the following items:

- 1 x Anycash T01 Portable Tire Inflator

- 1 x Air Hose
- 2 x Universal Nozzle Cones
- 1 x Needle Adapter (for balls)
- 1 x Presta Adapter (for certain bicycle valves)
- 1 x Type-C Charging Cable
- 1 x Storage Bag
- 1 x User Manual

4. PRODUCT FEATURES

- **Portable & Cordless Design:** Compact and lightweight for easy storage and transport.
- **Digital Pressure Gauge:** Provides accurate real-time and preset pressure readings.
- **Automatic Shut-Off:** Stops inflation automatically once the preset pressure is reached.
- **High Inflation Speed:** Inflates tires quickly, for example, 30 PSI to 36 PSI in approximately 50 seconds for a standard car tire.
- **Multiple Preset Modes:** Includes modes for car, motorcycle, bicycle, and ball, plus a customizable mode.
- **Integrated LED Light:** Provides illumination for nighttime use or emergencies.
- **High-Capacity Battery:** Ensures sufficient power for multiple inflation tasks.

High-Capacity Batteries

Universal & Efficient



Image 4.1: The Anycash T01 inflator highlighting its high-capacity internal batteries, capable of inflating various items such as car tires, motorcycle tires, bicycle tires, and sports balls.

Accurate **Dual-Value** Display

The two values show the actual tire pressure and the preset pressure.



Image 4.2: A detailed view of the inflator's digital display, illustrating the four pressure units (PSI, BAR, KPA, Kg/cm²), the preset pressure value, the five preset inflation modes, and the actual measured pressure value.




Image 4.3: The Anycash T01 inflator demonstrating its bright LED light feature, useful for various situations including general illumination, temporary car repairs, and emergency lighting during cycling.

5. SETUP

5.1 Retrieving the Air Hose

The air hose is conveniently stored inside the inflator body. To access it:

1. Locate the small hole at the top of the air pump.
2. Gently pull out the air hose from this opening.

Hidden Air Hose Inside

Air hose is hidden at the top of the air pump



Image 5.1: A close-up view of the AnyCASH T01 inflator, illustrating how to pull out the hidden air hose from its designated storage slot at the top of the device.

6. OPERATING INSTRUCTIONS

Follow these steps to inflate your item:

1. **Connect the Air Hose:** Take out the air hose from the pump and securely connect it to the tire valve or the item you wish to inflate. Ensure it is tightly screwed on to prevent air leakage.
2. **Power On:** Press and hold the power button for 3 seconds to turn on the inflator. The LCD display will illuminate.
3. **Select Mode and Set Pressure:**
 - Use the mode button (often indicated by a 'U' or mode icon) to cycle through the preset modes (car, motorcycle, bicycle, ball) or select the custom mode.
 - Use the "+" and "-" buttons to adjust the desired pressure value.
4. **Start Inflation:** Press the "start" button (often the power button pressed briefly) to begin inflation. The inflator will automatically stop when the preset pressure is reached.
5. **Disconnect:** Once inflation is complete and the device has shut off, carefully disconnect the air hose from the valve.

Easy to Use



Image 6.1: A visual guide demonstrating the three simple steps to operate the Anycash T01 inflator: 1) Connect the air hose, 2) Power on, and 3) Set desired pressure and start inflation.

6.2 Using the LED Light

To activate the built-in LED light, press and hold the 'U' button (or the designated light button) for 3 seconds. This feature is useful for working in low-light conditions or as an emergency light.

7. PRESET MODES

The Anycash T01 offers several preset modes for common inflation tasks, along with a custom mode for specific requirements:

- **Car Mode:** Typically for car tires (e.g., 3-65 PSI).
- **Motorcycle Mode:** For motorcycle tires (e.g., 3-55 PSI).
- **Bicycle Mode:** For bicycle tires (e.g., 3-125 PSI).
- **Ball Mode:** For sports balls (e.g., 3-150 PSI).
- **Custom Mode:** Allows manual setting of pressure up to 150 PSI for other inflatables.

Wide Application



Image 7.1: A visual representation of the wide range of applications for the Anycash T01 inflator, including SUVs, RVs, bicycles, motorcycles, riding mowers, pickup trucks, scooters, sports balls, and lounge floats.

8. CHARGING

The Anycash T01 Portable Tire Inflator is powered by a rechargeable Lithium-Ion battery. To charge the device:

- Connect the provided Type-C charging cable to the charging port on the inflator.
- Connect the other end of the cable to a suitable USB power source (e.g., wall adapter, car charger, power bank).
- The display will indicate charging status. Ensure the device is fully charged before first use and for optimal performance.

9. MAINTENANCE AND STORAGE

- Store the electric air pump in a cool, dry place, away from direct sunlight.
- For long-term storage, charge the product to 50%-80% battery power.
- It is recommended to charge the battery every 3 months to extend its lifespan.

- Clean the exterior of the inflator with a soft, dry cloth. Do not use harsh chemicals or abrasive cleaners.
- Ensure the air hose and nozzles are free from dirt and debris before and after use.

10. TROUBLESHOOTING

If you encounter issues with your Anycash T01 Portable Tire Inflator, consider the following:

- **Inflator not turning on:** Ensure the battery is charged. Connect to a power source and try again.
- **No inflation or slow inflation:** Check if the air hose is securely connected to both the inflator and the item's valve. Ensure the correct adapter is used. Verify the preset pressure is higher than the current pressure.
- **Inaccurate pressure reading:** Ensure the connection is tight. If the issue persists, compare with another reliable pressure gauge.
- **Device overheating:** Allow the inflator to cool down before continuing use. Avoid continuous operation for extended periods, especially when inflating large items.

If problems persist, please contact customer support.

11. SPECIFICATIONS

Feature	Specification
Brand	Anycash
Model Name	T01
Maximum Operating Pressure	150 PSI
Power Source	Battery Powered (Lithium Ion)
Voltage	7.4 Volts
Wattage	14.8 Watt-hours
Noise Level	70 dB
Air Flow Capacity	30 Liters Per Minute
Item Weight	0.62 Kilograms (1.37 pounds)
Product Dimensions	2.75"L x 6.2"W x 1.92"H
Material	ABS
Color	Black

12. WARRANTY AND SUPPORT

The Anycash T01 Portable Tire Inflator comes with a **2-Year Warranty** from the date of purchase. For warranty claims, technical support, or any questions regarding your product, please contact Anycash customer service through the retailer where the product was purchased or visit the official Anycash website for contact information.

