

[Manuals.plus](#) /

› [Juskys](#) /

› Juskys Kapstadt Manual Clamp Awning 200x120 cm - Instruction Manual

Juskys 301323

Juskys Kapstadt Manual Clamp Awning 200x120 cm - Instruction Manual

Model: 301323

1. INTRODUCTION

Thank you for choosing the Juskys Kapstadt Manual Clamp Awning. This awning is designed to provide flexible sun and privacy protection for your balcony or terrace without the need for drilling. Its robust construction and high-quality materials ensure durability and resistance to various weather conditions. This manual provides essential information for safe installation, operation, and maintenance of your awning.

TENDA MODERNA

Comfort e stile per il
tuo spazio esterno



Protezione solare



Schermo per
la privacy



Image 1.1: The Juskys Kapstadt Manual Clamp Awning installed, offering sun protection and privacy.

2. SAFETY INFORMATION

WARNING: Always follow the assembly instructions precisely to ensure a safe installation. Please consider weather conditions and potential risks associated with the moving parts of the awning.

- Ensure all components are securely fastened before use.
- Do not use the awning in strong winds, heavy rain, or snow. Retract the awning completely during adverse weather conditions.
- Keep children and pets away from the awning during operation to prevent injury.
- Regularly inspect the awning for any signs of wear or damage. Do not use if damaged.
- Do not hang heavy objects on the awning frame.

3. PACKAGE CONTENTS

Before beginning assembly, verify that all parts are present and undamaged. If any parts are missing or damaged, please contact Juskys customer support.

- 1 x Awning Fabric
- 1 x Set of Mounting Materials (Poles, Clamps, Crank Handle, etc.)
- 1 x User Manual (This document and a detailed PDF version)

A detailed PDF instruction manual is available for download [here](#).

4. SETUP AND INSTALLATION

The Juskys Kapstadt Awning features a simple clamp-mounting system, making it ideal for rental properties as it requires no drilling. Follow the steps below for a secure installation.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out.
2. **Assemble Frame:** Connect the vertical support poles according to the detailed instructions in the PDF manual. Ensure all connections are tight.
3. **Attach Awning Fabric:** Secure the awning fabric to the roller tube and front bar as specified in the manual.
4. **Position and Clamp:** Place the assembled awning frame in the desired location on your balcony or terrace. Extend the vertical poles to the required height (200 - 297 cm) and secure them firmly using the clamp mechanism against the ceiling and floor/railing.
5. **Adjust Tension:** Ensure the awning is level and the fabric is taut. Make any necessary adjustments to the pole height and fabric tension.

MONTAGGIO SEMPLICE

Senza forare



✓ Ideale per appartamenti in affitto



Montaggio a
morsetto semplice



Image 4.1: Illustration of the simple, drill-free clamp mounting system.



Image 4.2: The awning fully installed on a balcony.

5. OPERATING INSTRUCTIONS

The awning is operated manually using a crank handle, allowing for easy extension and retraction, as well as adjustment of its angle.

- **Extending the Awning:** Insert the crank handle into the designated loop on the side of the awning. Turn the handle clockwise to extend the awning fabric.
- **Retracting the Awning:** Turn the crank handle counter-clockwise to retract the awning fabric. Ensure the fabric is fully retracted when not in use or during strong winds.
- **Adjusting Angle:** The awning can be extended vertically or diagonally to provide optimal shade. Adjust the support bars as needed to achieve the desired angle.

STABILE E DUREVOLE

 JUSKYS



Estraibile tramite
azionamento a manovella

Meccanismo di avvolgimento

Entrata e
uscita comoda

Acciaio di alta qualità

Presca sicura

Image 5.1: Detail of the manual crank mechanism for easy operation.

PROTEZIONE INDIVIDUALE

Flessibile e adattabile



Image 5.2: The awning offers flexible and adaptable protection with adjustable height and extension options.

6. MAINTENANCE

Proper maintenance will extend the lifespan of your Juskys Kapstadt Awning.

- **Cleaning the Fabric:** The awning fabric is made from robust, PU-coated material that is UV-resistant and water-repellent. Clean the fabric regularly with a soft brush or cloth and mild soapy water. Rinse thoroughly with clean water and allow it to air dry completely before retracting. Do not use harsh chemicals or abrasive cleaners.
- **Frame Maintenance:** Periodically check the steel frame for any signs of rust or damage. Clean the frame with a damp cloth. Lubricate moving parts, such as the crank mechanism, annually with a silicone-based spray to ensure smooth operation.
- **Winter Storage:** If possible, retract the awning completely and store it in a dry, protected area during winter months or prolonged periods of non-use to prevent damage from extreme weather.



Image 6.1: The awning features robust, UV-resistant, and water-repellent fabric.

7. TROUBLESHOOTING

If you encounter any issues with your awning, refer to the following common problems and solutions:

- **Awning does not extend/retract smoothly:**
 - Check if the crank mechanism is obstructed.
 - Ensure the fabric is not caught or tangled.
 - Lubricate the moving parts of the crank mechanism.
- **Awning feels unstable:**
 - Verify that the vertical support poles are securely clamped and fully extended to the correct height.
 - Ensure the mounting surface (ceiling/floor) is stable and capable of supporting the awning.
- **Fabric sags or is uneven:**
 - Check the tension of the fabric and adjust if necessary.
 - Ensure the front bar is level.

For further assistance, please consult the detailed PDF manual or contact Juskys customer support.

8. SPECIFICATIONS

Feature	Detail
Model Number	301323
Brand	Juskys
Color	Grey
Size (Width x Projection)	200 x 120 cm
Adjustable Height	200 - 297 cm
Material	Polyester (180 g/m ² ; PU coated), Alloy Steel
Operation Mode	Manual (Crank)
UV Resistance	Yes
Water Repellent	Yes
Assembly Required	Yes
Item Weight	7.8 Kilograms

9. WARRANTY AND SUPPORT

Juskys products are manufactured to high-quality standards. For information regarding warranty terms and conditions, please refer to the purchase documentation or contact your retailer.

If you require technical support, have questions about assembly, or need replacement parts, please contact Juskys customer service. You can often find contact information on the Juskys official website or through your point of purchase.