

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [OVE Decors](#) /
- › [Ove Decors Selby Frameless Sliding Shower Door User Manual](#)

## OVE Decors 15SGP-SELB48-SATWM

# Ove Decors Selby Frameless Sliding Shower Door User Manual

Brand: OVE Decors | Model: 15SGP-SELB48-SATWM

## PRODUCT OVERVIEW

---

The OVE Decors Selby frameless sliding shower door is designed to enhance the aesthetic and functionality of your bathroom. This model features a sleek, modern design with an oversized handle and is available with hardware in various finishes. Constructed with tempered glass, it includes a protective coating to resist soap scum and limescale, ensuring durability and ease of maintenance. Its reversible installation allows for flexible setup to suit different bathroom layouts.



Image: The Selby frameless sliding shower door in a bathroom setting, showcasing its clear glass and satin nickel hardware.


## KEY FEATURES

---

- **Frameless Design:** Provides a clean, modern aesthetic without wall tracks.
- **Premium Tempered Glass:** Features 5/16 in. (8mm) thick safety tempered glass, certified by SGCC, offering enhanced safety and durability.

# Safety matters

Feel secure with premium safety glass.



## Why invest in safety glass showers



Tempered  
Glass



Heat  
Resistant



Easy to  
Clean



Shatter  
Resistant

Image: Visual comparison illustrating the thickness of premium 5/16 inch (8mm) safety tempered glass.

- **Smooth Sliding Mechanism:** Engineered with a premium roller system for effortless opening and closing.

## Smooth Rolling Mechanism

Premium slider system for smooth opening, closing and a secure close.



Image: Detailed view of the smooth rolling mechanism, highlighting the rollers and track for easy door operation.

- **Protective Coating:** Handles and hardware are treated with a protective coating for easy cleaning and long-term durability.



## Metal Protective Technology

Keep your hardware shiny and spotless.






Image: Close-up of the metal protective technology on the shower door hardware, designed to keep it shiny and spotless.

- **Reversible Installation:** Can be installed for left or right side opening to accommodate various bathroom layouts.

# Reversible Door Installation



Left side installation



Right side installation

Choose the direction you want your shower doors to open.

Image: Diagram illustrating the flexibility of reversible door installation for both left and right side openings.

- **Oversized Handle:** Features a slim, oversized handle for a bold and chic statement.

## Top Design Highlights

### Oversized handle

Slim 24-inch handle delivers a bold yet chic statement.

### True Frameless Design

Engineered with no wall track for a clean aesthetic while maintaining total structural integrity.




Image: Visual highlighting the oversized handle and true frameless design of the shower door.

- **Multiple Hardware Finishes:** Available with gold, black, or satin nickel hardware.

## Choose Your Hardware Finish.



SATIN NICKEL



MATTE BLACK



GOLD


Image: Display of available hardware finishes: Satin Nickel, Matte Black, and Gold.

## SETUP AND INSTALLATION

Installation of the Selby frameless sliding shower door requires careful attention to detail. It is recommended that installation be performed by a qualified professional to ensure proper fit and function. Key steps typically include:

1. **Preparation:** Ensure the shower alcove dimensions are compatible with the door size (48 in. W x 74 in. H). The product dimensions are approximately 0.31 x 47.2 x 74.02 inches.
2. **Hardware Assembly:** Assemble the top rail and rollers according to the included instructions.
3. **Glass Panel Placement:** Securely install the fixed glass panel.
4. **Sliding Door Installation:** Mount the sliding door onto the rail system, ensuring smooth operation.
5. **Sealing:** Apply appropriate sealants to prevent water leakage.

For detailed, step-by-step instructions, please refer to the comprehensive installation manual included with your product. A shower base is not included and must be purchased separately.



*\* Assembled Size*

Image: Technical drawing providing detailed dimensions for the Selby shower door, useful for planning installation.

## OPERATING INSTRUCTIONS

The Selby frameless sliding shower door is designed for simple and smooth operation. To open or close the door, gently slide the movable glass panel along the top rail using the integrated handle. The premium roller system ensures minimal effort is required for movement.

- Ensure the path of the sliding door is clear of obstructions.
- Avoid forcing the door if it encounters resistance; check for any debris in the track.
- The door is designed to slide smoothly and quietly.

## MAINTENANCE AND CARE

Regular cleaning and maintenance will preserve the appearance and functionality of your OVE Decors Selby shower door. The tempered glass features a protective coating to resist soap scum and limescale buildup.

- **Daily Cleaning:** After each use, wipe down the glass panels with a soft cloth or squeegee to remove water spots and soap residue.
- **Weekly Cleaning:** Use a mild, non-abrasive glass cleaner or a solution of warm water and white vinegar. Apply with a soft cloth and wipe dry.
- **Hardware Care:** Clean metal hardware with a soft, damp cloth. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish and protective coating.

- **Track Maintenance:** Periodically inspect and clean the sliding track to ensure it remains free of debris, which can impede smooth operation.

**Caution: Do not use abrasive cleaners, harsh chemicals, or sharp objects on any part of the shower door, especially the glass and hardware, as this may cause damage or compromise the protective coating.**

## TROUBLESHOOTING

This section provides solutions to common issues you might encounter with your shower door. If the problem persists, please contact customer support.

Problem	Possible Cause	Solution
Door does not slide smoothly.	Debris in track, dirty rollers, misaligned rollers.	Clean the track and rollers. Check for proper alignment of rollers and adjust if necessary.
Water leakage from door.	Improper sealing, worn seals, incorrect installation.	Inspect all seals and caulking. Reapply sealant if needed. Ensure the door is properly installed and aligned.
Hardware appears dull or stained.	Buildup of soap scum or hard water deposits, use of abrasive cleaners.	Clean with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals.

## SPECIFICATIONS

Brand	OVE Decors
Model Number	15SGP-SELB48-SATWM
Dimensions (W x H)	48 in. W x 74 in. H (Product: 0.31 x 47.2 x 74.02 inches)
Material	Tempered Glass, Metal Hardware
Glass Thickness	5/16 in. (8mm)
Hardware Finish	Satin Nickel (also available in Matte Black, Gold)
Item Weight	108 Pounds
Assembly Required	Yes
UPC	828796141871

## WARRANTY AND SUPPORT

This product is backed by OVE Decors' commitment to quality. While specific warranty details should be confirmed with the manufacturer or retailer, the product typically includes:

- **30-Day Easy Returns:** As per Amazon's policy.
- **Customer Support:** For any inquiries or assistance, please refer to the contact information provided in the product packaging or on the OVE Decors official website.

© 2025 OVE Decors. All rights reserved.