Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Aoxun G30014+SL401BK01A-ZJ

Aoxun 10'x12' Hardtop Gazebo with LED Lights Instruction Manual

Introduction

Thank you for choosing the Aoxun 10'x12' Hardtop Gazebo. This outdoor metal shelter features a durable aluminum frame, a double galvanized steel roof, protective netting, and integrated LED waterproof hanging lights. This manual provides essential information for the correct assembly, safe operation, and proper maintenance of your gazebo to ensure its longevity and your enjoyment.

Safety Information

Important Safety Precautions:

- Always follow the assembly instructions carefully.
- Secure the gazebo to the ground using expansion bolts or ground nails to prevent tipping, especially in windy conditions.
- Do not use the LED lights in wet conditions to avoid electrical hazards.
- Ensure all connections are tight and secure after assembly and periodically check for loosening.
- Keep children and pets away from the assembly area.
- Wear appropriate safety gear, such as gloves, during assembly.

Product Features

- **Double Top Roof:** Dual-layer polycarbonate roof design resists fading and aging, promotes airflow, and blocks UV rays. Includes a hook for hanging items like fans or lights.
- **Aluminum Frame:** Robust aluminum frames with high-quality powder coating resist scratching, peeling, corrosion, and rust. Triangular design enhances stability.
- **Curtains and Netting:** Detachable curtains provide shelter from rain and privacy. Inner zippered mesh screen keeps insects out while allowing airflow.
- **Durability:** Withstands wind speeds up to 24-30 mph (wind resistance grade 6) and supports snow loads up to 4 inches deep when properly secured.
- **Outdoor String Lights:** Features 15 sockets (plus 2 spares) with an IP44 waterproof rating. Energy-saving LED lights.
- **Lighting Modes:** 4 levels of brightness and 8 lighting modes (dynamic, short flash, quick flash) controllable by

remote.

- **Charging Options:** Supports both USB charging (4 hours for full charge) and solar charging (8 hours for full charge). Battery life up to 24 hours.
- **Timer Function:** Lights include 3/5/8-hour timer settings.

Setup and Assembly

The assembly process typically requires 2-4 people and takes approximately 2-4 hours. Follow the step-by-step instructions provided in the separate assembly guide. Each component is labeled for easy identification.

Assembly Tips:

- **Teamwork:** Many steps require two people. For lifting the main roof structure, 4 people are recommended.
- **Organize Parts:** Lay out all parts before starting. Some assembly units may be split across different boxes. Refer to the parts list in each box.
- **Roof Panel Installation:** When installing roof panels, secure each piece with one screw (not fully tightened) at the bottom first. Once an entire side is finished, go back and tighten all screws to ensure proper alignment.
- **Power Tools:** A cordless drill/screwdriver is highly recommended to save time. A drill with a clutch can help prevent stripping bolts.
- **Protective Film:** Remove any protective film from roof panels before assembly. This can be time-consuming but is crucial for the final appearance.
- **Location:** The gazebo is heavy once assembled. Build it in its intended final location.
- **Safety:** Wear gloves to protect your hands from sharp edges on sheet metal components.



Image: The gazebo's sturdy aluminum frame and triangular support structure, designed for stability and rust resistance. An anchoring bracket is shown for secure installation.




Image: Diagram illustrating the overall dimensions of the Aoxun 10'x12' gazebo, including height and base measurements, along with the length of the LED string lights.



Image: Close-up views of the gazebo's features, including extra straps for curtains, the aluminum frame construction, and the anchoring frame at the base of a leg for stability.



Image: The interior roof of the gazebo showing J-hooks and U-hooks, designed for hanging accessories such as fans or lights.

Assembly Video:

Your browser does not support the video tag.

Video: An overview of the Aoxun Hardtop Gazebo, demonstrating its features and providing visual guidance for assembly steps.

Operating Instructions

Curtains and Netting:

- The gazebo features a dual-track design, allowing curtains and netting to be adjusted separately.
- Use the detachable curtains for privacy or protection from rain and harsh weather.
- The inner zippered mesh screen provides protection against mosquitoes while maintaining airflow.
- When not in use, curtains can be tied back to the corner posts using the provided straps.

LED String Lights:

- The included LED string lights are IP44 waterproof rated for outdoor use.
- Use the remote control to select from 4 levels of brightness and 8 lighting modes (dynamic, short flash, quick flash).
- **Charging:** The lights support both USB charging (approx. 4 hours for full charge) and solar charging (approx. 8 hours for full charge).
- A full charge provides up to 24 hours of operation.
- **Timer Function:** Set the lights to turn off automatically after 3, 5, or 8 hours using the timer function on the remote.



Image: The galvanized steel double roof design, highlighting its anti-UV, ventilation, waterproof, and protective netting features. A close-up shows the fine mesh of the netting.



Image: Close-up of the dual track design, which allows for smooth and separate adjustment of the curtains and netting. This design ensures durability, fade resistance, and waterproof performance.



Image: The gazebo with its detachable curtains and netting, offering a 360-degree panoramic view when open, and privacy/insect protection when closed. It also shows the curtains providing a privacy shield against light and rain.

Maintenance

- **Frame:** Regularly inspect the aluminum frame for any signs of damage or loose connections. Clean the frame with a mild soap and water solution, then rinse thoroughly and dry. Avoid abrasive cleaners.
- **Roof:** Periodically clean the galvanized steel roof to remove leaves, debris, or snow accumulation. Use a soft brush or cloth and water. Do not use harsh chemicals that could damage the coating.
- **Curtains and Netting:** The detachable curtains and netting can be cleaned with a mild detergent and water. Ensure they are completely dry before storing or reattaching to prevent mildew.
- **LED Lights:** Keep the solar panel clean and free of obstructions to ensure efficient charging. Store the lights in a dry place during prolonged periods of non-use or extreme weather.
- **Anchoring:** Regularly check the ground anchors or expansion bolts to ensure they remain secure, especially after strong winds or heavy rain.

Troubleshooting

- **Missing or Damaged Parts:** If you receive parts that are missing or damaged, contact Aoxun customer service immediately for assistance. Do not attempt to force damaged parts during assembly.
- **Holes Not Aligning:** During assembly, if holes do not align, loosen previously tightened bolts slightly to allow for adjustment. Ensure all parts are oriented correctly according to the assembly guide. Re-tighten all bolts once alignment is achieved.
- **Difficulty Removing Protective Film:** The protective film on roof panels can be challenging to remove. It is recommended to remove this film before attaching the panels. If stuck, try using a hairdryer on a low setting to gently warm the film, which may help with removal.
- **Gazebo Instability:** Ensure the gazebo is properly anchored to the ground using the provided expansion bolts or ground nails. Verify that all frame connections are securely tightened.
- **LED Lights Not Working:** Check if the lights are fully charged (via USB or solar). Ensure the remote control battery is functional. Verify that the lights are not in timer mode.

Specifications

Feature	Detail
Brand	Aoxun
Model Number	G30014+SL401BK01A-ZJ
Product Dimensions (L x W x H)	144"L x 120"W x 116.4"H (12' x 10' x 9.7')
Floor Area	120 Square Feet
Item Weight	220 Pounds
Frame Material	Aluminum
Roof Material	Galvanized Steel, Polycarbonate
Water Resistance Level	Waterproof
UV Protection	99.99%
Wind Resistance	Grade 6 (24-30 mph)
Snow Load Capacity	Up to 4 inches deep
LED Lights Waterproof Rating	IP44
Assembly Required	Yes

Warranty Information

For specific warranty details regarding your Aoxun Hardtop Gazebo, please refer to the warranty card included with your product packaging or contact Aoxun customer support directly. Warranty terms typically cover manufacturing defects under normal use.

Customer Support

If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact Aoxun customer support. Refer to your product packaging or the Aoxun official website for the most current contact information.

© 2026 Aoxun. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DXKFJP8P

More documents and user manuals: **https://manuals.plus/**