

[Manuals.plus](#) /

› [BEDRED](#) /

› BEDRED Dehumidifier Model CT11: User Manual

BEDRED CT11

BEDRED Dehumidifier Model CT11: User Manual

Model: CT11 | Brand: BEDRED

1. INTRODUCTION

Thank you for choosing the BEDRED Dehumidifier Model CT11. This compact and efficient dehumidifier is designed to create a drier, more comfortable environment by reducing humidity and improving air quality in spaces up to 1000 square feet. Featuring quiet operation, intelligent auto-shutoff, and a relaxing 7-color ambient light, it is ideal for living rooms, bedrooms, bathrooms, basements, and even RVs.

BEDRED 95OZ Home Dehumidifier

Coverage Area 1,000 sq. Ft.



Image 1.1: The BEDRED Dehumidifier Model CT11 seamlessly integrates into various home environments, effectively covering up to 1000 square feet.

2. PRODUCT OVERVIEW

The BEDRED CT11 Dehumidifier utilizes semiconductor (thermoelectric) cooling technology for efficient moisture removal. Its user-friendly design includes intuitive controls and a conveniently located water tank.

2.1 Components

- **Main Unit:** Houses the dehumidifying condenser, fan, and control panel.
- **Water Tank:** Removable 95 fl oz (2.8 L) capacity tank for collected water.
- **Control Panel:** Located on the top of the unit, featuring touch-sensitive buttons for power, sleep mode, and ambient

light control.

- **Air Intake:** Located at the rear of the unit.
- **Air Outlet Vents:** Located on both sides of the unit.
- **Water Level Display:** A clear window on the front to monitor the water level in the tank.

Dual Dehumidifying Condenser



Image 2.1: Internal diagram illustrating the dual dehumidifying condenser and the large 95 fl oz water tank.

2.2 Control Panel

The control panel is located on the top surface of the dehumidifier and features three touch buttons:

- **Power Button (⏻):** Turns the unit On or Off.
- **Sleep Mode Button (🌙):** Activates sleep mode, turning off ambient lights and reducing fan speed for quieter operation.
- **Ambient Light Button (💡):** Cycles through 7 different ambient light colors or turns the lights off.

7 COLOR OPTIONS

Click the light button to choose your favorite color



1st: Display current colour

2nd: OFF

3rd: 7 Colours switch automatically



Image 2.2: The control panel offers intuitive touch controls for various functions, including ambient light selection.

3. SETUP

3.1 Unpacking

Carefully remove the dehumidifier and all packaging materials from the box. Ensure all components listed in Section 2.1 are present and undamaged.

3.2 Placement

Place the dehumidifier on a flat, stable surface in the desired area. For optimal performance, ensure there is at least 10-12 inches (25-30 cm) of space around the air intake (rear) and air outlet vents (sides) to allow for proper airflow. Avoid placing the unit directly against walls or furniture.




Image 3.1: Product dimensions for proper placement and space consideration.

3.3 Power Connection

Plug the power cord into a suitable electrical outlet. The unit is now ready for operation.

4. OPERATING INSTRUCTIONS

4.1 Power On/Off

Press the **Power Button** () on the control panel to turn the dehumidifier on. Press it again to turn the unit off.

4.2 Mode Selection

The dehumidifier operates in two primary modes:

- **Normal Mode:** The default operating mode for continuous dehumidification.
- **Sleep Mode:** Press the **Sleep Mode Button** () to activate. In Sleep Mode, the ambient lights will turn off, and the fan speed will reduce to minimize noise, providing a quiet environment for rest.




Image 4.1: Sleep Mode ensures undisturbed rest by turning off lights and reducing operational noise.

4.3 Ambient Light Control

When the dehumidifier is turned on, the ambient light will automatically cycle through its 7 colors. To control the ambient light:


1. Press the **Ambient Light Button** () once to pause on the current color.
2. Press it again to turn the ambient light off.
3. Press it a third time to resume cycling through the colors.



Remove the water tank.



Take out the tank lid.



Pour out the water.



Close the Cover and place the tank completely in the dehumidifier.

Image 4.2: The 7-color ambient light feature allows you to customize the atmosphere of your room.

4.4 Automatic Shut-Off

The dehumidifier is equipped with an intelligent auto-shutoff feature. When the 95 fl oz water tank is full, the unit will automatically power down, and an indicator light (typically red) will illuminate, accompanied by an audible warning sound. This prevents overflow and ensures safe operation.

Auto Shut Off Protection



Image 4.3: The auto shut-off feature provides peace of mind by preventing water overflow when the tank is full.

5. MAINTENANCE

5.1 Emptying the Water Tank

When the water tank is full, the dehumidifier will automatically shut off and emit a warning. Follow these steps to empty the tank:

1. Gently pull the water tank out from the rear of the unit.
2. Remove the tank lid.
3. Pour out the collected water.
4. Replace the tank lid and slide the tank completely back into the dehumidifier until it clicks into place. The unit will

then resume operation.



Image 5.1: Step-by-step guide for emptying the water tank.

5.2 Cleaning the Unit

Regular cleaning helps maintain the dehumidifier's efficiency and extends its lifespan.

- **Exterior:** Wipe the exterior with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Air Intake/Outlet:** Periodically clean the air intake and outlet vents with a soft brush or vacuum cleaner to remove dust and debris.
- **Water Tank:** Clean the water tank regularly with mild soap and water to prevent mold or mildew buildup. Rinse thoroughly before reinserting.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply; Power button not pressed; Water tank full.	Check power connection; Press power button; Empty water tank.
Unit is running but not collecting water.	Humidity level is already low; Temperature is too low; Airflow is blocked.	Check room humidity; Ensure room temperature is above 41°F (5°C); Clear obstructions from air intake/outlet.
Water tank full indicator is on, but tank is not full.	Water tank not properly seated; Float sensor stuck.	Re-seat the water tank firmly; Gently shake the tank to free the float sensor.
Unit is noisy.	Operating in Normal Mode; Unit not on a stable surface.	Switch to Sleep Mode for quieter operation; Place on a flat, stable surface.

7. SPECIFICATIONS

Feature	Detail
Brand	BEDRED
Model Number	CT11
Floor Area Coverage	Up to 1000 Square Feet
Color	White
Special Features	Automatic Shutoff, Humidity Control, 7-Color Ambient Light, Sleep Mode
Water Tank Volume	95 Fluid Ounces (approx. 2.8 Liters)
Product Dimensions (D x W x H)	6.7"D x 8.7"W x 14.6"H
Recommended Use	Residential
Material	Polypropylene (PP)
Operation Mode	Automatic
Noise Level	28 Decibels (in Sleep Mode)

8. WARRANTY AND SUPPORT

The BEDRED Dehumidifier Model CT11 comes with a **1-year warranty** from the date of purchase, covering manufacturing defects and malfunctions under normal use. For warranty claims, technical support, or any inquiries, please refer to the contact information provided in your product packaging or visit the official BEDRED website. Please retain your proof of purchase for warranty validation.

© 2026 BEDRED. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question