

## Evenflo TS100212542

# Evenflo Shyft Intuiti Travel System with Revolve180 LiteMax NXT Infant Car Seat Manual

Model: TS100212542

## INTRODUCTION

---

The Evenflo Shyft Intuiti Travel System combines a lightweight, luxury stroller with the innovative Revolve180 LiteMax NXT Rotational Infant Car Seat. This system is designed to provide a smooth ride and convenient functionality for parents, adapting to your child's needs from infancy through toddlerhood.

The stroller features a modular frame that supports multiple modes of use, including infant car seat, toddler seat, and lay-flat carriage. It boasts all-wheel suspension and high-traction rubber tires for superior maneuverability. The Revolve180 LiteMax NXT Infant Car Seat is designed for infants weighing 3 to 30 lbs and measuring 15.7 to 32 inches, offering a unique 180-degree rotation for easy access.



## 6 MODES OF USE

Figure 1: The Evenflo Shyft Intuiti Travel System offers six modes of use, adapting from infant car seat to toddler seat and lay-flat carriage, facing either parent or forward.

### SETUP

#### Stroller Assembly

1. Unfold the stroller frame by releasing the locking mechanism.
2. Attach the wheels by pushing them into the designated slots until they click securely.
3. Install the seat unit or car seat adapter onto the frame. Ensure it is properly latched.
4. Adjust the handlebar to your preferred height by pressing the adjustment buttons.

#### Infant Car Seat Installation (Vehicle)

The Revolve180 LiteMax NXT Infant Car Seat features the LockStrong™ belt tensioning system for secure installation. Always refer to the full car seat manual for detailed, step-by-step installation instructions and vehicle-specific guidance.

1. Place the car seat base on the vehicle seat.
2. Open the LockStrong™ tensioning arm and route the vehicle seat belt through the designated belt path.

3. Buckle the vehicle seat belt and remove all slack.
4. Close the LockStrong™ tensioning arm to tighten the belt for a secure fit.
5. Verify the installation by checking for less than one inch of movement at the belt path.

Your browser does not support the video tag.

Video 1: This video provides an overview of the Evenflo Shyft Intuiti Travel System, demonstrating its features and various configurations, including car seat installation and stroller modes.

## OPERATING THE STROLLER

---

### Adjusting the Handlebar

The stroller features a 3-position articulated leatherette handlebar. Press the buttons on either side of the handlebar to adjust its height to a comfortable pushing position.



### 3-POSITION, ARTICULATED LEATHERETTE HANDLE

Figure 2: The stroller's handlebar can be adjusted to three different positions for ergonomic comfort.

### Seat Recline and Conversion

The modular seat can be reclined to multiple positions, including a lay-flat carriage mode suitable for newborns. To recline, locate the recline mechanism on the back of the seat. To convert to carriage mode,

fully recline the seat and adjust the footrest. The seat can also be reversed to face the parent or face forward.

## Braking System

The stroller is equipped with linked brakes that lock both rear wheels simultaneously. To engage the brakes, press down on the brake pedal located near the rear wheels. To release, lift the pedal.

## Canopy Adjustment

The height-adjustable UPF 50+ canopy provides ample sun protection. Adjust the canopy by sliding it along the frame to accommodate your child's height.

## Storage Basket

An extra-large storage basket is located beneath the seat, providing convenient space for your essentials.



## EXTRA-LARGE STORAGE BASKET FOR YOUR ESSENTIALS

Figure 3: The extra-large storage basket offers ample space for carrying baby essentials.

## OPERATING THE REVOLVE180 LITEMAX NXT INFANT CAR SEAT

---

### 180-Degree Rotation

The Revolve180 LiteMax NXT Infant Car Seat features a one-hand, 180-degree rotation mechanism, making it easier to place your child into and remove them from the car seat. To rotate, ensure the car seat is not in motion and follow the instructions in the full manual to unlock and swivel the seat.



## REVOLVE180™ LITEMAX™ NXT INFANT CAR SEAT FOR EASY IN AND OUT

Figure 4: The Revolve180 LiteMax NXT Infant Car Seat rotates 180 degrees for convenient loading and unloading.

### Harness Adjustment

The car seat features a no-rethread harness system, allowing for easy adjustment of the harness height as your child grows without needing to re-thread the straps.

### MAINTENANCE

---

#### Cleaning Instructions

- **Fabrics:** The seat and canopy fabrics (25% Cotton, 25% Polyester, 25% Polypropylene) are designed to be easy to clean. Refer to the product label for specific washing instructions. Typically, machine wash cold on a delicate cycle and tumble dry low.
- **Frame:** The metal frame can be wiped clean with a damp cloth and mild soap.
- **Wheels:** The EVA tire material can be cleaned with water and mild soap. Regularly check wheels for debris and ensure smooth rotation.

## Storage

When not in use, store the travel system in a dry, cool place away from direct sunlight to prevent material degradation.

## TROUBLESHOOTING

---

### General Issues

- **Stroller not folding/unfolding smoothly:** Ensure all locking mechanisms are disengaged and the seat is in the correct position for folding. Check for any obstructions.
- **Wheels not turning freely:** Inspect for debris (e.g., dirt, hair) caught in the wheel axles. Clean as necessary.
- **Car seat not rotating:** Ensure the car seat is properly installed in the base and the rotation release lever is fully engaged.

For more detailed troubleshooting or issues not listed here, please consult the comprehensive user manual included with your product or contact Evenflo customer support.

## SPECIFICATIONS

---

Feature	Detail
Brand	Evenflo
Model Number	TS100212542
UPC	032884206711
Color	Fossil Gray
Item Weight	22.7 Pounds
Item Dimensions (L x W x H)	37"L x 24"W x 42.5"H
Folded Size (H x W x D)	43.5" H x 24" W x 16.5" D
Stroller Seat Weight Capacity	55 Pounds
Infant Car Seat Weight Range	3-30 lbs
Infant Car Seat Height Range	15.7-32 inches
Rear Facing Stroller Max Height	43 Inches
Harness Type	5 Point (Adjustable Height, Adjustable Tension)
Stroller Type	Modular Stroller
Number of Wheels	4

Frame Material	Metal
Fabric Type	25% Cotton, 25% Polyester, 25% Polypropylene, 25% Steel
Canopy Material	Polyester
Tire Material	EVA
Safety Standards Met	ASTM, JPMA, Federal Safety Standards (including side impact standards effective June 2025)

## WARRANTY AND SUPPORT

---

### Manufacturer's Warranty

The Evenflo Shyft Intuiti Travel System comes with a 90-day limited manufacturer's warranty. Please retain your proof of purchase for warranty claims.

### Customer Support

For assistance with product installation, troubleshooting, or any other inquiries, Evenflo offers support through their ParentLink® Consumer Care Team. You can find contact information and resources on the official Evenflo website.

Evenflo also provides live video support with certified car seat safety technicians to assist with proper vehicle installation, ensuring you can drive with confidence.

Visit the [Evenflo Store on Amazon](#) for more information and products.