Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

YINVANI SS14-48X76

YINVANI Frameless Shower Door Instruction Manual

Model: SS14-48X76
Brand: YINVANI

1. Introduction

Thank you for choosing the YINVANI Frameless Shower Door. This manual provides detailed instructions for the safe and proper installation, operation, and maintenance of your new shower door. Please read this manual thoroughly before beginning installation and keep it for future reference.

2. Safety Information

- Always wear appropriate safety gear, including safety glasses and gloves, during installation.
- Ensure the installation area is clear and well-lit.
- Handle glass panels with extreme care to prevent breakage and injury. Tempered glass, while strong, can shatter into small pieces if its edges are impacted.
- Verify that the wall structure can support the weight of the shower door.
- Use only the tools and hardware specified in this manual.
- If you are unsure about any step, consult a qualified professional.

3. Package Contents

Please verify that all components are present before beginning installation:

- Fixed Glass Panel
- Sliding Glass Door
- Top Track (Rail)
- Wall Brackets
- Rollers
- Soft-close Mechanism
- Door Handle
- Water Retainer Strip
- Weather Strips
- Installation Hardware (screws, anchors, seals)

4. Setup and Installation

This section guides you through the installation process. For a visual guide, please refer to the official installation video below.

▶ **Watch video online**

YINVANI SS14 Installation Video

Official YINVANI SS14 Installation Video. This video provides a comprehensive visual guide to the installation steps, demonstrating tool usage and component assembly.

4.1. Required Tools

- Pencil
- Tape Measure
- Level
- Power Drill
- Metal Hacksaw
- Hammer
- Phillips Screwdriver
- Allen Wrench / Hex Key
- Silicone Sealant

4.2. Installation Steps

1. **Mark the Wall:**

   Check if the shower threshold is level using your level. If it's sloped, place the aluminum mounting template vertically on the higher side, ensuring a 0.5-inch gap between the edge of the aluminum template and the threshold. Mark the hole positions with a pencil. Repeat for the other side of the wall, ensuring the template is level, and mark the top hole.



Image: Marking the wall for bracket placement, ensuring the shower threshold is level and maintaining a consistent gap.

2. **Drill the Holes:**

   Using the marked spots, drill holes with a 5/16-inch drill bit. Insert the wall anchors into the drilled holes. Attach the three mounting brackets securely.

3. **Cut the Track:**

   Measure the distance between the two installed brackets. Before cutting the track, remove any stoppers to prevent damage. Use a metal hacksaw to cut the track to the correct length.

4. **Install the Track:**

   Slide the glass clamps into the track, ensuring the lower groove is aligned vertically with the floor. Once aligned, secure both ends of the track to the wall brackets.

5. **Install the Fixed Glass Panel:**

   Position the fixed glass panel against the wall. Adjust the clamps on the track to align them with the holes in the glass panel. Follow the step-by-step instructions to lock everything securely in place. Secure the bottom bracket to hold the glass firmly against the floor.



Image: A fully installed YINVANI frameless shower door, showcasing its sleek design and integration into a modern bathroom.



Image: Illustration demonstrating the flexibility of left or right side installation for the single sliding shower door, adapting to various bathroom layouts.

6. **Hang the Sliding Door:**

   Install the rollers onto the sliding glass door. Hang the door onto the track and adjust the eccentric wheel to ensure that the glass door is fully aligned with the wall. Tighten the rollers. Then install the soft-closing kit onto the glass door. Adjust the eccentric wheel to leave a small gap between the H-type hook and the bushing of the soft-close mechanism inside the track. Secure the bushing and tighten the soft-closing kit.



Image: Detailed view of the soft-close design, highlighting the anti-collision damper within the top track for smooth and quiet operation.

7. **Attach the Handle:**

   Install the handle on the sliding door by following the provided instructions. It should go on smoothly.




Image: Close-up of the premium stainless steel handle, which can also serve as a towel bar, emphasizing its dual functionality and durable material.

8. **Install the Water Retainer Strip:**

   Measure the length needed for the water retainer strip. Cut it to size and glue it to the floor using silicone sealant. This will help keep water from escaping the shower area.




Image: Detail of the splash-proof threshold, designed to prevent water from running out of the shower area, ensuring a dry bathroom floor.

9. **Add Weather Strips:**

   Insert the weather strips between the fixed panel and the sliding door. These strips will help keep water where it belongs and prevent any leaks.



Image: Close-up of the strong PC material sealing strip, designed to perfectly fit the wall and prevent water splashing outside the shower.

10. **Seal the Gaps:**

    Finally, apply silicone sealant along the edge where the fixed glass meets the wall to create a watertight seal. This ensures no water escapes through small gaps.

5. Operating Instructions

Your YINVANI Frameless Shower Door features a single sliding soft-close design for smooth and quiet operation. To open or close the door, gently push or pull the handle. The soft-close mechanism will engage automatically to prevent slamming and ensure a gentle stop.



Image: The YINVANI Frameless Shower Door in a complete bathroom setting, highlighting its modern aesthetic and functional design.

6. Maintenance

To maintain the pristine condition and functionality of your shower door:

- **Glass Cleaning:** The inner surface of the glass is covered with a nano waterproof protective coating, making it easy to clean and resistant to water spots. Use a soft cloth and a mild, non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads that could damage the coating or glass.
- **Frame and Hardware:** Wipe down the matte black finish and stainless steel components with a soft, damp cloth. Do not use abrasive cleaners or scouring pads.
- **Seals:** Regularly inspect the side and bottom seals for wear and tear. Clean them as needed to prevent mold or mildew buildup.
- **Rollers and Track:** Keep the top track and rollers free of debris to ensure smooth sliding. Periodically check that all screws and connections are secure.




Image: Visual demonstration of the water repellent nano coating on YINVANI glass compared to ordinary glass, showing superior water beading and easier cleaning.

7. Troubleshooting

- **Door not sliding smoothly:** Check the top track for any obstructions or debris. Ensure the rollers are clean and properly aligned. Lubricate the track if necessary with a silicone-based lubricant.
- **Water leakage:** Verify that all seals (side, bottom, and silicone sealant) are intact and properly installed. Ensure the water retainer strip is securely glued to the floor. Check for any gaps in the silicone sealant and reapply if needed.
- **Door not closing completely:** Inspect the soft-close mechanism for any obstructions or misalignment. Ensure the eccentric wheel is correctly adjusted.
- **Glass appears loose:** Re-tighten any loose screws on the mounting brackets or glass clamps. Do not overtighten.

8. Specifications

Feature	Detail
Brand	YINVANI
Model Number	SS14-48X76

Dimensions	48" W x 76" H (0.31 x 48 x 76 inches)
Applicable Width	46 - 48 1/2 inches
Walk-in Width	18 - 20 inches
Glass Thickness	5/16-inch (8 mm) Tempered Glass (SGCC Certified)
Material	Glass, Metal (Stainless Steel)
Finish	Matte Black
Style	Single Sliding, Soft-Close
Item Weight	110 Pounds
Assembly Required	Yes
Included Components	Soft-close Mechanism, Shower Door, Installation Hardware



Image: Detailed diagram illustrating the overall dimensions and adjustable width of the shower door, including height, walk-in width, and depth measurements.

9. Warranty and Support

For warranty information or technical support, please contact YINVANI customer service. Keep your purchase receipt as proof of purchase.
YINVANI is committed to providing consumers with durable and modern shower enclosures. We use high-quality stainless steel, reinforced glass, and other premium materials to ensure the durability and reliability of our products. Combining innovative design with functionality, we focus on the user experience and offer a variety of styles and sizes to meet the needs of different bathrooms.

© 2025 YINVANI. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DXPGXZQ8

More documents and user manuals: **https://manuals.plus/**