

[Manuals.plus](#) /

> [yueceng](#) /

> yueceng Running Boards User Manual for Suzuki Jimny JB74 5-Door

yueceng step

yueceng Running Boards User Manual

For Suzuki Jimny JB74 5-Door (2019-2025)

1. INTRODUCTION

Thank you for choosing yueceng Running Boards. These side steps are designed to provide convenient and safe access to your Suzuki Jimny JB74 5-Door, enhancing both functionality and vehicle appearance. This manual contains important information regarding the installation, operation, and maintenance of your new running boards. Please read it thoroughly before beginning installation or use.

2. SAFETY INFORMATION

- Always ensure all mounting hardware is securely tightened before use. Periodically check fasteners for tightness.
- Do not exceed the maximum weight bearing capacity of 300 lbs per side pedal.
- Exercise caution when stepping on or off the running boards, especially in wet or icy conditions, despite the non-slip surface.
- Professional installation is highly recommended to ensure proper fitment and safety.
- Keep hands and clothing clear of moving parts during installation.

3. PACKAGE CONTENTS

Please verify that all components are present before beginning installation:

- 2 x Running Boards (Left and Right)
- Mounting Brackets (as per vehicle specific fitment)
- All necessary Mounting Hardware (bolts, washers, nuts)



Image: Overview of the running board components, showing the two main boards, various mounting brackets, and a bag of installation hardware.



Image: The running boards and their corresponding brackets are laid out on a tiled surface, providing a clear view of all major parts included in the package.

4. SETUP AND INSTALLATION

Installation of the yueceng Running Boards requires basic mechanical knowledge and tools. It is recommended to have a second person assist during the process. Refer to the detailed instructions provided with your hardware kit for vehicle-specific steps.

General Installation Steps:

1. **Prepare the Vehicle:** Park the vehicle on a level surface and engage the parking brake. For safety, consider using jack stands if lifting the vehicle.
2. **Identify Mounting Points:** Locate the factory mounting points on the vehicle's chassis or frame, typically along the rocker panel area. These points are designed to accept the running board brackets.
3. **Attach Brackets:** Secure the appropriate mounting brackets to the vehicle's frame using the provided hardware. Do not fully tighten bolts at this stage to allow for adjustment.
4. **Position Running Boards:** Carefully lift and align each running board with its corresponding brackets. Attach the running board to the brackets using the remaining hardware.
5. **Adjust and Tighten:** Adjust the running boards to ensure they are level and properly positioned. Once satisfied with the alignment, fully tighten all bolts on both the brackets and the running boards.
6. **Final Check:** Double-check all connections to ensure they are secure. Test the stability of the running boards by applying moderate pressure.



Image: An illustration showing the running board components alongside a Suzuki Jimny, indicating the intended installation location.



Image: A close-up view of the running board successfully installed on the side of a Suzuki Jimny, demonstrating its flush fit and appearance.

5. OPERATING INSTRUCTIONS

The yueceng Running Boards are designed for passive operation, serving as a stable step for easier entry and exit from your vehicle. Simply step onto the board when entering or exiting. The non-slip texture provides enhanced grip.



Image: A detailed view of the running board's surface, highlighting the non-slip texture designed for secure footing.

6. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your running boards:

- **Cleaning:** Wash the running boards regularly with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the finish. Rinse thoroughly and dry with a soft cloth.
- **Hardware Check:** Periodically inspect all mounting hardware (every 3-6 months or after off-road use) to ensure bolts and nuts remain tight. Re-tighten if necessary.
- **Damage Inspection:** Check for any signs of damage, such as bends, cracks, or loose components. Address any issues promptly to prevent further damage or safety hazards.

7. TROUBLESHOOTING

If you encounter issues with your running boards, consider the following common solutions:

- **Running Board Feels Loose:** This is typically due to loose mounting hardware. Re-tighten all bolts and nuts securely. If the issue persists, inspect the mounting points on the vehicle for any damage or wear.
- **Unusual Noises (Squeaking/Rattling):** Check for any loose components or contact points between the running board and the vehicle. Ensure all hardware is tight and that no parts are rubbing against each other.
- **Difficulty Aligning During Installation:** Ensure you are using the correct running board for each side (left/right) and that brackets are oriented correctly. Do not fully tighten hardware until all components are loosely fitted and aligned.

8. SPECIFICATIONS

Brand	yueceng
Model	Jimny JB74 5Door 2019 2020 2021 2022 2023 2024 2025
Material	Aluminum, Acrylonitrile Butadiene Styrene (ABS)
Exterior Finish	Aluminum
Item Dimensions (L x W x H)	70.87 x 5.12 x 1.18 inches
Weight Bearing Capacity	Up to 300 lbs per side pedal
Vehicle Service Type	Truck (Suzuki Jimny JB74 5-Door)
UPC	753957953782

9. WARRANTY AND SUPPORT

For any questions regarding installation, product quality, or professional services, please contact yueceng customer support. We are committed to providing comprehensive after-sales support.

While specific warranty details are not provided in this manual, please retain your proof of purchase for any warranty claims. For assistance, refer to the contact information provided at the point of purchase or on the official yueceng website.

