

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)


[manuals.plus](#) /

› [CYCPLUS](#) /

› [CYCPLUS 15.8" Extended Tire Inflator Hose Adapter User Manual](#)

## CYCPLUS Airhose

### CYCPLUS 15.8" Extended Tire Inflator Hose Adapter User Manual



#### PRODUCT OVERVIEW

The CYCPLUS 15.8" Extended Tire Inflator Hose Adapter is designed to extend the reach and improve the usability of compatible portable air pumps. This accessory facilitates easier tire inflation by providing additional length and a secure connection to the tire valve.



*Image: The CYCPLUS 15.8" Extended Tire Inflator Hose Adapter, featuring a black braided hose with brass connectors and a quick-clip valve attachment.*

## COMPATIBILITY

This hose adapter is compatible with CYCPLUS portable air pumps models **A2, A2 Plus, AL2, A14**, and **A8**. It is **NOT** suitable for tiny E-pump models.

## PACKAGE CONTENTS

- Air hose adapter (15.8 inches)
- Presta Valve adapter

## SETUP

1. **Connect to Inflator:** Screw the threaded end of the 15.8-inch hose adapter onto the output port of your compatible CYCPLUS portable air pump (A2/A2 Plus/AL2/A14/A8). Ensure a tight seal to prevent air leakage.
2. **Connect to Tire Valve:**
  - **For Schrader valves:** Directly attach the quick-clip end of the hose adapter to the tire's Schrader valve stem. Push down the lever to lock it in place.
  - **For Presta valves:** If your tire has a Presta valve, first screw the included Presta valve adapter onto the tire's valve stem, then attach the quick-clip end of the hose adapter to the Presta valve adapter and lock the lever.

## OPERATING INSTRUCTIONS

- Secure Connection:** Ensure the hose adapter is securely connected to both the air pump and the tire valve.
- Power On Inflator:** Turn on your compatible CYCPLUS portable air pump.
- Set Desired Pressure:** Use the controls on your air pump to set the desired tire pressure (PSI).
- Start Inflation:** Activate the inflation function on your air pump. The hose adapter will channel air into the tire.
- Auto-Stop Feature:** Compatible CYCPLUS pumps typically feature an auto-stop function that will cease inflation once the preset pressure is reached.
- Disconnect:** Once inflation is complete and the pump has stopped, release the lever on the quick-clip end of the hose adapter and carefully disconnect it from the tire valve. If a Presta adapter was used, unscrew it from the valve stem.

## MAINTENANCE

- Cleaning:** Wipe the hose adapter with a clean, dry cloth after each use to remove dirt or debris.
- Storage:** Store the hose adapter in a cool, dry place away from direct sunlight and extreme temperatures.
- Inspection:** Periodically inspect the hose and connectors for any signs of wear, cracks, or damage. Replace if necessary.

## TROUBLESHOOTING

- No Air Flow:**
  - Check if the hose adapter is securely connected to both the pump and the tire valve.
  - Ensure the pump is powered on and functioning correctly.
  - Verify compatibility with your specific CYCPLUS pump model.
- Excessive Heat:** The inflator and hose adapter may become warm during prolonged use, especially when inflating tires to high pressures. Use the hose adapter to keep your hands away from the direct connection point to the pump.
- Compatibility Issues:** This adapter is specifically designed for CYCPLUS A2/A2 Plus/AL2/A14/A8 models. It is not guaranteed to work with other brands or tiny E-pumps.

## SPECIFICATIONS

Feature	Detail
Brand	CYCPLUS
Model Name	Airhose
Hose Length	15.8 Inches
Material	Plastic
Color	Black

Included Components	Air hose, Presta Valve
Power Source	No power (passive accessory)
Item Package Dimensions L x W x H	6.89 x 5.79 x 1.06 inches
Package Weight	0.11 Kilograms

## **WARRANTY INFORMATION**

This product comes with a two-year warranty provided by CYCPLUS. Please refer to the manufacturer's warranty policy for specific terms and conditions.