

TELE System TS24 LS14

TELE System TS24 LS14 24-inch TV User Manual

Model: TS24 LS14 | Brand: TELE System

1. INTRODUCTION

This user manual provides comprehensive instructions for the setup, operation, maintenance, and troubleshooting of your TELE System TS24 LS14 24-inch TV. Please read this manual carefully before using the product to ensure proper and safe operation. Keep this manual for future reference.

2. SETUP

2.1 Unpacking and Contents

Carefully remove the TV and all accessories from the packaging. Ensure all items listed below are present:

- TELE System TS24 LS14 TV Unit
- Standard Remote Control
- Essential Remote Control (with larger buttons)
- Power Cable
- User Manual (this document)
- Stand Base and Screws



Image: Front view of the TELE System TS24 LS14 TV, showcasing its design and the two included remote controls.

2.2 Connecting Cables

Before connecting any cables, ensure the TV is unplugged from the power outlet.

- **Power:** Connect the power cable to the TV's power input and then to a wall outlet.
- **Antenna/Satellite:** Connect your DVB-T2 antenna cable to the "RF IN" port or your DVB-S2 satellite dish cable to the "SAT IN" port.
- **HDMI Devices:** Use HDMI cables to connect external devices such as Blu-ray players, game consoles, or set-top boxes to the HDMI ports.
- **USB Devices:** For media playback or TV PAUSE functionality, connect a USB storage device to the USB port.



Image: Rear view of the TELE System TS24 LS14 TV, illustrating the various input and output ports for connectivity.

2.3 First-Time Setup Wizard

Upon first power-on, the TV will guide you through an initial setup process. Follow the on-screen prompts to:

- Select Language
- Select Country/Region
- Perform Channel Scan (DVB-T2/DVB-S2)
- Set Time and Date

3. OPERATING THE TV

3.1 Remote Controls

Your TV comes with two remote controls: a standard remote for full functionality and an essential remote with larger buttons for simplified use, ideal for elderly users.

Telecomando "essenziale"

Incluso nella confezione troverai, oltre al telecomando standard, anche un comodo telecomando per le funzioni essenziali con tasti più grandi, pensato per le persone anziane.

"EASY" remote control

You will find in the package also an additional remote control with larger buttons, designed for older people.

Telecommande Senior

Vous trouverez dans le colis une télécommande supplémentaire avec des boutons plus gros, conçue pour les personnes âgées.

Seniorenfernbedienung

Im Paket finden Sie eine zusätzliche Fernbedienung mit größeren Tasten, die für ältere Menschen konzipiert ist.

Control remoto para Ancianos

En el paquete encontrarás un mando a distancia adicional con botones más grandes, diseñado para ancianos.



Image: Close-up view of both the standard and essential remote controls provided with the TELE System TS24 LS14 TV, highlighting their button layouts.

Key Functions (Common to both remotes):

- **Power Button:** Turns the TV On/Off.
- **Volume +/-:** Adjusts the volume level.
- **Channel +/-:** Changes the TV channel.
- **Number Buttons:** Direct channel selection.
- **Source Button:** Selects input source (HDMI, AV, TV, Satellite).

3.2 TV PAUSE Function

The TV PAUSE feature allows you to pause live TV broadcasts and resume viewing later. To activate:

1. Connect a USB memory stick (not included) to the TV's USB port.
2. Press the dedicated "TV PAUSE" button on your remote control during live TV viewing.
3. Press "Play" to resume or "Stop" to exit.

3.3 Media Player

The integrated Media Player allows you to play audio, video, and image files directly from a connected USB device. Insert your USB device into the USB port and navigate to the Media Player menu to browse

your files.

3.4 tivùsat CAM Compatibility

The TV features a CI+ slot for maximum compatibility with TELE System certified tivùsat CAMs (Conditional Access Modules). This ensures access to updated tivùsat channels and optimal viewing experience. The TV supports automatic search and update of HD channels.



Image: View of the TELE System TS24 LS14 TV screen highlighting the CI+ slot for tivùsat CAM insertion, ensuring access to encrypted satellite channels.

3.5 Hotel Mode

The Hotel Mode feature allows for advanced control over TV settings, such as limiting volume, disabling certain functions, or setting a default channel. This mode is typically used in hospitality environments to manage multiple TV units. Refer to the on-screen menu for Hotel Mode settings.

4. MAINTENANCE

4.1 Cleaning the TV

- Always unplug the TV before cleaning.
- Use a soft, dry cloth to wipe the screen and TV body.
- For stubborn marks, slightly dampen the cloth with water or a mild, non-abrasive screen cleaner. Do not spray cleaner directly onto the screen.
- Avoid using abrasive cloths, waxes, or solvents.

4.2 Software Updates

Periodically check for software updates to ensure optimal performance and access to the latest features. Updates can usually be performed via USB or over-the-air (if available). Consult the TV's menu for update options.

5. TROUBLESHOOTING

If you encounter issues with your TV, refer to the following common problems and solutions:

Problem	Possible Solution
No Picture, No Sound	• Ensure the power cable is securely connected and the power outlet is working. • Press the Power button on the remote or TV. • Check the selected input source (HDMI, TV, etc.) is correct.
No Signal	• Verify antenna/satellite cable connection. • Perform a channel scan. • Ensure the correct input source is selected.
Remote Control Not Working	• Check and replace batteries. • Ensure there are no obstructions between the remote and the TV's IR sensor.
Picture is Distorted/Poor Quality	• Check antenna/satellite signal strength. • Adjust picture settings (brightness, contrast, etc.). • Try a different HDMI cable if using an external device.

5.1 Factory Reset

If problems persist, a factory reset may resolve them. This will erase all your settings and return the TV to its default state. Consult the TV's menu for the "Factory Reset" or "Restore Defaults" option (usually found under System or Setup settings).

6. SPECIFICATIONS

Feature	Detail
Brand	TELE System
Model	TS24 LS14
Screen Size	24 inches
Tuner Type	DVB-T2/S2 (HEVC 10 bit)
Connectivity Technology	HDMI, RF, USB
Total USB Ports	1
Color	Black
Product Dimensions (DxWxH)	11.3P x 61.5I x 40H cm

Feature	Detail
Energy Efficiency Rating	E

7. WARRANTY AND SUPPORT

For warranty information, please refer to the warranty card included with your product or visit the official TELE System website. For technical support or further assistance, you can contact TELE System customer service or visit their official store page on Amazon:

[Visit TELE System Store on Amazon](#)

© 2024 TELE System. All rights reserved.


Related Documents

	TELE System Catalogo Audio/Video e Decoder 2025 Scopri l'ampia gamma di televisori QLED, LED, Smart TV, Travel TV e decoder di TELE System nel catalogo 2025. Esplora le ultime tecnologie audio/video e le funzionalità smart.
	TELE System Decoder Catalog 2021: Smart Boxes, Terrestrial & Satellite Decoders, and Accessories Explore the TELE System 2021 catalog featuring a comprehensive range of digital TV decoders, including advanced Smart Boxes with Android TV, DVB-T2 terrestrial receivers, DVB-S2 satellite receivers, and essential accessories. Discover detailed product specifications, features, and compatibility for enhancing your home entertainment experience.
	TELE System TS6105 T2HEVC User Manual Comprehensive user manual for the TELE System TS6105 T2HEVC digital terrestrial receiver, detailing installation, setup, features like EPG, USB playback, TimeShift, advanced settings, troubleshooting, and technical specifications.
	TELE System TS6105 T2HEVC User Manual: Setup, Features, and Troubleshooting This user manual provides comprehensive instructions for the TELE System TS6105 T2HEVC digital terrestrial receiver. It covers installation, connections, remote control operation, simplified and advanced usage, USB functions, media playback, troubleshooting, and technical specifications.




[pdf] Quick Start Guide

Manuale rapido 28000273 TS24LS14 Guida d utilizzo TELE System Digital Srl rapida TV 24 pollici TS24 LS14 24LS14 QSG REV00 240404 telesystem world 0 1 2024 10 |||
TELE System Descrizione TV Nel lato posteriore del TV sono disponibili le connessioni e gli ingress ... abbricante, TELE System Digital s.r.l., dichiara che il tipo di apparecchiatura radio TV denominata **TS24 LS14** conforme alla direttiva 2014/53/UE. Il testo completo della dichiarazione di conformit UE...
lang:it score:42 filesize: 672.33 K page_count: 28 document date: 2024-10-16




[pdf]

TELESYSTEM TV LED 24 LS14 T2 S2 220V 2 TLC BLACK Euronics242013029euronics it on demandware static Sites euronics Library default dw215aecb assets energyClass 242013029 Euroniceuronics dw30c564c8 242013029euronics ||| ||| TELE System TS24 LS14 18 kWh/1000h 768 px 1366 px 60 cm 24
TELE System **TS24 LS14** 18 kWh/1000h 768 px 1366 px 60 cm 24 ...
lang:it score:35 filesize: 69.49 K page_count: 1 document date: 2024-05-09



[pdf]

18 kWh 1000hPage 1 1000h 1366 px 7 6 8 p x 60 cm 24" TELE System TS24 LS14mmo 131475669
1747744574 7123 1317359multimedia yeppon it products 28000273 telesystem mmo 1317359 |||
TELE System **TS24 LS14** 18 kWh/1000h 768 px 1366 px 60 cm 24 ...
lang:it **score:26** filesize: 69.49 K page_count: 1 document date: 2025-01-25



2019/2013

TS24LS14

Due anni di garanzia

DIGITAL PLUS

Grazie alle sue forme essenziali, TS24LS14 si adatta a qualsiasi ambiente, si caratterizza dal doppio tuner, Digitale Terrestre DVB-T2 e Satellitare DVB-S2 entrambi con codifica H.265/HEVC a 10bit che unisce alte performance tecnologiche alla massima semplicità d'uso.

Il TV è dotato così in grado di incrementare comodamente spazio di offerta connessi di canali digitali terrestri e satellitari.

TS24LS14 è differente per la semplicità di installazione e sempre automaticamente le funzioni di sintonia, sintonamento e sintonizzazione canali.

Collegando un'antenna alla porta USB, si trasforma in media player mentre la funzione TV PAUSE ti permette di mettere in pausa la diretta del programma TV che stai guardando per riprendere la visione in un secondo momento, sarà sufficiente premere il tasto TV PAUSE sul telecomando per attivarla.

È inoltre dotato di una porta USB compatibile con la CAPI certificata H.265/HEVC a 10bit che unisce alte performance tecnologiche alla massima semplicità d'uso.

Il nuovo Home Cinema permette la visione in 3D con il sistema di canali terrestri con codifica H.265/HEVC a 10bit, TS24LS14 è inoltre dotato per la massima semplicità di installazione in 3D, con il sistema di canali terrestri con codifica H.265/HEVC a 10bit, TS24LS14 è inoltre dotato per la massima semplicità di installazione in 3D, con il sistema di canali terrestri con codifica H.265/HEVC a 10bit.

Incluso nella confezione il nuovo telecomando TS24 RC17 ancora più facile da utilizzare.

DIGITAL PLUS **HEVC** **USB** **3D**

TELE System


[pdf] SAR Rating

Scheda tecnica TV 24 pollici TS24 LS14 TELE System 28000273 telesystem world 0 1 2024 10 |||
TS24LS14 Cod. Art. 28000273 Cod. EAN 8051511393916 Grazie alle sue forme essenziali, TS24LS14 si adatta a qualsiasi ambiente, si caratterizza dal doppio tuner, Digitale Terrestre DVB-T2 e Satellitare DVB-S2 entrambi con codifica H.265/HEVC a 10bit che unisce alte performance tecnologiche alla m...
lang:it **score:25** filesize: 435.71 K page_count: 2 document date: 2024-12-18

Scheda informativa del prodotto			
REGOLAMENTO DELEGATO 2019/2013 DELLA COMMISSIONE per quanto riguarda l'etichettatura energetica dei display elettronici			
Parametro	Parametro o valore e posizione	Unità	
1. Nome e marchio del fornitore	TELE System		
Indirizzo del fornitore	TELE System Digital Srl Via dell'artigianato 35, 36050 Bressanvido Verona vi, IT		
2. Identificativo del modello	TS24 LS14		
3. Classe di efficienza energetica per la gamma dinamica standard (SDR)	E		
4. Potenza assorbita in modo acceso in SDR	n.a.	18,0	W
5. Classe di efficienza energetica per la gamma dinamica ampia (HDR)	n.a.		
6. Potenza assorbita in modo acceso in HDR, se pertinente	n.a.		W
7. Potenza assorbita in modo spento, se applicabile	n.a.		W
8. Potenza assorbita in modo standby, se applicabile	0,5		W
9. Potenza assorbita in modo standby in red, se applicabile	n.a.		W
10. Tipo di display elettronico	Televisore		
11. Rapporto dimensioni	16 : 9		
12. Risoluzione dello schermo	1.936 x 1.080		pixel
13. Diagonale dello schermo	60,0		cm
14. Diagonale dello schermo	24		pollici
15. Superficie visibile dello schermo	15,2		dm²
16. Tecnologia del pannello	LED LCD		
17. Controllo automatico della luminosità (ABC) integrato	No		
18. Sensore di riconoscimento vocale disponibile	No		
19. Sensore di movimento di presenza disponibile	No		
20. Tempo di frequenza di aggiornamento dell'immagine (refresh rate)	60		Hz
21. Disponibilità minima garanzia degli aggiornamenti di software e firmware (dalla data di fine immatricolazione)	8		Anni
22. Disponibilità minima garanzia dei pezzi di ricambio (dalla data di fine immatricolazione)	2		Anni
23. Assistenza tecnica minima garantita per il prodotto (dalla data di fine immatricolazione)	2		Anni
24. Tipo di alimentazione	Interno		
25. Alimentatore esterno (non standardizzato e incluso nell'imballaggio del prodotto)			
f -			

[pdf]

Scheda informativa del prodottoTS24 LS14 3 Classe di efficienza energetica per la gamma dinami ca
Fornitore TELE SYSTEM DIGITAL S R L Fabbrikante Sito web telesystem worldmmo 131475669
1747744601 6331 1630096multimedia yeppon it products 28000273 mmo 1630096 |||
Scheda informativa del prodotto REGOLAMENTO DELEGATO UE 2019/2013 DELLA COMMISSIONE per quanto ri ... ital Srl, Via dell artigianato 35, 36050 Bressanvido
Vicenza vi, IT 2. Identificativo del modello **TS24 LS14** 3. Classe di efficienza energetica per la gamma dinami- E ca standard SDR 4. Potenza a...
lang:it **score:25** filesize: 93.48 K page_count: 2 document date: 2025-02-03



[pdf]

TELESYSTEM TV LED 24 LS14 T2 S2 220V 2 TLC BLACK Euronics 242013029 euronics it on demandware static Sites Library default dw4b3b27d7 assets energyClass |||
TELE System **TS24 LS14** 18 kWh/1000h 768 px 1366 px 60 cm 24 ...
lang:it **score:21** filesize: 69.49 K page_count: 1 document date: 2024-05-09



[pdf]

Declaration of Conformity
28000273 TS24 LS14 EU Conformity declaration TELE System EN Dichiarazioni di conformità
telesystem world 0 1 2024 07 |||
...
lang:it **score:19** filesize: 67.42 K page_count: 1 document date: 2024-07-15



[TELE System Catalogo Audio/Video e Decoder 2025](#)

Scopri l'ampia gamma di televisori QLED, LED, Smart TV, Travel TV e decoder di TELE System nel catalogo 2025. Esplora le ultime tecnologie audio/video e le funzionalità smart.
lang:it **score:13** filesize: 42.63 M page_count: 60 document date: 2025-07-17



[\[pdf\]](#) Accessories Catalog

Catalogo AUDIO VIDEO e DECODER 21 час назад — La soundbar multispeaker integrata con Audio Bass System permette una diffusione tridimensionale del suono per un'esperienza avvolgente SONIC QLED43 90290197 CATALOGO ACCESSORI 02 2025 IT LR telesystem world 0 1 2024 01 ||| Catalogo AUDIO-VIDEO e DECODER FEBBRAIO 2025 DIGITALE PER PASSIONE Digitale per passione. TELE Sys ... SAT 20W 3 2 E LE DIMENSIONI SONO ESPRESSE IN CM. 8 46,5 32 42 80cm 22,5 72 27 LED TV **TS24 LS14** 24 FRAMELESS CORNICE FRONTALE DI SOLI 2 MM. COD. ART. 28000273 COD. EAN 8051511393216 ...

lang:it score:13 filesize: 18.34 M page_count: 29 document date: 2025-02-04