

HUMSURE HD01

HUMSURE Small Dehumidifier User Manual

Model: HD01

1. INTRODUCTION

Thank you for choosing the HUMSURE Small Dehumidifier. This compact and efficient appliance is designed to remove excess moisture from small spaces, helping to prevent mold, mildew, and musty odors. Please read this manual thoroughly before operating the dehumidifier to ensure safe and optimal performance. Keep this manual for future reference.

2. IMPORTANT SAFETY INSTRUCTIONS

- Always place the dehumidifier on a stable, level surface.
- Do not block the air inlet or outlet. Ensure at least 6 inches (15 cm) clearance around the unit.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier from the power outlet before cleaning, moving, or performing any maintenance.
- Do not operate the dehumidifier with a damaged cord or plug. If the cord or plug is damaged, contact customer support.
- This appliance is for indoor use only. Do not use outdoors.
- Keep out of reach of children and pets.
- Do not use in areas where flammable liquids or gases are stored.
- Empty the water tank regularly to prevent overflow.

3. PACKAGE CONTENTS

Please check the package contents upon opening. If any items are missing or damaged, contact customer support.

- HUMSURE Small Dehumidifier (1 unit)
- Power Adapter (1 unit)
- User Manual (1 copy)

4. PRODUCT OVERVIEW



Figure 4.1: Top view of the HUMSURE Small Dehumidifier. This image displays the top section of the HUMSURE Small Dehumidifier, highlighting the circular air outlet grille where dehumidified air is expelled.

Key Components:

1. **Air Outlet:** Where dry air is released. (Visible in Figure 4.1)
2. **Power Button:** To turn the unit on or off.
3. **Water Tank:** Collects condensed moisture.
4. **Air Inlet:** Where humid air is drawn in.
5. **Power Port:** For connecting the power adapter.

5. SETUP

1. **Unpack:** Carefully remove the dehumidifier and all accessories from the packaging.
2. **Placement:** Place the dehumidifier on a firm, level surface in the desired location. Ensure there is at least 6 inches (15 cm) of clear space around all sides of the unit to allow for proper airflow. Avoid placing it directly against walls or furniture.
3. **Power Connection:** Insert the power adapter plug into the power port on the back of the dehumidifier. Then, plug the other end of the power adapter into a suitable electrical outlet (AC 100-240V, 50/60Hz).
4. **Water Tank:** Ensure the water tank is correctly seated in the unit before operation.

6. OPERATING INSTRUCTIONS

6.1 Turning On/Off

- **To Turn On:** Press the Power Button once. The indicator light will illuminate, and the dehumidifier will begin operating.
- **To Turn Off:** Press the Power Button again. The indicator light will turn off, and the dehumidifier will stop operating.

6.2 Automatic Shut-off

The HUMSURE Small Dehumidifier is equipped with an automatic shut-off feature. When the water tank is full, the unit will automatically turn off, and an indicator light will typically illuminate to signal that the tank needs to be emptied. This prevents water overflow.

7. MAINTENANCE

7.1 Emptying the Water Tank

1. When the water tank is full, the dehumidifier will automatically stop operating.
2. Carefully pull out the water tank from the unit.
3. Pour out the collected water.
4. Rinse the water tank with clean water and wipe it dry.
5. Slide the empty water tank back into the dehumidifier until it clicks into place. The unit will resume operation if it was on.

7.2 Cleaning the Dehumidifier

- Always unplug the dehumidifier before cleaning.
- Wipe the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Clean the air inlet and outlet grilles periodically with a soft brush or vacuum cleaner to remove dust and debris.
- Ensure all parts are completely dry before plugging the unit back in.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	Not plugged in; Power outage; Power button not pressed; Water tank full or not properly seated.	Ensure unit is securely plugged in; Check power supply; Press the Power Button; Empty and re-seat the water tank.
No water collected.	Room humidity is too low; Temperature is too low; Air inlets/outlets blocked.	Dehumidifiers work best in relative humidity above 40% and temperatures above 50°F (10°C); Ensure proper airflow around the unit.
Unit is noisy.	Unit not on a level surface; Obstruction in fan.	Place on a flat, stable surface; Check for and remove any obstructions.
Water leaks from unit.	Water tank not properly seated; Tank is cracked.	Re-seat the water tank firmly; If tank is cracked, contact customer support for a replacement.

If the problem persists after trying the above solutions, please contact HUMSURE customer support.

9. SPECIFICATIONS

Feature	Detail
Brand	HUMSURE
Model	HD01
Floor Area Coverage	Up to 280 Square Feet
Color	White
Special Feature	Electric Powered, Automatic Shut-off
Water Tank Capacity	35 Fluid Ounces (approx. 1035 ml)
Product Dimensions (D x W x H)	5.7"D x 6.5"W x 9"H (14.5cm D x 16.5cm W x 22.9cm H)
Recommended Uses	Bathroom, Bedroom, RV, Closet, Small Spaces
Included Components	Dehumidifier, Power Adapter, User Manual
Material	Plastic
Power Source	Corded Electric

10. WARRANTY AND CUSTOMER SUPPORT

HUMSURE provides a limited warranty for this product. For detailed warranty information, please refer to the warranty card included with your purchase or visit the official HUMSURE website. If you encounter any issues or have questions regarding your HUMSURE Small Dehumidifier, please contact our customer support team:

- **Email:** support@humsure.com
- **Website:** [Visit the HUMSURE Store on Amazon](#)
- Please have your model number (HD01) and purchase date ready when contacting support.

© 2024 HUMSURE. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DY4DMFYG>

More documents and user manuals: <https://manuals.plus/>