



[Manuals.plus](#) /

› [Garvee](#) /

› Garvee Heavy Duty Car Canopy User Manual (13ft x 20ft)

Garvee Heavy Duty Car Canopy

Garvee Heavy Duty Car Canopy User Manual (13ft x 20ft)

Model: Heavy Duty Car Canopy, 13ft x 20ft

1. INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your Garvee Heavy Duty Car Canopy. Please read these instructions carefully before assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and optimal performance of your canopy.

Safety Information

- Ensure all components are present and undamaged before beginning assembly.
- Assemble the canopy on a level surface.
- Do not assemble in high winds or adverse weather conditions.
- Always secure the canopy to the ground using stakes and ropes to prevent wind damage.
- Keep children and pets away from the assembly area.
- Regularly inspect the canopy for wear and tear, especially before and after severe weather.

2. COMPONENTS LIST

Before assembly, verify that all parts listed below are included in your package. If any parts are missing or damaged, contact Garvee customer support.



Image Description: A diagram illustrating the key components of the Garvee Car Canopy. It highlights the heavy-duty Oxford fabric, art-welding for stability, strong grip connection points, thickened base plates for poles, and 1.5-inch diameter rust-resistant coated frame pipes.

- **Frame Poles:** Various lengths and types for the roof and legs. (e.g., horizontal, vertical, corner poles)
- **Connectors:** Joints for connecting frame poles.
- **Canopy Cover:** Heavy-duty, waterproof, UV-resistant fabric cover.
- **Base Plates:** For securing the leg poles to the ground.
- **Stakes/Anchors:** For ground securing.
- **Ropes/Tie-downs:** For additional stability.
- **Assembly Tool:** (e.g., Hex key for strong grip connections, if applicable).

3. SETUP AND ASSEMBLY

Assembly typically requires two or more people. Follow these general steps for setting up your Garvee Car Canopy.




Image Description: A full view of the assembled Garvee Heavy Duty Car Canopy in green, showcasing its sturdy frame and peaked roof design. This image represents the final assembled product.

1. **Prepare the Site:** Choose a level, clear area free from overhead obstructions. Ensure adequate space for the canopy's dimensions (13ft x 20ft).
2. **Unpack Components:** Carefully remove all parts from the packaging and lay them out. Refer to the components list to ensure everything is present.
3. **Assemble the Roof Frame:** Begin by connecting the roof poles and connectors according to the diagram in your specific instruction sheet (not provided here, refer to included manual). Ensure all connections are secure.
4. **Attach Leg Poles:** Once the roof frame is partially assembled, attach the leg poles to the corner and intermediate connectors. Gradually raise the structure.
5. **Install Canopy Cover:** Drape the canopy cover over the assembled frame. Ensure it is centered and evenly distributed. Secure the cover to the frame using the provided fasteners (e.g., bungee cords, straps).
6. **Secure to Ground:** Attach the base plates to the bottom of each leg pole. Use the provided stakes or anchors to firmly secure the canopy to the ground. For added stability, especially in windy conditions, utilize tie-down ropes.
7. **Final Inspection:** Double-check all connections, fasteners, and ground anchors to ensure the canopy is stable and secure.

4. OPERATING GUIDELINES

The Garvee Heavy Duty Car Canopy is designed to provide protection for vehicles, boats, or other outdoor equipment. Observe the following guidelines for optimal use.



Image Description: An illustration demonstrating the canopy's resistance to various weather conditions. It shows the canopy protecting a vehicle from UV rays, rain, and snow, highlighting its UV-resistant, rain-resistant, and snow-resistant properties due to its PU coated Oxford cloth.

- **Intended Use:** This canopy is suitable for temporary or semi-permanent outdoor shelter for vehicles, boats, and other equipment. It is not intended for use as a permanent structure or for human habitation.
- **Weather Conditions:** While the canopy is waterproof and UV-resistant, it is crucial to monitor weather forecasts. In anticipation of severe weather, such as heavy snow accumulation, strong winds, or hail, it is recommended to remove the canopy cover or disassemble the structure to prevent damage.
- **Snow Removal:** Do not allow heavy snow to accumulate on the canopy roof. Regularly remove snow to prevent structural collapse.
- **Ventilation:** Ensure adequate ventilation if storing items that may generate heat or fumes.



Image Description: The Garvee Car Canopy set up on a sandy beach, providing shelter for a boat on a trailer. This illustrates a practical application of the canopy for protecting marine vehicles.

5. MAINTENANCE

Regular maintenance will extend the life of your Garvee Car Canopy.

- **Cleaning the Cover:** Clean the canopy cover periodically with mild soap and water. Do not use harsh chemicals or abrasive cleaners, as these can damage the fabric's coating. Rinse thoroughly and allow to air dry completely before storage.
- **Frame Inspection:** Regularly check all frame poles and connectors for signs of rust, bending, or damage. Tighten any loose connections.
- **Ground Anchors:** Inspect stakes, ropes, and other anchoring devices to ensure they remain secure, especially after strong winds.
- **Storage:** When not in use for extended periods, or during severe weather, disassemble the canopy. Clean and dry all components thoroughly. Store the frame poles and canopy cover in a dry, protected area to prevent rust and

mildew.

6. TROUBLESHOOTING

Here are solutions to common issues you might encounter with your canopy.

Problem	Possible Cause	Solution
Canopy is unstable or sways.	Loose connections; insufficient anchoring; uneven ground.	Ensure all frame connections are tight. Verify stakes and ropes are firmly secured. Relocate to a level surface if possible.
Water pooling on the roof.	Improper cover tension; frame not fully extended.	Adjust the canopy cover to ensure it is taut and evenly stretched over the frame. Check that all frame poles are fully connected and extended.
Fabric tearing or fraying.	Abrasion against sharp edges; prolonged exposure to extreme weather; improper storage.	Inspect frame for sharp edges and cover with tape if found. Avoid leaving canopy up in severe weather. Store properly when not in use.

7. SPECIFICATIONS

Key specifications for the Garvee Heavy Duty Car Canopy (13ft x 20ft model).

PRODUCT SIZE




Image Description: A diagram illustrating the dimensions of the Garvee Car Canopy. It shows a length of 20 feet, a width of 13 feet, a side height of 6.6 feet, and a peak height of 10.2 feet.

- **Model:** Heavy Duty Car Canopy
- **Dimensions (L x W x H):** 20 ft x 13 ft x 6.6 ft (side height) / 10.2 ft (peak height)
- **Cover Material:** Heavy Duty Oxford Fabric with PU Coating
- **Frame Material:** Steel with Rust-Resistant Coating
- **Frame Pipe Diameter:** 1.5 inches (approximate, based on image)
- **Features:** Waterproof, UV Resistant, Rain Resistant, Snow Resistant
- **Color:** Green

8. WARRANTY AND SUPPORT

Warranty information for this product is not provided within this manual. For details regarding warranty coverage, technical support, or to order replacement parts, please contact Garvee customer service directly. Refer to your purchase documentation for contact information.

