

Baseus PPKPC-1027G

Baseus Picogo Magsafe Portable Charger (PPKPC-1027G) Instruction Manual

Model: PPKPC-1027G | Brand: Baseus


1. INTRODUCTION

Thank you for choosing the Baseus Picogo Magsafe Portable Charger. This ultra-slim, high-capacity power bank is designed to provide convenient and fast charging for your compatible devices, especially iPhone 12-17 series, AirPods, and other USB-C devices. This manual will guide you through its features, setup, operation, and maintenance to ensure optimal performance and longevity.

2. PRODUCT OVERVIEW & KEY FEATURES

The Baseus Picogo Magsafe Portable Charger combines advanced technology with a sleek design, making it an essential accessory for your mobile lifestyle. Key features include:

- **Ultra-Slim and Portable Design:** Measuring just 4.0 x 2.67 x 0.5 inches and weighing 7.8 ounces, it's designed for maximum portability.
- **High Capacity:** Equipped with a 10,000mAh battery, providing ample power for extended use.
- **Qi2 Certified 15W Wireless Charging:** Offers fast and efficient magnetic wireless charging for compatible devices.
- **27W Wired Fast Charging:** Features a USB-C port for rapid wired charging of various devices.
- **Super-Strong Magnetic Attachment:** Designed with 11N ultra-strong magnets for a secure connection to MagSafe-compatible iPhones.
- **Durable & Safe:** Built with premium materials, including Tesla's lithium-polymer battery technology, and an NTC temperature control chip to prevent overheating.



Snap & Charge with Card-Sized Portability

Baseus PicoGo AM41 Power Bank

10000mAh | 15W Qi2 Wireless | 27W USB-C

Image: The Baseus Picogo Magsafe Portable Charger demonstrating its ultra-slim, card-sized portability, highlighting its ergonomic design and lightweight nature.

3. PACKAGE CONTENTS

Please check the package for the following items:

- Baseus Picogo Magsafe Portable Charger (Nebula Pink)
- USB-C to USB-C Charging Cable
- User Manual (this document)

4. SETUP

Before first use, it is recommended to fully charge your Baseus Picogo Portable Charger.

1. Connect the supplied USB-C to USB-C cable to the power bank's USB-C port.
2. Plug the other end of the cable into a compatible USB wall adapter (not included).
3. The LED indicators on the power bank will illuminate to show the charging progress. A full charge is indicated when all LED lights are solid.

10,000mAh

Extra Power for Days

1.7 Charges
For iPhone 16

1.3 Charges
For iPhone 16 Pro Max

1.8 Charges
For iPhone 15 Pro

Note: Testing conducted by Baseus; actual results may vary.

Outdoors

A great travel accessory.

Leisure Times

A handy daily power backup.

Image: The power bank being recharged via its USB-C port, illustrating the recharging process.

5. OPERATING INSTRUCTIONS

5.1. Wireless Charging (MagSafe)

For MagSafe-compatible devices (iPhone 12-17 series):

1. Ensure the power bank is sufficiently charged.
2. Align the MagSafe area of your iPhone with the magnetic charging surface of the power bank. The magnets will securely attach the devices.
3. Wireless charging will begin automatically. The LED indicators on the power bank will show its remaining charge.

Every Detail Thoughtfully Crafted with Care

Complements your phone without compromising on convenience




Image: An iPhone wirelessly charging via magnetic attachment to the Baseus Picogo power bank, demonstrating the seamless connection.

5.2. Wired Charging (USB-C)

For devices that support USB-C charging:

1. Connect your device to the power bank's USB-C port using a compatible USB-C cable.
2. Charging will commence automatically.

5.3. Charging Multiple Devices Simultaneously

The power bank supports charging multiple devices at once:

- You can wirelessly charge one device via MagSafe while simultaneously charging another device via the USB-C port.




Image: The power bank charging an iPhone wirelessly and another device via its USB-C port, showcasing its dual-charging capability.

5.4. Recharging the Power Bank

To recharge the power bank, follow the steps outlined in the