

[Manuals.plus](#) /

› [DELIPOP](#) /

› DELIPOP 36W Dimmable LED Ceiling Light with Remote Control (Model DELIPOP-36W-LED-01)

DELIPOP DELIPOP-36W-LED-01

DELIPOP 36W Dimmable LED Ceiling Light

Model: DELIPOP-36W-LED-01

Instruction Manual

1. INTRODUCTION

Thank you for choosing the DELIPOP 36W Dimmable LED Ceiling Light. This modern ceiling lamp is designed to provide versatile and energy-efficient lighting for various indoor spaces. With its adjustable color temperature and brightness, controlled via a remote, it offers a customizable lighting experience. Please read this manual carefully before installation and use to ensure proper operation and safety.



The DELIPOP 36W Dimmable LED Ceiling Light features a modern chrome finish and a unique floral design, providing ambient lighting suitable for various living spaces.

2. SAFETY INFORMATION

- **Electrical Safety:** Always turn off the main power supply at the circuit breaker before attempting any installation, maintenance, or cleaning.
- **Professional Installation:** For your safety, it is recommended that installation be performed by a qualified electrician.
- **Voltage:** Ensure the power supply voltage matches the product's requirements (220V).
- **Indoor Use Only:** This product is designed for indoor use and is not water-resistant. Do not install in damp environments.
- **Handling:** Handle the light fixture with care to avoid damage to the acrylic lampshade or LED components.

3. PACKAGE CONTENTS

Please check the package to ensure all components are present:


- DELIPOP 36W LED Ceiling Light Fixture
- Remote Control
- Mounting Hardware (screws, wall anchors)
- Instruction Manual (this document)

4. SPECIFICATIONS

Feature	Specification
Brand	DELIPOP
Model Number	DELIPOP-36W-LED-01
Color	Chrome
Material	Acrylic, Aluminum
Style	Modern
Product Dimensions (L x W x H)	40L x 40W x 12H cm (15.75 x 15.75 x 4.72 inches)
Power	36 Watts
Luminous Flux	3240 lm
Color Temperature	3000K-6500K (Warm White, Natural Light, Cool White)
Brightness Adjustment	10%-100% (Stepless Dimming)
Voltage	220 Volts
Control Method	Remote Control, Wall Switch, APP (if supported by specific model)
Light Source Type	Built-in LED Chips
Energy Efficiency Class	E
Installation Type	Semi-flush mount
Weight	1100 Grams



Detailed view of the ceiling light's dimensions (40L x 40W x 12H cm) and key specifications, including its 220V voltage, 3000K-6500K color temperature range, and energy-efficient built-in LED chips.




The product's energy efficiency rating is E, with an energy consumption of 36 kWh per 1000 hours of operation. For more details, refer to the [EU EPREL database](#).

5. SETUP (INSTALLATION)

The DELIPOP LED Ceiling Light is designed for straightforward installation. However, if you are unsure, please consult a qualified electrician.

Installation Steps:

- 1. Prepare for Installation:** Turn off the main power supply at the circuit breaker to prevent electrical shock.
- 2. Mark Mounting Points:** Use the mounting bracket as a template to mark the drilling points on the ceiling.
- 3. Drill Holes:** Drill holes at the marked positions and insert the wall anchors (if necessary).
- 4. Attach Mounting Bracket:** Secure the mounting bracket to the ceiling using the provided screws.
- 5. Connect Wiring:** Carefully connect the household electrical wires to the light fixture's wires. Ensure correct polarity (Live to Live, Neutral to Neutral, Ground to Ground). Use appropriate wire connectors.
- 6. Mount the Fixture:** Align the light fixture with the mounting bracket and secure it in place with the provided screws or locking mechanism.
- 7. Restore Power:** Once the fixture is securely mounted and wired, turn the main power supply back on.



This image shows the internal structure and materials of the light, including the high-quality metal body, durable acrylic lampshade, and integrated LED chip for stable and glare-free illumination.

6. OPERATING INSTRUCTIONS


The DELIPOP LED Ceiling Light can be controlled using the included remote control or a standard wall switch.

Remote Control Functions:



The included remote control allows for convenient adjustment of brightness, color temperature, and activation of the night light mode. It also features a 60-second delay-off function.

- **ON/OFF:** Press to turn the light on or off.
- **Brightness Adjustment:** Use the '+' and '-' buttons to increase or decrease brightness from 10% to 100%.
- **Color Temperature Adjustment:** Use the 'Warm' and 'Cool' buttons to cycle through 3000K (Warm White), 4000K (Natural Light), and 6000K (Cool White).
- **Night Light Mode:** Press the 'Moon' icon button to activate a low-brightness, warm light setting, ideal for nighttime use.
- **60s Delay Off:** Press this button to set a 60-second timer before the light turns off automatically.



3000K

| Warm Light |

4000K

| Natural Light |

6000K

| White Light |



10%

50%

100%



This image illustrates the light's versatility, allowing adjustment from warm white (3000K) to natural light (4000K) and cool white (6000K), along with brightness control from 10% to 100%.

Wall Switch Control:

If controlled by a standard wall switch, the light will cycle through different color temperatures (Warm, Natural, Cool) each time it is turned off and on quickly. The light does not retain its last setting (brightness or color temperature) when turned off via a wall switch; it will reset to a default setting upon next power-on.

Night light mode

Night light mode is suitable for children, pregnant women and the elderly. Humanized and thoughtful design



The night light mode provides a soft, low-intensity illumination, ideal for children's rooms, nurseries, or as a subtle ambient light in any bedroom.

7. MAINTENANCE

- **Cleaning:** Ensure the power is off before cleaning. Wipe the fixture with a soft, dry, or slightly damp cloth. Do not use abrasive cleaners or solvents, as they may damage the finish or acrylic.
- **Bulb Replacement:** This fixture uses integrated LED chips and does not require bulb replacement. If the LEDs fail, the entire fixture may need servicing or replacement.
- **Inspection:** Periodically check the wiring connections and mounting hardware to ensure they remain secure.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	No power supply, loose wiring, faulty remote control, integrated LED failure.	Check circuit breaker. Ensure wiring connections are secure. Replace remote batteries. Contact customer support if LEDs are faulty.
Remote control not working.	Dead batteries, remote out of range, obstruction.	Replace batteries. Ensure remote is within effective range and pointed towards the light. Remove any obstructions.
Light flickers or dims unexpectedly.	Unstable power supply, loose connection, incompatible dimmer switch (if not using remote).	Check power supply stability. Verify wiring connections. Ensure you are using the provided remote for dimming.
Light resets to default settings after turning off with wall switch.	This is a normal function; the light does not have a memory function when controlled by a wall switch.	Use the remote control to set desired brightness and color temperature for consistent settings.

9. WARRANTY AND SUPPORT

DELIPOP products are manufactured to high-quality standards. For warranty information, technical support, or if you encounter any issues not covered in this manual, please contact DELIPOP customer service through the retailer where you purchased the product or visit the official DELIPOP website for contact details.

Please retain your purchase receipt as proof of purchase for warranty claims.