

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [VINGLI](#) /

> [VINGLI 24-inch Farmhouse Bathroom Vanity with Sink Instruction Manual \(Model BV024GC\)](#)

## VINGLI BV024GC

# VINGLI 24-inch Farmhouse Bathroom Vanity with Sink Instruction Manual

Model: BV024GC | Brand: VINGLI

## PRODUCT OVERVIEW

The VINGLI 24-inch Farmhouse Bathroom Vanity with Sink is designed to offer both rustic charm and modern functionality to your bathroom space. This unit features a washed gray wood grain finish, barn-style doors with black metal hinges, and a faux drawer front. It includes a durable ceramic sink and provides ample storage with a U-shaped fixed shelf, accommodating plumbing while maximizing storage for bathroom essentials.

The ceramic sink is glossy, scratch-resistant, and stain-resistant, designed for easy cleaning. It comes with a pre-drilled standard 1-3/8" faucet hole and a built-in overflow compatible with a 1.75" standard pop-up drain (faucet and drain not included). The vanity cabinet is constructed from premium MDF with a water-resistant melamine finish for long-term durability.

## SAFETY INFORMATION

### WARNING:

- Always unplug and turn off any electrical appliances before working on the vanity.
- Be cautious of water and electrical hazards when installing and using the vanity.
- Always use appropriate safety gear when assembling the vanity.
- Children have died from furniture tipover. To reduce the risk of furniture tipover: ALWAYS install tipover restraint provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.
- Do not defeat or remove the drawer interlock system. This is a permanent label. Do not remove!

## SETUP AND ASSEMBLY

Your VINGLI bathroom vanity and ceramic sink are shipped in two separate packages and may arrive on different days. Please ensure you have received both packages before beginning assembly. Clear instructions and numbered hardware are included to assist with the assembly process.

## Product Dimensions

### Solid Fireclay Construction Creates Premium Ceramic Sink



- **Pre-Drilled Standard 1 Faucet Hole**

Hole Size: 1.38"(3.5cm)Faucet (not included)

- **Overflow Design**

Overflow holes compatible with 1.75" standard-sized pop-up drain giving you a nice using experience

- **High-Temperature Calcination Treatment**

Fired at up to 1380°F, make the sink heat-resistant, anti-osmosis and impact-resistant

Image: Detailed diagram illustrating the overall dimensions of the vanity cabinet and the ceramic sink, including faucet hole and drain measurements.

## Package Contents

## Vanity Sink Cabinet Combo Comes in 2 Packages Maybe Delivered on Different Day



Image: Visual representation of the two-package delivery system for the vanity cabinet and ceramic sink.

### Hinge Installation and Adjustment

Proper hinge installation and adjustment are crucial for the smooth operation and alignment of the barn doors. Follow the steps in the video below for detailed guidance.

Your browser does not support the video tag.

Video: This video demonstrates the installation and adjustment of cabinet door hinges, covering vertical, depth, and horizontal alignment. This is essential for ensuring the doors close properly and are evenly spaced.

### Wall-Mounting Hardware Installation

To enhance stability and prevent tipover, it is highly recommended to install the provided wall-mounting hardware. This video guides you through the process.

Your browser does not support the video tag.

Video: This video illustrates the installation of the L-shaped wall-mounting brackets, which are crucial for securing the vanity to the wall and preventing accidental tipping. The anti-tipping strap installs similarly.

### 3-in-1 Connector & Wooden Dowel Installation

For models requiring 3-in-1 connectors and wooden dowels, follow this guide for proper assembly of

cabinet panels.

Your browser does not support the video tag.

Video: This video demonstrates the correct method for installing 3-in-1 connectors and wooden dowels, ensuring a secure and stable cabinet structure. Pay attention to the orientation of eccentric wheels.

## OPERATING INSTRUCTIONS

The VINGLI bathroom vanity is designed for daily use in a bathroom environment. The barn doors provide access to the storage compartment, which includes a U-shaped shelf to accommodate plumbing and offer additional space for toiletries, towels, and other items.

### Sink Usage

The ceramic sink is equipped with a single faucet hole for easy installation of your chosen faucet (not included). The integrated overflow helps prevent water from spilling over the basin. Ensure the pop-up drain (not included) is correctly installed for efficient water drainage.



Image: Detailed features of the ceramic sink, including the overflow and smooth surface for easy cleaning.

### Storage Utilization

Utilize the internal U-shaped shelf and the bottom storage area for organizing your bathroom essentials. The magnet-closure doors help keep contents protected from moisture and dust.

## High Quality & Exquisite Cabinet



### Universal Compatibility

Seamlessly blends with various décor styles



### Elegant Faux Drawer Feature

Adds a refined and decorative touch to the design



### A Farmhouse Aesthetic with Grey Wash Finish

Rustic yet refined



### Premium Cabinet Construction

Waterproof, stain-resistant, easy to maintain

Image: The interior of the vanity cabinet, showcasing the U-shaped shelf and available storage space.

## MAINTENANCE

To ensure the longevity and appearance of your VINGLI bathroom vanity, follow these maintenance guidelines:

- **Cleaning the Ceramic Sink:** The glossy, scratch-resistant, and stain-resistant glazed surface of the ceramic sink is easy to clean. Use mild soap and water with a soft cloth. Avoid abrasive cleaners or harsh chemicals that could damage the glaze.
- **Cleaning the Cabinet:** The water-resistant washed gray melamine finish can be cleaned with a damp cloth and mild detergent. Wipe dry immediately to prevent water spots. Avoid prolonged exposure to excessive moisture.
- **Hardware:** Periodically check all screws and connections to ensure they remain tight. Tighten as necessary to maintain stability.

## TROUBLESHOOTING

## Door Alignment Issues

If the barn doors appear misaligned or do not close properly, refer to the "Hinge Installation and Adjustment" video in the Setup section. The hinges allow for vertical, depth, and horizontal adjustments to achieve perfect alignment.

## Missing Parts or Damaged Components

If you find any missing parts or damaged components upon delivery, please contact VINGLI customer support immediately. Refer to the "Package Contents" image to verify all items received.

## Water Leakage from Sink

Ensure all plumbing connections, including the faucet and pop-up drain, are properly sealed and tightened according to their respective installation instructions. Check the silicone sealant around the sink's edges for any gaps.

## SPECIFICATIONS

Feature	Detail
Brand	VINGLI
Model Name	Bath-Vanity (BV024GC)
Color	Rustic Grey
Product Dimensions	18.5"D x 24"W x 33.5"H
Sink Dimensions	24"W x 18.1"D x 6.7"H
Material	Ceramic, Engineered Wood (MDF)
Mounting Type	Floor Mount
Door Style	Barn Door
Number of Shelves	2 (including U-shape shelf)
Weight Limit (Sink & Shelf)	35 Kilograms (77 lbs)
Assembly Required	Yes
Faucet Hole	Single, 1-3/8" pre-drilled
Drain Compatibility	1.75" standard pop-up drain (not included)

## WARRANTY AND SUPPORT

### Return Policy

This product is eligible for a 30-day easy return policy. Please refer to your purchase platform's

specific return guidelines for detailed information.

### **Customer Support**

For any questions, concerns, or assistance with assembly or product issues, please contact VINGLI-Direct customer support. You can often find contact information on the packaging or through the retailer where the product was purchased. For more information about VINGLI products, visit the [VINGLI Store on Amazon](#).