

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Jimmy](#) /
- › [Jimmy R9 M2S Micro Fiber/Activated Carbon Composite Filter User Manual](#)

Jimmy M2S

Jimmy R9 M2S Micro Fiber/Activated Carbon Composite Filter User Manual

Model: M2S

1. INTRODUCTION

This manual provides essential information for the proper use and maintenance of your Jimmy R9 M2S Micro Fiber/Activated Carbon Composite Filter. This filter is designed to work with the Jimmy R9 water purification system, ensuring clean and safe drinking water.

The M2S filter offers **superior 5-micron filtration precision**, effectively removing sediment, sand, and rust particles from your water supply while maintaining an optimal flow rate. Its advanced microfiltration technology captures impurities as small as 5 microns, contributing to cleaner water output. Engineered for durability, this filter delivers consistent performance for up to **12 months**, reducing replacement frequency and long-term costs.



Image 1.1: The Jimmy R9 M2S filter shown with the compatible Jimmy R9 water purification system.

2. PRODUCT OVERVIEW AND FILTRATION TECHNOLOGY

The Jimmy R9 M2S filter is a crucial component of the Jimmy R9 water purification system. It combines micro fiber and activated carbon to provide comprehensive filtration. The micro fiber layer targets larger particles, while the activated carbon effectively reduces chlorine, odors, and other organic compounds, improving water taste and clarity.

This filter is part of a multi-stage filtration process within the Jimmy R9 system, which may include

additional filters and UV sterilization for thorough purification.

7 Stage Filtration with UV Sterilization

Removes 99.9% of harmful substances.

PFAS >99.68%	Nitrates >99.92%
Fluoride >99.53%	Lead >99.88%
Cadmium >99.74%	Chromium >99.71%
Mercury >98.59%	Coliforms >99.99%
Chlorine >99.47%	

- 1 PP Cotton Filter
- 2 Coconut Shell Activated Carbon
- 3 PP Cotton Filter
- 4 Reverse Osmosis Membrane
- 5 Carbonized Activated Carbon
- 6 PP Cotton Filter
- 7 UV Light

SGS
Tested by SGC

NSF
Tested according to NSF/ANSI 58-2023 standard

EPA

FCC
This RO system passed FCC certification

ETL
LISTED

Image 2.1: Diagram of a typical 7-stage filtration process, highlighting the comprehensive purification capabilities of the Jimmy R9 system, which includes the M2S filter.

3. INSTALLATION

The Jimmy R9 M2S filter is designed for easy, tool-free installation. Follow these general steps to install or replace the filter in your Jimmy R9 water purification system:

1. **Prepare the System:** Ensure the Jimmy R9 water purification system is turned off and unplugged from the power source.
2. **Access Filter Compartment:** Locate the filter compartment on your Jimmy R9 system. Refer to your main Jimmy R9 system manual for specific instructions on opening the compartment.
3. **Remove Old Filter (if applicable):** If replacing an old filter, gently twist the old M2S filter counter-clockwise to unlock it, then pull it upwards to remove. Dispose of the old filter responsibly.
4. **Insert New Filter:** Align the new M2S filter with the slot in the compartment. Push it down firmly and twist it clockwise until it locks securely into place. You should feel a click or resistance indicating it is properly seated.

5. **Close Compartment and Reset:** Close the filter compartment cover. Plug in the system and follow the instructions in your main Jimmy R9 manual to reset the filter life indicator, if applicable.

Note: Always refer to your specific Jimmy R9 water purification system's user manual for detailed, model-specific installation instructions.



Image 3.1: Illustration of the simple, tool-free filter replacement process for the Jimmy R9 system.

4. OPERATING INSTRUCTIONS

The M2S filter operates automatically as part of the Jimmy R9 water purification system. Once correctly installed, water will pass through the filter for purification whenever the system is in use. There are no specific operating controls for the filter itself.

For instructions on operating your Jimmy R9 water purification system, including dispensing water, temperature settings, and other functions, please consult the main user manual provided with your Jimmy R9 system.

5. MAINTENANCE AND FILTER REPLACEMENT

Regular filter replacement is essential to maintain the performance and effectiveness of your Jimmy R9

water purification system. The Jimmy R9 M2S Micro Fiber/Activated Carbon Composite Filter has an **extended lifespan of 12 months** under normal usage conditions.

Replacement Schedule:

- **Jimmy R9 M2S Filter:** Replace every 12 months.
- *Other Jimmy R9 filters (e.g., RO-2.0S, Q2S) may have different replacement schedules. Refer to their respective manuals or the main system manual.*

Replacement Procedure:

Follow the installation steps outlined in Section 3 to replace your M2S filter. It is recommended to mark the replacement date on the filter or keep a record to ensure timely replacement.



Image 5.1: Overview of the Jimmy R9 replacement filter set, including the M2S filter and its recommended 12-month replacement cycle.

6. TROUBLESHOOTING

If you experience issues with your water purification system that you suspect are related to the M2S filter, consider the following:

Common Issues and Solutions:

- **Slow Water Flow:**

- **Cause:** The filter may be clogged due to heavy sediment in the water, or it has reached the end of its lifespan.
- **Solution:** Check the filter replacement date. If it's due, replace the M2S filter. Ensure the filter is correctly installed and seated.

- **Unusual Taste or Odor in Water:**

- **Cause:** The activated carbon in the filter may be exhausted, or the filter is past its recommended lifespan.
- **Solution:** Replace the M2S filter. Ensure the system has been flushed after installation as per the main system manual.

- **Filter Leakage:**

- **Cause:** The filter may not be properly seated or installed.
- **Solution:** Turn off the system, remove and re-install the filter, ensuring it is twisted securely into place. Check for any damage to the filter's O-rings.

If these steps do not resolve the issue, please refer to your main Jimmy R9 water purification system manual or contact Jimmy customer support.

7. SPECIFICATIONS

Feature	Specification
Model Number	M2S
Compatible Model	Jimmy R9 Water Purifier
Filtration Type	Micro Fiber / Activated Carbon Composite
Filtration Accuracy	5 Microns
Recommended Lifespan	12 Months
Material	Polyvinyl Chloride (PVC)
Product Dimensions (D x W x H)	3.15" x 3.15" x 12.2"
Item Weight	14 ounces
External Testing Certification	FDA

8. WARRANTY AND SUPPORT

For warranty information and customer support regarding your Jimmy R9 M2S filter or the Jimmy R9 water purification system, please refer to the documentation included with your original purchase or visit the official Jimmy website. You may also contact Jimmy customer service directly for assistance with product inquiries, troubleshooting, or replacement parts.

Manufacturer: Jimmy

