

[manuals.plus](#) /

› [Chicco](#) /

› **Chicco Seat&Go I-Size Car Seat Instruction Manual, Model 04087147260000**

Chicco 04087147260000

Chicco Seat&Go I-Size Car Seat Instruction Manual

Model: 04087147260000

1. INTRODUCTION

This manual provides essential information for the correct installation, use, and maintenance of your Chicco Seat&Go I-Size car seat. Please read all instructions carefully before use and keep this manual for future reference. The Chicco Seat&Go I-Size car seat is approved according to the latest ECE R129/03 regulation, suitable for children between 76 and 150 cm in height (minimum 15 months of age).



Figure 1: Chicco Seat&Go I-Size Car Seat (Grey)

This image shows the Chicco Seat&Go I-Size car seat in a grey color, featuring its ergonomic design and safety harness system.

i-SIZE 76-150 CM



**15 months - 12 years
approx.**



Visible **QR code**
for a **quick
installation**



Figure 2: i-Size range and recommended age for the car seat.

This image highlights the i-Size compliance for children from 76 to 150 cm, approximately 15 months to 12 years.



Figure 3: Two children of different ages seated in Chicco car seats, illustrating the product's adaptability.

This image shows the car seat accommodating both a younger child with a harness and an older child with a vehicle belt, showcasing its long-term usability.

Key Features:

- **ECE R129/03 Homologation:** Approved for children from 76 to 150 cm (minimum 15 months).
- **Recline Plus System:** Patented system allowing 3 different recline positions without needing to adjust the Top Tether.
- **Adjustable Headrest:** 14 height positions to accommodate child growth.
- **Bamboo Fiber Fabric:** Soft and breathable material on headrest and reducer, suitable for delicate skin.
- **Fast Fit System:** Innovative shoulder pads that stay open for easy child placement.
- **Air Ventilation System:** Shell designed to maximize airflow for breathability.

2. SAFETY INFORMATION

Always ensure the car seat is correctly installed and the child is properly secured before every journey. Failure to follow these instructions may compromise the safety of your child.

- Never leave your child unattended in the car seat.
- Ensure all straps are snug and not twisted.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage.
- Refer to your vehicle's owner's manual for information on child restraint system compatibility.

3. SETUP AND INSTALLATION

The Chicco Seat&Go I-Size car seat offers two installation modes based on the child's height.

3.1. Installation for Toddlers (76-105 cm)

For children from 76 cm (approximately 15 months) up to 105 cm (maximum 21 kg), the car seat must be installed using the Isofix system and the 5-point harness.

1. Ensure the vehicle seat is clear of obstructions.
2. Extend the Isofix connectors from the car seat base.
3. Attach the Isofix connectors to the vehicle's Isofix anchorage points until you hear a click and the indicators turn green.
4. Push the car seat firmly against the vehicle seat back to ensure a secure fit.
5. Connect the Top Tether strap to the vehicle's Top Tether anchorage point and tighten it securely.
6. Place the child in the seat and secure them with the 5-point harness system. Ensure the harness is snug and the chest clip is at armpit level.
7. Adjust the headrest to the correct height, ensuring the shoulder straps are at or just below the child's shoulders.

TODDLER (15 MONTHS - 4 YEARS)

- **From 76 till 105 cm**
installed with Isofix
connectors and Top
Tether
- Child is restrained
by 5-point harness
system



Figure 4: Toddler secured in the car seat using the 5-point harness and Isofix.

This image illustrates a young child (76-105 cm) correctly positioned and secured in the Chicco Seat&Go I-Size car seat with the 5-point harness.

3.2. Installation for Older Children (100-150 cm)

For children from 100 cm (approximately 3 years) up to 150 cm, the car seat is installed forward-facing using the vehicle's 3-point seat belt. The Isofix connectors can be used as a seat stabilizer when the child is not sitting in the seat.

1. Stow away the 5-point harness system (refer to the maintenance section for details on removing the harness).
2. Place the car seat on the vehicle seat, ensuring it is stable.
3. Position the child in the car seat.
4. Route the vehicle's 3-point seat belt through the designated guides on the car seat and buckle it.
5. Ensure the lap belt is low across the child's hips and the shoulder belt rests across the center of the child's shoulder and chest, not on the neck. The Belt Positioner helps maintain correct belt alignment.
6. Adjust the headrest height so that the vehicle's shoulder belt passes correctly over the child's shoulder.
7. (Optional) Engage the Isofix connectors to the vehicle's Isofix anchorage points for added stability, even if the child is secured by the vehicle belt.

BIG KID (3-12 Y APPROX.)



Installation with 3-point vehicle belt possible from **100 cm till 150 cm** (3-12 years approx.).

Optional use of Isofix as seat stabilizer when the car runs without the child sitting in



Safe pad for additional chin and chest protection and **Belt positioner** to always keep the vehicle belt in the correct position



Headrest **adjusted in height** to follow the growth of the child up to 150 cm



Figure 5: Older child secured in the car seat using the vehicle's 3-point seat belt.

This image demonstrates an older child correctly seated in the Chicco Seat&Go I-Size car seat, secured by the car's seat belt, with the headrest adjusted for optimal fit.

4. OPERATING INSTRUCTIONS

4.1. Recline Plus System

The Recline Plus System allows you to adjust the seat's recline angle to 3 different positions for enhanced comfort during travel. This patented solution enables recline adjustment without needing to re-adjust the Top Tether.

- Locate the recline adjustment lever, typically at the front base of the seat.
- Pull the lever and gently push or pull the seat to your desired recline position.
- Ensure the seat locks securely into place in the chosen position.

RECLINE PLUS SYSTEM



3 reclining positions for the best comfort during travels



Patented solution to recline the car seat without adjusting the Top Tether at every reclination change



Figure 6: Illustration of the car seat's 3 recline positions.

This image visually explains the three available recline positions of the Chicco Seat&Go I-Size car seat, highlighting its flexibility for child comfort.

4.2. Headrest Adjustment

The headrest can be adjusted to 14 different height positions to grow with your child, ensuring optimal head and neck support.

- Locate the headrest adjustment handle, usually at the top rear of the headrest.
- Squeeze the handle and slide the headrest up or down to the appropriate height.
- Release the handle to lock the headrest in position.
- When using the 5-point harness, ensure the shoulder straps are at or just below the child's shoulders.
- When using the vehicle's 3-point belt, ensure the shoulder belt passes correctly over the child's shoulder.

4.3. Fast Fit System

The innovative Fast Fit System keeps the shoulder pads open and the buckle hooks visible and accessible, making it easier to place your child in the car seat.

FAST FIT SYSTEM



Innovative system that keeps shoulder pads opened and keeps always visible and accessible the buckle hooks



Place the baby in the car seat will **no longer be a problem!**



Figure 7: Close-up of the Fast Fit System for easy child placement.

This image highlights the Fast Fit System, showing how the shoulder pads remain open to simplify securing the child.

4.4. Air Ventilation System

The car seat features an innovative shell designed to maximize airflow, providing enhanced breathability, especially during warmer days.

AIR VENTILATION SYSTEM



Innovative shell to maximize the ***air flow*** and give more ***breathability*** especially during the hottest days



Figure 8: View of the car seat's air ventilation system.

This image shows the side of the car seat with visible ventilation holes, indicating the air ventilation system for improved comfort.

4.5. Bamboo Fiber Fabric

The headrest and reducer are covered with soft and breathable bamboo fiber, which is particularly suitable for direct contact with a child's delicate skin.

BAMBOO COLLECTION



Bamboo fiber: soft and breathable

Natural bamboo fiber inserts particularly suitable for direct contact with the baby's delicate skin



Figure 9: Close-up of the bamboo fiber fabric on the car seat.

This image highlights the soft and breathable bamboo fiber material used in the car seat's headrest and reducer.

5. MAINTENANCE

5.1. Cleaning the Fabric Covers

The fabric covers of the Chicco Seat&Go I-Size car seat are removable and washable.

- Refer to the care label on the fabric for specific washing instructions.
- Typically, covers can be machine washed on a delicate cycle with cold water.
- Do not bleach, tumble dry, or iron the covers.
- Allow covers to air dry completely before reattaching.

5.2. Cleaning the Plastic Parts

Clean plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

5.3. Removing/Stowing the 5-Point Harness

When transitioning to the 3-point vehicle belt mode (for children 100-150 cm), the 5-point harness system can be removed and stowed away.

1. Unbuckle the harness and loosen all straps.
2. Follow the instructions in the detailed product manual (or QR code) to detach the shoulder straps and the crotch strap from the seat base.
3. Store the harness components in the designated storage compartment within the car seat or in a safe place for future use.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Car seat feels loose after installation.	Isofix connectors not fully engaged or Top Tether not tightened.	Re-engage Isofix connectors until green indicators show. Tighten Top Tether firmly. Push seat firmly into vehicle seat back.
Harness straps are difficult to adjust.	Straps may be twisted or caught.	Ensure straps are flat and untwisted. Check for any obstructions in the adjustment mechanism.
Child's head slumps forward when sleeping.	Headrest not adjusted correctly or recline position is too upright.	Adjust the headrest to ensure proper support. Utilize one of the recline positions for better comfort.

7. SPECIFICATIONS

Feature	Detail
Model	04087147260000
Dimensions (L x W x H)	0.5 x 0.5 x 0.5 cm (Note: These dimensions appear unusually small for a car seat.)
Weight	8.9 kg
Recommended Age/Height	15 months and up / 76 to 150 cm
Homologation Standard	ECE R129/03 (i-Size)
Installation Type	Isofix (76-105 cm) / Vehicle 3-point belt (100-150 cm)
Harness System	5-point harness (76-105 cm)
Recline Positions	3 (Recline Plus System)
Headrest Positions	14
Material Composition	FABRICS: POLYESTER, PU, VISCOSE (BAMBOO), ELASTAM



8. WARRANTY AND SUPPORT

Chicco products are designed and manufactured to the highest quality standards. For warranty information, product registration, or customer support, please refer to the official Chicco website or contact your local

distributor.

- **Official Website:** www.chicco.com
- **Customer Service:** Refer to the contact information provided on the product packaging or the official website for your region.

Related Documents - 04087147260000

	<p><u>Chicco MySeat i-Size Child Car Seat User Manual & Safety Guide</u> Comprehensive user manual and safety guide for the Chicco MySeat i-Size child car seat, covering installation, usage, and safety features for children from 76-150 cm height.</p>
	<p><u>Chicco MySeat i-Size: i-Size Certified Child Car Seat (76-150 cm)</u> Information about the Chicco MySeat i-Size child car seat, compliant with ECE R129/03 standards for children 76-150 cm. Includes safety warnings, product details, and multilingual translations.</p>
	<p><u>Chicco Kory Plus i-Size Infant Car Seat: User Manual & Safety Guide</u> Comprehensive instructions and safety guide for the Chicco Kory Plus i-Size infant car seat. Covers installation with ISOFIX base and car seat belt, harness adjustment, care, and maintenance.</p>
	<p><u>Chicco Gro-Up i-Size Child Car Seat User Manual</u> Comprehensive user manual for the Chicco Gro-Up i-Size child car seat, covering installation, safety warnings, and maintenance for children aged 15 months to 12 years (76-150 cm).</p>
	<p><u>Chicco Seat3Fit i-Size Car Seat User Manual and Installation Guide</u> Comprehensive user manual for the Chicco Seat3Fit i-Size car seat. Learn about installation, safety features, adjustments, and maintenance for children from 40-125 cm height, compliant with ECE R129/03 i-Size standards.</p>

Seat2Fit
i-Size



chicco

[Chicco Seat2Fit i-Size Seggiolino Auto: Manuale d'Uso e Sicurezza Completo](#)

Scopri come installare e utilizzare in sicurezza il seggiolino auto Chicco Seat2Fit i-Size per bambini da 45 a 105 cm. Questo manuale dettagliato copre tutte le funzionalità, la manutenzione e le normative di sicurezza.