

combier 102DS-B

Combier Bidet Toilet Seat 102DS-B User Manual

MODEL: 102DS-B (ROUND)

Brand: Combier

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Combier 102DS-B Electric Bidet Toilet Seat. Designed for enhanced hygiene and comfort, this bidet seat offers a range of features including heated water, adjustable washing modes, warm air drying, and convenient control options. Please read this manual thoroughly before installation and use to ensure proper function and safety.

2. PRODUCT FEATURES

The Combier 102DS-B Bidet Toilet Seat is equipped with advanced functionalities for a superior personal hygiene experience.

2.1. Heated Seat

Enjoy comfort with three adjustable warmth levels for the toilet seat, eliminating the chill of cold surfaces.




Figure 1: Overview of adjustable features including heated seat, warm water, warm air, and night light.

2.2. Water Washing Functions

The bidet features stainless steel self-cleaning nozzles with dual front/back wash capabilities. Customize your experience with three water temperatures and three pressure levels.

- **Rear Wash:** Standard cleansing for posterior hygiene.
- **Front Wash (Bidet/Spa):** Gentle wash specifically designed for feminine hygiene, also suitable for sensitive skin or postpartum care.
- **Oscillating Wash:** Nozzle moves back and forth for a wider cleaning area.
- **Self-Cleaning Nozzles:** Ensures hygiene of the nozzles before and after each use.



Figure 2: Detailed view of the bidet's multiple nozzle cleaning modes.

2.3. Warm Air Drying















A 3-speed warm air dryer provides a gentle and refreshing finish, reducing the need for toilet paper.

2.4. Wireless Remote Control & Side Panel

Operate all functions conveniently via the wireless remote control or the integrated side control panel. The remote allows for saving user presets with a memory function.

WIRELESS REMOTE

Full-function wireless remote right by your side.

 Rear Wash	 Adjustable Nozzle Position
 Warm Air Drying	 Adjustable Water Pressure
 Kids Mode	 Adjustable Water Temp
 Bidet Wash	 Adjustable Heated Seat
 Auto Mode	 Adjustable Warm Air
 Night Light	 Stop/Power
 Voice ON/OFF	 ECO Mode



*Remote Wall Mount

Figure 3: The wireless remote control for comprehensive bidet seat operation.



Figure 4: The touch side panel for easy access to essential functions.

2.5. LED Nightlight

A soft-glow LED nightlight illuminates the toilet bowl, providing convenience during nocturnal visits without needing to turn on bright bathroom lights.

2.6. Quiet Close Lid

The lid and seat feature a quiet-close mechanism, preventing slamming and ensuring a peaceful bathroom environment.

3. SETUP AND INSTALLATION

The Combiar bidet toilet seat is designed for hassle-free self-installation. No plumber is typically required. Ensure you have a standard 110V power outlet near your toilet.

3.1. Pre-Installation Checklist

- Verify toilet compatibility (Round shape, 18.9"L x 15"W dimensions).
- Ensure a 110V power outlet is available within reach of the bidet's power cord.
- Confirm water pressure range at the inlet is between 0.05-0.75MPa.

- Gather all included accessories: bidet toilet seat, three-way valve, PE pipe, screws, gaskets, anchoring rubber, steel disc, mounting base, and wireless remote.


BIDET TOILET SEAT FIT CHECK

Our products are suitable for the following sizes, please check carefully before purchase

Elongated

4.7"-7.5" 1" Clearance


18-1/16" (459mm)



Outlet may fit or may not fit


Fit

May not fit



Round

16-1/16" (408mm)



Outlet required




Figure 5: Toilet compatibility and electrical outlet requirement.



Figure 6: All components included for installation.

3.2. Step-by-Step Installation

1. **Remove Existing Toilet Seat:** Turn off the water supply to the toilet. Remove the bolts securing your current toilet seat and lift it off.
2. **Install Mounting Base:** Place the anchoring rubbers into the toilet's mounting holes. Position the mounting base over these holes, then insert the steel discs and screws. Tighten securely.




Figure 7: Steps for installing the mounting base and sliding the bidet seat.

3. **Connect Water Supply:** Disconnect the existing water supply hose from the toilet tank. Install the provided three-way valve between the toilet tank and the water supply hose. Connect the PE pipe from the bidet seat to the three-way valve. Ensure all connections are tight to prevent leaks.




Figure 8: Steps for connecting the water supply to the bidet seat.

4. **Attach Bidet Seat:** Slide the bidet toilet seat onto the installed mounting base until it clicks into place.
5. **Connect Power:** Plug the bidet seat's power cord into a grounded 110V electrical outlet.
6. **Restore Water and Power:** Turn the water supply back on. Check for any leaks. The bidet seat is now ready for use.

Your browser does not support the video tag.

Video 1: Detailed unboxing and installation guide for the Combier Bidet Toilet Seat. This video demonstrates the physical setup process.

4. OPERATING INSTRUCTIONS


Operate your Combier bidet seat using the wireless remote control or the convenient side panel.

4.1. Wireless Remote Control Overview

The wireless remote provides full control over all bidet functions. It can be mounted on the wall for easy access.

WIRELESS REMOTE

Full-function wireless remote right by your side.



*Remote Wall Mount

Figure 9: Wireless remote control layout.

- **Power ON/OFF:** Turns the bidet seat on or off.
- **Stop/Flush:** Stops the current operation or initiates a flush (if connected to a smart toilet system).
- **Rear Wash:** Activates the posterior wash.
- **Bidet Wash:** Activates the feminine wash.
- **Cleaning/Spa:** Initiates a spa-like cleaning cycle.
- **Dry/Move:** Activates the warm air dryer.
- **Defecation:** Specific wash mode for defecation.
- **Auto Mode:** Cycles through three different automatic wash modes.
- **Children Mode:** Adjusts settings for child-friendly use (lower pressure, appropriate nozzle position).
- **Lighting:** Controls the LED nightlight.
- **Save ELE (Energy Saving):** Activates energy-saving mode.
- **Position (Up/Down Arrows):** Adjusts the nozzle position.
- **Pressure (+/-):** Adjusts water pressure.
- **Air Temp:** Adjusts warm air temperature.
- **Water Temp:** Adjusts warm water temperature.
- **Seat Temp:** Adjusts heated seat temperature.

4.2. Side Control Panel

The side panel offers quick access to essential functions directly on the bidet seat.



Figure 10: Side control panel for quick access.

- **Power Button:** Turns the unit on/off.
- **Rear Wash Button:** Activates posterior wash.
- **Bidet Wash Button:** Activates feminine wash.
- **Dry Button:** Activates warm air dryer.
- **Stop Button:** Stops current operation.

5. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and hygienic performance of your Combier bidet seat.

5.1. Nozzle Cleaning

- The bidet features an automatic self-cleaning function for its nozzles.
- For manual cleaning, gently pull out the nozzle and wipe with a soft cloth and mild, non-abrasive cleaner. Do not use harsh chemicals.

5.2. Exterior Cleaning

- Wipe the exterior surfaces of the bidet seat with a soft, damp cloth and a mild detergent.
- Avoid using abrasive cleaners, brushes, or chemical solvents as they may damage the surface.

5.3. Filter Maintenance

- Periodically check the water inlet filter for any debris. If clogged, turn off the water supply, remove the filter, clean it, and re-install.

6. TROUBLESHOOTING

If you encounter any issues with your bidet seat, please refer to the following common solutions:

- **No Power:** Ensure the power cord is securely plugged into a working 110V outlet. Check if the GFCI outlet has tripped.
- **No Water Spray:** Verify that the water supply valve is fully open. Check if the water inlet filter is clogged.
- **Weak Water Pressure:** Adjust the water pressure setting on the remote control. Ensure the water supply valve is fully open.
- **No Heat (Seat/Water/Air):** Check the temperature settings on the remote control. Allow a few minutes for heating elements to reach desired temperature.
- **Remote Control Not Responding:** Check the batteries in the remote control. Ensure there are no obstructions between the remote and the bidet seat.

If the problem persists after attempting these solutions, please contact customer support.

7. SPECIFICATIONS

Feature	Detail
Model Number	102DS-B
Color	White
Shape	Round
Product Dimensions	18.9"L x 15"W
Material	Acrylonitrile Butadiene Styrene (ABS)
Operation Mode	Automatic
Rated Voltage	110V~
Rated Power	1500W
Rated Frequency	50Hz
Waterproof Level	IPX4
Shock Protection Category	I

8. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your purchase or contact Combier customer support. If you require assistance with installation, operation, or troubleshooting, please reach out to our

support team for expert guidance.

Your browser does not support the video tag.

Video 2: General product overview of the Combier Electric Bidet Smart Toilet Seat, highlighting its key features.