

Manuals.plus /
› Mirightone /
› Mirightone 60" White Bathroom Vanity with Double Sink Instruction Manual

Mirightone N729P000002K

Mirightone 60" White Bathroom Vanity with Double Sink

Model: N729P000002K | Brand: Mirightone

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your new Mirightone 60" White Bathroom Vanity with Double Sink. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

1.1 Package Contents

Your 60-inch bathroom vanity set is shipped in two separate boxes. Please ensure all components listed below are present and undamaged before proceeding with assembly.

- 2 x Vanity Cabinets (30 inch each)
- 2 x Ceramic Sinks
- 1 x Hardware Package (for assembly)
- 1 x Instruction Manual

Size:inch




Image: The vanity is shipped in two separate boxes, each containing a main cabinet, a sink, hardware, and instructions.

1.2 Safety Information

For safe and proper use of this product, please observe the following guidelines:

- This product is intended for bathroom use only.
- Always follow assembly instructions carefully to prevent injury or damage.
- Do not overload shelves or drawers to maintain stability and prevent damage.
- Keep small parts and hardware away from children during assembly.
- Ensure proper ventilation when using adhesives or sealants during installation (if applicable).

2. SETUP

2.1 Pre-Assembly Checklist

Before you begin, ensure you have the following:

- All parts and hardware from both packages.
- Required tools (e.g., screwdriver, wrench, level, drill if needed for wall mounting).
- Sufficient clear workspace.
- Assistance from another person, as the vanity can be heavy.

2.2 Assembly Instructions

Each vanity unit is designed for straightforward assembly. Follow the step-by-step instructions provided in the included manual for each 30-inch cabinet. Each part is marked, and reserved holes are provided for convenience.

1. Unpack all components and verify against the parts list.
2. Assemble the main cabinet structure according to the diagrams.
3. Install the soft-close hinges onto the doors and attach them to the cabinet.
4. Attach the handles to the doors and flip-out drawer.
5. Place the ceramic sink onto the cabinet top. Secure if necessary (sealant not included).
6. Adjust the internal shelf to your desired height.
7. Repeat for the second vanity unit.
8. Position the two 30-inch units side-by-side to form the 60-inch double vanity.



Premium Ceramic Sink


The smooth, non-porous surface is resistant to stains and easy to clean.

Overflow Protection

Equipped with an overflow hole to prevent spills and maintain a mess-free space.



ARCHITECTURE N



Three pre-drilled Hole

The basin features 3 pre-drilled hole suitable for a 4-inch faucet

Image: Dimensions of a single 30-inch vanity unit, useful for planning placement and assembly.



Image: Key construction details such as the solid wood frame, soft-close door hinges, painted finish, and metal handles.

3. OPERATING YOUR VANITY

3.1 Storage Features

The Mirightone 60" Bathroom Vanity is designed with ample storage to keep your bathroom organized.

- **Cabinet Doors:** Each 30-inch unit features a cabinet with soft-close doors. Inside, you'll find built-in shelves on the door for smaller items like shampoo and shower gel.
- **Flip-Out Drawer:** Located beneath the sink, this drawer provides convenient access for frequently used items like toothbrushes and toothpaste.
- **Adjustable Shelf:** The main cabinet area includes an adjustable shelf, allowing you to customize storage space for taller bottles or folded towels.



Image: The double vanity with doors and flip-out drawers open, illustrating the practical storage solutions for toiletries and towels.



Image: A visual breakdown of the storage components, including two-tier door shelves, a flip-out drawer, and an adjustable interior shelf.

3.2 Ceramic Sinks

Each vanity unit is equipped with a pure white embedded ceramic basin, designed for both aesthetics and functionality.

- **Smooth Surface:** The non-porous surface is resistant to stains and easy to clean.
- **Overflow Protection:** Each sink includes an overflow hole to help prevent spills.
- **Pre-drilled Faucet Holes:** Each sink features three pre-drilled holes suitable for a 4-inch faucet (faucet not included).



Image: Detailed view of the ceramic sink, showing its smooth, easy-to-clean surface, the overflow hole, and the three pre-drilled holes for faucet installation.

4. MAINTENANCE

4.1 Cleaning

Regular cleaning will help maintain the appearance and longevity of your vanity.

- **Vanity Cabinet:** Wipe surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that can damage the painted finish. Dry immediately after cleaning.
- **Ceramic Sink:** Clean with a mild soap and water solution. For tougher stains, use a non-abrasive bathroom cleaner.

Rinse thoroughly and wipe dry to prevent water spots.

- **Hardware:** Wipe metal handles with a soft, dry cloth. Avoid chemical cleaners that may tarnish the finish.

4.2 General Care

- Avoid placing extremely hot items directly on the vanity surface.
- Wipe up spills immediately to prevent water damage to the wood and painted surfaces.
- Do not use sharp objects that could scratch the vanity or sink.
- Periodically check and tighten any loose hardware.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your bathroom vanity.

Problem	Possible Cause	Solution
Doors do not close softly.	Hinges may be dirty or damaged.	Clean hinges. If damaged, contact customer support for replacement parts.
Drawers stick or are difficult to open/close.	Drawer slides may be misaligned or dirty.	Check alignment of drawer slides. Clean any debris from the tracks.
Water spots on sink or vanity surface.	Water left to dry on surface.	Wipe surfaces dry after each use. Use appropriate cleaners for stubborn spots.
Vanity feels unstable.	Loose connections or uneven floor.	Ensure all assembly hardware is tightened. Use shims under legs if the floor is uneven.

6. SPECIFICATIONS

Detailed specifications for the Mirightone 60" White Bathroom Vanity with Double Sink.

Feature	Detail
Product Dimensions	60"L x 30"W x 33.59"H (overall for two units)
Size (each unit)	30 Inch
Color	White
Finish Type	Painted
Material	Solid Wood and MDF Board
Sink Type	Embedded Ceramic Basin
Faucet Holes	3 pre-drilled holes for 4-inch faucet (per sink)
Special Features	Soft Close Doors, Adjustable Shelf, Flip Drawer, Door Shelves

Feature	Detail
Assembly Required	Yes
Item Weight	189.7 pounds (total)
Model Number	N729P000002K

Modern Bathroom Vanity

Solid Wood Frame



2 Soft Close Doors



High Quality Paint



Exquisite Sliver Handle





Image: Detailed measurements of the ceramic sink, including basin dimensions and faucet hole specifications.

7. WARRANTY AND SUPPORT

Mirightone is committed to providing quality products. If you experience any non-human damage to your bathroom vanity or have any questions regarding assembly, parts, or functionality, please do not hesitate to contact us. We are dedicated to providing satisfactory service and support.

Please refer to your purchase documentation or the seller's contact information for specific warranty details and customer service channels.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page
<https://manuals.plus/asin/B0DZX5Z8QL>

More documents and user manuals: <https://manuals.plus/>