

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [tectake](#) /

> [tectake WPC Click-System Tiles Instruction Manual](#)

## tectake WPC Click-System Tiles

# tectake WPC Click-System Tiles Instruction Manual

Model: WPC Click-System Tiles

## 1. INTRODUCTION

---

Thank you for choosing tectake WPC Click-System Tiles. These weather-resistant, wood-effect tiles are designed for easy installation and provide a durable, attractive surface for various outdoor areas such as balconies, patios, and garden paths. This manual provides essential information for safe installation, proper use, and effective maintenance of your new flooring.

## 2. SAFETY INFORMATION

---

### General Safety

- Read all instructions carefully before installation and use.
- Keep children and pets away from the installation area.
- Wear appropriate personal protective equipment (PPE) such as gloves and safety glasses during installation.
- Do not use damaged tiles. Inspect all tiles before installation.

### Surface Preparation Safety

- Ensure the installation surface is stable, level, and free from debris.
- Proper drainage is essential to prevent water accumulation under the tiles.

## 3. PACKAGE CONTENTS

---

Verify that all components are present and undamaged upon opening the package. The package should contain:

- tectake WPC Click-System Tiles (quantity as per purchased set, e.g., 11 or 22 pieces).

If any items are missing or damaged, please contact tectake customer support immediately.

## 4. SETUP AND INSTALLATION

---

## Required Tools (Not Included)

- Measuring tape
- Utility knife or saw (for cutting tiles, if necessary)
- Rubber mallet (optional, for securing clicks)
- Safety gloves and glasses

## Surface Preparation

1. **Clean the Surface:** Ensure the area where the tiles will be laid is clean, dry, and free of dirt, dust, and debris.
2. **Level the Surface:** The surface must be as level as possible to ensure proper tile interlocking and stability. Minor irregularities can be tolerated, but significant slopes or depressions should be addressed.
3. **Ensure Drainage:** The underlying surface should allow for adequate water drainage to prevent pooling under the tiles, which can lead to mold or damage over time.

## Installation Steps

1. **Start Point:** Begin laying tiles from a corner of the area, working outwards. This helps maintain alignment.
2. **Interlocking:** Align the male (pins) and female (loops) connectors of two tiles. Gently press them together until they click into place. A rubber mallet can be used to lightly tap the edges for a secure fit.
3. **Continue Laying:** Continue connecting tiles in rows, ensuring each tile is firmly interlocked with its neighbors.
4. **Cutting Tiles (if needed):** For edges or irregular shapes, tiles can be cut using a utility knife or saw. Measure carefully before cutting.
5. **Expansion Gap:** Leave a small expansion gap (approx. 1-2 cm) around fixed structures like walls or posts to allow for material expansion due to temperature changes.



This image shows the WPC click-system tiles. The tiles feature an interlocking mechanism on their edges, allowing them to be easily connected to form a continuous surface. The image highlights the wood-effect texture and the grid-like base structure that facilitates drainage and air circulation.

## 5. OPERATING AND USAGE

---

Once installed, tectake WPC Click-System Tiles provide a stable and durable walking surface. They are designed for outdoor use and are resistant to various weather conditions.

- Avoid dragging heavy, sharp objects across the surface to prevent scratches.
- While weather-resistant, prolonged exposure to standing water should be avoided. Ensure proper drainage.
- The tiles can become hot in direct sunlight; exercise caution when walking barefoot.

## 6. MAINTENANCE

---

### Regular Cleaning

- **Sweeping:** Regularly sweep or vacuum the tiles to remove loose dirt, leaves, and debris.
- **Washing:** For deeper cleaning, wash the tiles with water and a mild, non-abrasive detergent. A soft brush or mop can be used. Rinse thoroughly with clean water.
- **Pressure Washing:** Low-pressure washing can be used, but avoid high-pressure settings that could damage the WPC material or dislodge tiles.

### Stain Removal

- Address spills and stains promptly. Most common stains can be removed with soap and water.
- For stubborn stains, a specialized WPC cleaner may be used, following the manufacturer's instructions. Test on an inconspicuous area first.

### Seasonal Care

- **Winter:** While weather-resistant, remove heavy snow accumulation to prevent excessive weight. Avoid using metal shovels that could scratch the surface. Use plastic shovels or brushes.
- **Algae/Moss:** If algae or moss appears, clean with a suitable outdoor cleaner or a mixture of water and vinegar.

## 7. TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Tiles not interlocking properly	Debris in connectors, uneven surface, incorrect alignment.	Clean connectors, ensure surface is level, realign tiles and apply gentle pressure or use a rubber mallet.
Water pooling on surface	Uneven surface, blocked drainage underneath.	Check surface level and adjust if possible. Ensure the underlying surface allows for proper drainage.
Tiles appear discolored or stained	Dirt accumulation, organic growth (algae/moss), stubborn stains.	Clean regularly with soap and water. For organic growth, use an outdoor cleaner. For stubborn stains, use a specialized WPC cleaner.

## 8. SPECIFICATIONS

---

Feature	Detail
Product Type	WPC Click-System Tiles
Material	Wood Plastic Composite (WPC)
Effect	Wood Effect
Features	Weather-resistant, easy click-system installation, suitable for outdoor use (balconies, patios, gardens)

Feature	Detail
ASIN	B0DZXL3SPL

## 9. WARRANTY AND SUPPORT

---

tectake products are manufactured to high-quality standards. For specific warranty information, please refer to the warranty card included with your purchase or visit the official tectake website. For technical support, missing parts, or any other inquiries, please contact tectake customer service.

**Contact Information:** Please visit [www.tectake.de](http://www.tectake.de) (or your regional tectake website) for support contact details.

