

[Manuals.plus](#) /

› [Dtirszxy](#) /

› Dtirszxy Replacement Remote Controller for KDK Panasonic FV Series - Instruction Manual

Dtirszxy Remote Control

Dtirszxy Replacement Remote Controller for KDK Panasonic FV Series

Instruction Manual

INTRODUCTION

This manual provides comprehensive instructions for the Dtirszxy Replacement Remote Controller, designed for seamless operation with various KDK Panasonic FV series ventilation and heating units. This remote offers direct functionality without the need for complex programming. Please read this manual thoroughly before use to ensure proper operation and longevity of your device.

SETUP

Battery Installation

The remote controller requires AAA batteries for operation. Follow these steps to install them:

1. Locate the battery compartment cover on the back of the remote control.
2. Slide the cover downwards or press the latch (if present) to open the compartment.
3. Insert two (2) AAA batteries, ensuring the positive (+) and negative (-) terminals align correctly with the markings inside the compartment.
4. Replace the battery compartment cover by sliding it back into place until it clicks securely.



Image: Back of the remote control with the battery compartment open, illustrating the correct orientation for AAA battery insertion.

Mounting the Remote (Optional)

The remote control may come with a wall-mountable holder for convenient storage. To install:

1. Choose a suitable location on a wall, away from direct sunlight or heat sources.
2. Use screws (not included) to securely attach the holder to the wall.
3. Place the remote control into the holder.



Image: The remote control shown with its accompanying wall-mountable holder, providing a storage solution.

OPERATING INSTRUCTIONS

This remote control is designed for direct use with compatible KDK Panasonic FV series units. No programming is required. Ensure a clear line of sight between the remote and the unit's receiver.



Image: Front view of the remote control, highlighting the layout and labels of all functional buttons.

Button Functions:

- **STAND-BY:** Powers the unit on or off.
- **STATUS:** Displays the current operating status of the unit.
- **HEAT:** Activates the heating function.
- **VENT. (24HR VENT.):** Controls the ventilation function, including a continuous 24-hour ventilation mode.
- **COOL HOT:** Toggles between cooling and heating modes (if supported by the unit).
- **DRY:** Activates the dehumidification function.
- **TIMER:** Sets or adjusts the timer for various operations.
- **MANUAL AUTO:** Switches between manual control and automatic operation modes.
- **AIR DIR.:** Adjusts the direction of airflow.

- **Time Settings (6 HOUR, 3 HOUR, 1 HOUR, 30 MIN., 15 MIN. STOP):**Used in conjunction with the TIMER button to set specific operating durations or to stop a timed operation.
- **Up/Down Arrows:** Used to adjust settings such as temperature, fan speed, or timer values.

Note: This replacement remote may not operate all features present on the original remote, but all main functions are supported.

MAINTENANCE

Cleaning

To maintain the remote control's appearance and functionality:

- Wipe the surface with a soft, dry cloth.
- Do not use liquid cleaners, abrasive pads, or chemical solvents, as these can damage the remote.

Battery Replacement

Replace the batteries when:

- The remote's operating range decreases significantly.
- The unit does not respond to commands.
- For optimal performance, replace both AAA batteries simultaneously.

Storage

If the remote control will not be used for an extended period, remove the batteries to prevent leakage and potential damage to the device.

TROUBLESHOOTING

- **Remote not responding:**
 - Check if the batteries are inserted correctly with the correct polarity.
 - Replace old batteries with new AAA batteries.
 - Ensure there is a clear line of sight between the remote and the KDK Panasonic unit. Obstructions can block the infrared signal.
 - Verify that you are within the maximum operating range of 10 meters.
- **Limited functionality:**
 - This replacement remote is designed to operate the main functions of compatible KDK Panasonic units. Some advanced or specific features of your original remote may not be supported. This is normal for universal or replacement remotes.
- **Unit not listed as compatible:**
 - If your specific KDK Panasonic model number is not explicitly mentioned in the product compatibility list, contact customer support to verify compatibility before assuming it will work.

SPECIFICATIONS

Feature	Detail
Brand	Dtirszxy
Model Number	Remote Control
Connectivity Technology	Infrared
Maximum Range	10 Meters
Power Source	2 x AAA Batteries (not included)
Compatible Devices	KDK Panasonic FV-23BWAH, FV-23BW1H, FV-30BGBH, FV-30BWAH, FV-30BG3H, FV-30BW1H, FV-30BGCH, FFV4700069S, FFV4700068S, FV-30BG1H, FV-30BGAH, and other similar FV series models.

WARRANTY AND SUPPORT

Warranty Information

This Dtirszxy Replacement Remote Controller comes with a 90-day no-worry warranty from the date of purchase. This warranty covers manufacturing defects and ensures the remote functions as described.

Customer Support

For any questions regarding compatibility, troubleshooting, or warranty claims, please contact our customer support. We aim to provide an 18-hour online reply service to assist you promptly.
Before purchasing, if your model is not explicitly listed, it is recommended to contact support to confirm compatibility.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F18SLCF4>

More documents and user manuals: <https://manuals.plus/>