



[Manuals.plus](#) /

> [Fanbulous](#) /

> [Fanbulous 72-Inch Oil Rubbed Bronze Ceiling Fan with Light and Remote Instruction Manual](#)

Fanbulous F-TH72OB-1D01

Fanbulous 72-Inch Oil Rubbed Bronze Ceiling Fan Instruction Manual

Model: F-TH72OB-1D01

[Contents](#) [Specifications](#) [Introduction](#) [Safety Information](#) [Package](#)
[Installation](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Warranty & Support](#)

1. INTRODUCTION

Thank you for choosing the Fanbulous 72-Inch Oil Rubbed Bronze Ceiling Fan. This manual provides essential information for the safe installation, operation, and maintenance of your new ceiling fan. Please read all instructions carefully before beginning installation and retain this manual for future reference.

2. SAFETY INFORMATION

To reduce the risk of electric shock, fire, or personal injury, always follow these basic safety precautions:

- Ensure the power is turned off at the circuit breaker before installation or servicing.
- All wiring must be in accordance with national and local electrical codes.
- The fan must be mounted to a structurally sound ceiling joist or outlet box capable of supporting the fan's weight (minimum 35 lbs).
- Do not operate the fan with damaged blades or housing.
- Maintain a minimum clearance of 7 feet from the floor to the bottom of the fan blades.
- Do not insert objects into the path of the fan blades.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Ceiling Fan Motor Housing
- 10 Fan Blades (Dual Finish: Oil Rubbed Bronze / Light Walnut)
- LED Light Kit

- Remote Control with Wall Mount
- Downrods (6-inch, 12-inch, 24-inch options)
- Mounting Bracket and Hardware
- Instruction Manual

4. SPECIFICATIONS

Brand	Fanbulous
Model Number	F-TH72OB-1D01
Size	72 inches (Diameter)
Color	Oil Rubbed Bronze
Blades	10, Dual Finish (Oil Rubbed Bronze / Light Walnut)
Motor Type	Quiet Reversible DC Motor
Light Source	32W LED, 2250 Lumens
Color Temperature	3000K (Warm White), 4500K (Natural White), 6500K (Cool White)
Fan Speeds	6
Timer Settings	1H, 4H, 8H
Control Method	Remote Control
Mounting Type	Downrod Mount (6", 12", 24" included)
Ceiling Slope	Up to 15°
Indoor/Outdoor Usage	Indoor

5. INSTALLATION

Professional installation is recommended. Ensure all power is disconnected at the circuit breaker before proceeding.

5.1 Mounting Options and Dimensions

The fan includes downrods of 6, 12, and 24 inches to accommodate various ceiling heights. It can be installed on ceilings with slopes up to 15 degrees.



Figure 5.1: Fan Dimensions and Mounting Options. This diagram illustrates the fan's overall dimensions and how different downrod lengths (6", 12", 24") can be used for various ceiling heights, including slanted ceilings up to 15 degrees.

5.2 General Installation Steps

1. **Secure Mounting Bracket:** Attach the mounting bracket to a ceiling joist or an approved outlet box.
2. **Assemble Downrod:** Select the appropriate downrod length. Feed the electrical wires through the downrod and attach it to the fan motor housing.
3. **Hang Fan:** Carefully lift the fan assembly and hang it from the mounting bracket.
4. **Wire Connections:** Connect the electrical wires from the fan to the household wiring according to the wiring diagram provided in the full manual.
5. **Attach Blades:** Securely attach the 10 fan blades to the motor housing. Ensure the dual-finish blades are oriented as desired (Oil Rubbed Bronze or Light Walnut facing down).
6. **Install Light Kit:** Connect and secure the LED light kit to the bottom of the fan.
7. **Test Operation:** Restore power and test all fan and light functions using the remote control.

6. OPERATION

Your Fanbulous ceiling fan is operated via the included multi-function remote control.

6.1 Remote Control Functions



Figure 6.1: Remote Control Overview. This image displays the remote control and highlights its key functions, including light control, fan speed adjustment, color temperature settings, motor reversal, and timer options.

- **Power Button:** Turns the fan and light ON/OFF.
- **Fan Speed (1-6):** Adjusts the fan speed from gentle breeze (1) to powerful airflow (6).
- **Light ON/OFF:** Toggles the LED light.
- **Color Temperature (CCT) Adjustment:** Cycles through 3000K (Warm White), 4500K (Natural White), and 6500K (Cool White).
- **Timer (1H, 4H, 8H):** Sets the fan to turn off automatically after 1, 4, or 8 hours.
- **Reversible DC Motor:** Changes the direction of the fan blades for summer (downdraft) or winter (updraft) operation.
Important: Ensure the fan is completely stopped before reversing direction.
- **Memory Function:** The fan remembers your last light color temperature setting when turned off and back on after 5 seconds.

6.2 Light Color Temperature Adjustment



Figure 6.2: 3-Color Temperature Options. This image demonstrates the visual difference between the 3000K (warm), 4500K (natural), and 6500K (cool) light settings available on the fan.

Use the dedicated button on the remote to cycle through the three available light color temperatures (3000K, 4500K, 6500K) to match your preference or room ambiance.

6.3 Reversible Motor Function



Figure 6.3: Reversible DC Motor Operation. This diagram illustrates how the reversible motor function changes airflow direction to provide cooling downdraft in summer and warm air circulation (updraft) in winter.

The reversible DC motor allows you to change the fan's direction. In summer, the downdraft creates a cooling effect. In winter, the updraft circulates warm air trapped near the ceiling, helping to warm the room.

6.4 Memory Function for Lighting



Figure 6.4: Light Memory Function. This sequence of images demonstrates the fan's memory function, which retains the last selected light color temperature when the light is turned off and then back on after a brief pause.

The fan's memory function retains your last selected light color temperature. If you turn off the light and wait approximately 5 seconds before turning it back on, it will resume the previous setting.

6.5 Product Videos

Your browser does not support the video tag.

Video 6.5.1: Fanbulous 72-inch Large Ceiling Fan Overview. This video provides a general overview of the Fanbulous 72-inch ceiling fan, showcasing its size, lighting, and remote control features in an outdoor setting.

Your browser does not support the video tag.

Video 6.5.2: Fan Operation and Features. This video demonstrates the fan's operation, including light changes and fan speed adjustments, highlighting its suitability for large indoor spaces.

7. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Periodically clean the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Tighten Fasteners:** Check all screws and fasteners on the fan blades and mounting hardware annually to ensure they are secure.
- **Blade Balancing:** If the fan wobbles, ensure all blades are securely attached and use the included balancing kit if necessary.
- **Light Source:** The LED light source is designed for long life and is not user-replaceable. Contact customer support if the light fails.

8. TROUBLESHOOTING

Before contacting customer support, refer to the following common issues and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Fan does not start	No power to the fan; Loose wire connections; Remote control battery low.	Check circuit breaker; Verify all wire connections are secure; Replace remote control battery.
Fan wobbles	Loose blades or mounting hardware; Unbalanced blades; Improper mounting.	Tighten all blade screws and mounting hardware; Use balancing kit; Ensure mounting bracket is securely installed.
Light does not work	Loose wire connection to light kit; LED driver failure.	Check light kit wiring; Contact customer support for LED driver replacement.
Remote not responding	Low battery; Interference; Remote not paired.	Replace battery; Ensure no obstructions; Refer to full manual for remote pairing instructions.

9. WARRANTY & SUPPORT

Fanbulous is committed to your satisfaction. This LED ceiling fan provides a **5-year warranty on the motor** and a **2-year service warranty on other parts**.

For any questions, concerns, or technical support, please contact Fanbulous customer service. We offer 24-hour customer support to assist you.

For additional support and product information, please visit the [Fanbulous Store on Amazon](#).