

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [TETOTE](#) /

› [TETOTE 24x30 Black LED Lighted Medicine Cabinet Mirror Instruction Manual](#)

TETOTE 24x30

TETOTE 24x30 Black LED Lighted Medicine Cabinet Mirror Instruction Manual

Model: 24x30

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your TETOTE 24x30 Black LED Lighted Medicine Cabinet Mirror. Please read this manual thoroughly before installation and use to ensure proper function and safety.



Image: The TETOTE 24x30 Black LED Lighted Medicine Cabinet Mirror, showcasing its design and integrated lighting in a bathroom setting.

IMPORTANT SAFETY INFORMATION

- Always unplug the cabinet before cleaning or performing any maintenance.
- Do not install near water sources to prevent electrical hazards. Ensure the installation area is dry and free from

excessive moisture.

- Use appropriate safety gear, such as safety glasses and gloves, when installing the cabinet.
- Consult a qualified electrician or professional installer if you are unsure about the installation process or have any concerns about electrical safety.
- This product contains glass components. Handle with care to avoid breakage.
- The shatterproof film provides an extra layer of safety by preventing glass shards from scattering in case of breakage.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- LED Lighted Medicine Cabinet Mirror
- Adjustable Shelves (Quantity: 2)
- Wall Anchors (Type A and B)
- Screws (Long and Short)
- Small Spout Plugs
- Big Spout Plugs
- Sticker
- Bubble Level
- Power Cord (59.06 inches)





Image: Exploded view of the product packaging and a list of included hardware components for installation.

SPECIFICATIONS

Brand	TETOTE
-------	--------

Model	24x30
Color	Black
Product Dimensions	5.11"D x 24"W x 30"H
Material	Aluminum (Frame), Tempered Glass (Mirror)
Mounting Type	Wall Mount or Recessed
Number of Shelves	2 (Adjustable)
Electrical Outlets	2 Built-in (125VAC/15A)
Lighting Features	3-Color Lights (Cool, Natural, Warm), 10%-100% Stepless Dimming, Memory Function
Special Features	Anti-Fog Function (1-hour auto-shutdown), Shatterproof Film, Durable Hinges, Magnetic Bumpers
Power Cord Length	59.06 inches
Item Weight	40.3 pounds

TETOTE



▲ Overall Dimensions

▲ Recessed Dimensions



Image: Diagram illustrating the overall and recessed dimensions of the medicine cabinet.

INSTALLATION

The medicine cabinet can be installed as either a surface mount or a recessed mount. Choose the method that best suits your bathroom design and wall structure.

Pre-Installation Considerations:

- Ensure there is sufficient space between the faucet and the vanity light for the cabinet. A minimum of 3 inches of reserved space above and below the cabinet is recommended.
- The power cord is 59.06 inches long. Plan your electrical connection accordingly. The cabinet can be plugged into an outlet or hardwired to a wall switch (the plug can be removed by a qualified electrician for hardwiring).

Please Double Check the Dimension and Color before Taking an Order to Avoid Any Extra Cost




Image: Guidelines for vanity width and required reserved space around the cabinet for optimal placement.



Image: Illustration of the power cord and the flexibility for plug-in or wall switch wiring options.

General Installation Steps:

- 1. Confirm Drilling Locations:** Use the provided bubble level and template (if included) to mark the precise drilling spots on the wall. Ensure the marks are level and correctly spaced for your chosen installation method (surface or recessed).
- 2. Drill Holes and Apply Wall Anchors:** Drill holes at the marked spots. Insert the appropriate wall anchors (Type A or B, depending on your wall material) into the drilled holes.
- 3. Mount the Cabinet:** Carefully lift the cabinet and align it with the installed wall anchors. Secure the cabinet to the wall using the provided screws. For recessed installation, ensure the cabinet fits snugly into the cutout and is secured from the inside or through designated mounting points.




Image: Visual guide for the three main installation steps: marking the wall, drilling and inserting anchors, and securing the cabinet.

Recessed Installation Specifics:

For recessed mounting, a wall cutout is required. Refer to the table below for precise cutout dimensions based on the cabinet size.

Size	Height (in)	Width (in)	Depth (in)
16"x24"	22.4	15.4	≥3.3
20"x26"	24.4	19.3	≥3.3
24"x30"	28.4	23.2	≥3.3
26"x30"	24.4	29.3	≥3.3
30"x36"	28.4	35.2	≥3.3

Note: The cutout size is not identical to the mirror size. Always refer to the cutout dimensions for recessed installation.

Cutout Dimensions for Recessed Installation

Size	Height(in)	Width(in)	Depth(in)
16"×24"	22.4	15.4	≥3.3
20"×26"	24.4	19.3	≥3.3
24"×30"	28.4	23.2	≥3.3
26"×30"	24.4	29.3	≥3.3
30"×36"	28.4	35.2	≥3.3

Notice: cutout size ≠ mirror size

Image: Cutout dimensions for recessed installation, with a visual representation of height, width, and depth requirements.

Lighting Control:

The mirror features touch-sensitive controls for adjusting the lighting.

- **Power On/Off:** Tap the power icon on the mirror surface to turn the lights on or off.
- **Color Temperature Adjustment:** Tap the color temperature icon to cycle through three distinct light settings:
 - **Cool Light (6000K):** Ideal for detailed tasks like makeup application.
 - **Natural Light (4500K):** Suitable for general grooming.
 - **Warm Light (3000K):** Creates a relaxed ambiance.
- **Stepless Dimming:** Press and hold the dimming icon to adjust the brightness from 10% to 100%. Release when the desired brightness is achieved.
- **Memory Function:** The cabinet remembers your last used color temperature and brightness settings, automatically applying them when powered on.



Image: Visual representation of the three color temperature options and the memory function for personalized lighting.




Image: Illustration of the stepless dimming feature, allowing precise brightness adjustment from 10% to 100%.

Anti-Fog Function:

Activate the anti-fog function by tapping the dedicated anti-fog icon on the mirror. This feature quickly clears

condensation from the mirror surface. For safety, the anti-fog function automatically shuts off after 1 hour of continuous operation.




Image: Demonstration of the anti-fog function, showing a clear mirror surface in steamy conditions.

Internal Power Outlets:

The cabinet includes two built-in 125VAC/15A outlets located inside. These are designed for convenient charging and powering of bathroom essentials such as electric toothbrushes, razors, beauty devices, and hair dryers.




Image: Close-up of the internal 125VAC/15A outlets for convenient charging of daily devices.

Adjustable Shelves:

The cabinet features two adjustable tempered glass shelves. To adjust a shelf, carefully lift it from its current position and reposition it into the desired slots. Ensure the shelf is securely seated before placing items on it.



Adjustable Shelves Create an Airy, Space-Saving Bathroom

Image: Interior view of the cabinet highlighting the adjustable shelves for flexible storage organization.

MAINTENANCE

- **Cleaning the Mirror:** Use a soft, lint-free cloth and a non-abrasive glass cleaner. Spray the cleaner onto the cloth, not directly onto the mirror, to prevent liquid from seeping into the edges.
- **Cleaning the Cabinet:** Wipe the aluminum frame and interior surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Electrical Safety:** Always unplug the cabinet from the power source before cleaning or performing any maintenance.
- **Hinges and Bumpers:** Periodically check the durable hinges for smooth operation and the magnetic bumpers for proper function. These components are designed for longevity and to reduce noise.



Image: Features indicating the cabinet's durable, damp-proof, and rust-resistant construction for long-lasting use.

Enhance Your Bathroom Experience with Thoughtful Details



Image: Close-up of durable hinges and magnetic bumpers, designed for smooth door operation and noise reduction.

TROUBLESHOOTING

If you encounter any issues with your medicine cabinet, please refer to the following common solutions:

- **Lights Not Working:**
 - Check if the power cord is securely plugged into a functional outlet.
 - Ensure the wall switch (if hardwired) is in the "on" position.
 - Verify that the circuit breaker for the bathroom is not tripped.
 - Gently tap the touch sensor to ensure it registers the input.
- **Anti-Fog Not Activating:**
 - Ensure the anti-fog icon is tapped correctly.
 - Note that the anti-fog function has an automatic 1-hour shutdown for safety. If it was recently active, it might need a brief cool-down period or re-activation.
- **Outlets Not Providing Power:**
 - Confirm the cabinet is receiving power.
 - Test the outlets with a different device to rule out a device-specific issue.
 - Check for any internal reset buttons on the outlets (if applicable, though not specified).
- **Door Not Closing Properly:**
 - Check for any obstructions on the shelves or within the cabinet that might prevent the door from closing fully.
 - Inspect the hinges for any damage or misalignment.
 - Ensure the magnetic bumpers are clean and free of debris.

If these steps do not resolve the issue, please contact customer support for further assistance.

TETOTE is committed to providing premium products and excellent customer experience. Your medicine cabinet is backed by a comprehensive support system.

- **5-Year Technical Support:** Access to technical assistance for any product-related inquiries or issues.
- **Hassle-Free Replacements:** In the event of damaged or chipped mirrors, a full replacement service is available.
- **24/7 Customer Assistance:** Our customer support team is available around the clock to assist you.

How to Contact Support:

If you have any questions about your product or require assistance, please follow these steps on Amazon:

1. Open the product page on Amazon and click on "Sold by TETOTE".
2. Click "Ask a question" and you will receive a reply from the Seller Messaging Assistant. Then click "An item for sale".
3. Click "something else" from the reply and continue to click "Product details". You will then see a message box to send your inquiry.

Please allow up to 24 hours for a response from our customer support team.



Image: Overview of TETOTE's customer support and warranty services, including technical support and replacements.




Image: Step-by-step guide on how to reach TETOTE customer support via the Amazon platform.

