

[Manuals.plus](#) /

› [TOOXYZ](#) /

› TOOXYZ J13 Dash Cam Rear Camera User Manual

TOOXYZ J13 Rear Camera

TOOXYZ J13 Dash Cam Rear Camera User Manual

Model: J13 Rear Camera

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your TOOXYZ J13 Dash Cam Rear Camera. Please read this manual thoroughly before use to ensure proper functionality and longevity of the product.

SAFETY INFORMATION

- Ensure the camera is installed securely and does not obstruct the driver's view.
- Do not attempt to disassemble or modify the camera. This may void the warranty and cause damage.
- Keep the camera away from extreme temperatures, direct sunlight for prolonged periods, and moisture.
- Use only the provided or recommended cables and accessories.
- This rear camera is designed for internal vehicle installation only and is not waterproof.

PACKAGE CONTENTS

Verify that all items are present in the package:

- TOOXYZ J13 Rear Camera
- Connection Cable
- Hardwire Kit (as per product specifications)

SETUP AND INSTALLATION

Follow these steps to properly install your TOOXYZ J13 Rear Camera:

Easy Installation

Enhancing road safety has never been easier


01

Connect to the front camera interface



02

Remove the dash cam's adhesive backing



Not waterproof. Please install it inside the vehicle.

03

Attach the dash cam to the optimal position on your windshield



04

The green small light indicates that the rear camera is successfully connected to the host. (If the light is not on, please pay attention to firmly pressing the connection port with the host.)



Image: Step-by-step guide for installing the rear camera, showing connection, adhesive backing removal, and placement.

1. **Connect to the Front Camera Interface:** Locate the rear camera input port on your main J13 Dash Cam unit. Connect the provided cable from the rear camera to this port.
2. **Prepare for Mounting:** Remove the protective film from the adhesive backing on the rear camera. Ensure the

mounting surface on your vehicle's rear windshield is clean and dry.

3. **Attach the Camera:** Firmly press the rear camera onto the chosen optimal position on your rear windshield. Ensure it has a clear view and does not obstruct your vision. This camera is not waterproof and must be installed inside the vehicle.
4. **Verify Connection:** After connecting, a green small light on the rear camera should illuminate, indicating a successful connection to the host dash cam. If the light is not on, recheck the connection port and ensure it is firmly pressed.

Wiring Diagram



Image: Diagram illustrating the connection of the rear camera to the main dash cam unit via its cable.

Route the cable neatly along the vehicle's interior trim to avoid interference with driving and to maintain a clean appearance.

OPERATING INSTRUCTIONS

Once installed and connected to your main J13 Dash Cam, the rear camera will operate in conjunction with the main unit.

Refer to your J13 Dash Cam's primary user manual for detailed instructions on recording modes, settings, and file management.

- **Automatic Recording:** The rear camera typically begins recording automatically when the main dash cam is powered on.
- **Video Resolution:** The rear camera records in 1080p Full HD resolution, capturing clear footage of the rear view.
- **Wide-Angle View:** Equipped with a 120° wide-angle lens, it provides extensive coverage of the area behind your vehicle.
- **Night Vision:** The camera supports enhanced night vision capabilities, improving clarity in low-light conditions.



Image: Illustration of night vision capability, relevant for both front and rear dash cameras.

MAINTENANCE

- **Cleaning the Lens:** Gently wipe the camera lens with a soft, lint-free cloth to remove dust or smudges. Do not use abrasive cleaners.
- **Cable Inspection:** Periodically check the connection cable for any signs of wear or damage.

- **Firmware Updates:** Refer to the main J13 Dash Cam manual or the manufacturer's website for information on firmware updates, which may improve camera performance.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Rear camera not recording/no image	Loose cable connection; Incompatible main unit; Main unit not powered on.	Ensure the cable is firmly connected to both the rear camera and the main J13 Dash Cam. Verify the main dash cam is powered on and functioning correctly. Confirm compatibility with your J13 Dash Cam model.
Image is blurry or unclear	Dirty lens; Condensation on lens; Incorrect focus (unlikely for fixed-focus camera).	Clean the camera lens with a soft, dry cloth. Allow time for condensation to clear in varying temperatures.
Green light not illuminated	Connection issue; Camera malfunction.	Re-seat the connection cable firmly. If the issue persists, contact customer support.

SPECIFICATIONS

Product Size





Image: Diagram showing the physical dimensions of the rear camera in millimeters and inches.

- **Model:** J13 Rear Camera
- **Resolution:** 1080p Full HD
- **Lens Angle:** 120° Wide-Angle
- **Compatibility:** Specifically designed for TOOXYZ J13 Dash Cams
- **Connectivity:** Wired connection to main dash cam
- **Product Dimensions:** Approximately 55mm (2.17") length, 24mm (0.9") height, 40mm (1.57") width, 29mm (1.14") depth
- **Item Weight:** 4.6 ounces
- **Installation:** Internal vehicle installation only (not waterproof)

WARRANTY AND SUPPORT

The TOOXYZ J13 Rear Camera comes with a **1-Year Warranty**. Our dedicated customer support team is available to assist you with any issues or questions you may have.

For support, please contact us through the retailer's platform or visit the official TOOXYZ website for contact information. We are committed to promptly resolving any concerns to ensure your peace of mind.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F1K9SJ8F>

More documents and user manuals: <https://manuals.plus/>