

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Restmo](#) /

› [RESTMO Smart Sprinkler Timer with Flow Meter \(Model O-HT-2A-RFWF\) User Manual](#)

## Restmo O-HT-2A-RFWF

# RESTMO Smart Sprinkler Timer with Flow Meter

**MODEL: O-HT-2A-RFWF**

**User Manual**

## INTRODUCTION

---

Thank you for choosing the RESTMO Smart Sprinkler Timer with Flow Meter. This device is designed to automate your garden and lawn irrigation, providing precise water management through an intuitive mobile application. Featuring a durable brass inlet and outlet, this timer connects to your 2.4GHz WiFi network via an RF Hub for remote control and monitoring. This manual provides detailed instructions for installation, operation, maintenance, and troubleshooting to ensure optimal performance of your smart watering system.



The RESTMO Smart Sprinkler Timer, ready for installation.

## PRODUCT FEATURES

- RF Hub + WiFi Control:** Remote management via a smart app when connected to a 2.4GHz WiFi network through the RF Hub.
- Precise Water Volume Control:** Set exact water usage and frequency, track real-time consumption data, and view daily/weekly/monthly/yearly reports.
- Customizable Watering Plans:** Choose from 4 flexible modes: Interval (1hr-7day frequency), Weekly, Odd Day, or Even Day. Set up to 8 independent schedules per zone with precise start times and durations (1min-24hrs).
- Durable Heavy-Duty Construction:** Features a pure brass inlet/outlet for superior corrosion resistance and leak-proof performance. Includes a metal filter to prevent dirt buildup.
- Smart Manual Control:** Activate manual watering (1–24 hrs) via the app or a one-touch button.
- Weather-Resistant Design:** IP55 waterproof protection and durable construction for outdoor conditions.
- Rain Delay Feature:** Pause irrigation for 24/48/72 hours during wet weather.



## Water Your Garden Anytime, Anywhere

Smart Irrigation with App Control – Perfect for Travel and Busy Lifestyles

The RESTMO Smart Sprinkler Timer offers multiple solutions for various watering needs.

### SETUP GUIDE

#### 1. Unboxing and Component Check

Carefully remove all components from the packaging. Ensure you have the Smart Sprinkler Timer, RF Hub, and any included accessories.

#### 2. Install Batteries

Open the battery compartment on the sprinkler timer and insert the required batteries (typically AA or AAA, refer to packaging for exact type and quantity). Ensure correct polarity.

#### 3. Physical Installation

- Connect to Faucet:** Screw the brass inlet of the sprinkler timer onto your outdoor faucet. Ensure the connection is tight to prevent leaks. The 360° swivel brass inlet allows for easy positioning.
- Connect Hose:** Attach your garden hose to the brass outlet of the sprinkler timer.



**VS**

**Leak-Proof & Crack-Resistant**

**Prone to Leaks & Breaks**


**Upgraded 360° Swivel Brass Inlet**  
**No Leaks. No Cracks. Built to Last.**

**Pure Brass Inlet & Outlet**

Securely connect the timer to your outdoor faucet.

#### 4. RF Hub Setup and App Connection

- Power the RF Hub:** Plug the RF Hub into a power outlet indoors, within range of your 2.4GHz WiFi router and the sprinkler timer.
- Download App:** Download the dedicated smart app (e.g., 'Smart Life' or 'Tuya Smart' as indicated in product packaging) from your mobile device's app store.
- Pair RF Hub:** Follow the in-app instructions to add and pair the RF Hub to your 2.4GHz WiFi network **Note:** 5GHz WiFi networks are not supported. Ensure your router is configured to use 2.4GHz or temporarily disable 5GHz during setup if you encounter issues.
- Pair Sprinkler Timer:** Once the RF Hub is connected, use the app to add the sprinkler timer. The app will guide you through the pairing process, typically involving a button press on the timer.



The RF Hub facilitates WiFi connectivity for your smart sprinkler timer.

## OPERATING INSTRUCTIONS

### 1. Scheduling Watering Plans

The app allows you to create and manage watering schedules. You can set up to 8 independent schedules per zone.

- Select Mode:** Choose from Interval (e.g., every 2 days), Weekly (specific days), Odd Day, or Even Day.
- Set Start Time:** Define the exact time for watering to begin.
- Set Duration:** Specify the watering duration from 1 minute to 24 hours.

## Multiple Watering Types for Garden



Personalize your watering schedule with various frequency options.

### 2. Water Volume Mode

For precise water usage, switch to Water Volume Mode in the app. This allows you to set a specific volume of water to be dispensed per watering cycle. The integrated flow meter will track the volume and stop watering once the set amount is reached. You can monitor consumption reports (daily, weekly, monthly, yearly) within the app.

## Personalized Watering Made Easy

Choose from 4 customizable watering frequencies to create a schedule that fits your garden and lifestyle



Interval



Weekly



Odd Dates



Even Dates



Set exact water volumes for efficient irrigation.


### 3. Manual Watering

You can initiate watering manually without affecting your programmed schedules.

- **Via App:** Use the app to start manual watering and set a duration (1-24 hours).
- **Via Device:** Press the one-touch button on the timer itself to start or stop watering.

## Rain Delay Watering

Saves water and prevents plant overwatering



Manual watering can be activated directly on the device or through the app.

### 4. Rain Delay

To conserve water and prevent overwatering during wet weather, activate the rain delay feature through the app. You can pause irrigation for 24, 48, or 72 hours.



Utilize the rain delay feature to pause watering during wet conditions.

## MAINTENANCE

### 1. Cleaning the Metal Filter

The timer includes a metal filter at the inlet to prevent debris from entering the system. Periodically inspect and clean this filter to ensure consistent water flow and prevent blockages. Unscrew the timer from the faucet, remove the filter, rinse it under running water, and reinsert it before reattaching the timer.



The pure brass inlet and outlet are designed for durability and easy maintenance.

### 2. Battery Replacement

When the battery indicator in the app shows low power, or if the device stops responding, replace the batteries promptly. Use new, high-quality batteries of the specified type.

### 3. Winterization

Before the first frost, disconnect the sprinkler timer from the faucet and hose. Drain any remaining water from the unit and store it indoors in a dry, frost-free location. Remove batteries if storing for an extended period.

## TROUBLESHOOTING

- Timer shuts off after 3 minutes / Flow meter not detecting water:** This can occur if the water pressure is too

low or the flow is insufficient to activate the internal flow meter. This safety feature prevents continuous operation without detected flow. This timer is not recommended for soaker hoses, which operate at very low pressures. Ensure adequate water pressure for proper operation.

- **Cannot connect to WiFi:** Ensure your RF Hub is connected to a 2.4GHz WiFi network. This device does not support 5GHz WiFi. If your router broadcasts both, try temporarily disabling the 5GHz band during setup, or ensure your phone is connected to the 2.4GHz band.
- **App not responding / Device offline:** Check the RF Hub's power and WiFi connection. Ensure the sprinkler timer's batteries are not depleted. Try restarting the app and the RF Hub.
- **Water leaks from connections:** Ensure all connections (faucet to timer, timer to hose) are tightened securely. Check for damaged washers and replace if necessary.
- **No water flow:** Check if the faucet is fully open. Ensure the metal filter is clean and not blocked. Verify that the timer is scheduled to open or is manually activated.

## SPECIFICATIONS

Feature	Specification
Brand	Restmo
Model Number	O-HT-2A-RFWF
Connectivity	RF Hub + 2.4GHz WiFi
Material	Brass (Inlet/Outlet)
Watering Zones	1 Zone
Watering Duration	1 minute - 24 hours
Watering Frequency	Interval (1hr-7day), Weekly, Odd Day, Even Day
Schedules per Zone	Up to 8
Water Resistance	IP55
Product Dimensions	5"D x 3"W x 5"H
Item Weight	0.38 Kilograms (13.4 ounces)

## WARRANTY AND SUPPORT

RESTMO products are designed for reliability and performance. For specific warranty details, please refer to the warranty card included with your product or visit the official RESTMO website. If you encounter any issues or require technical assistance, please contact RESTMO customer support through the contact information provided on the product packaging or the official brand store.

Visit the [Restmo Store](#) for more information and support resources.

