



Manuals.plus /

› KOKEBREN /

› KOKEBREN 10,000 BTU Portable Air Conditioner User Manual (Model: dVcDP5M2qLACEdp-Tdku6A6j)

## KOKEBREN dVcDP5M2qLACEdp-Tdku6A6j

# KOKEBREN 10,000 BTU Portable Air Conditioner User Manual

Model: dVcDP5M2qLACEdp-Tdku6A6j

## 1. INTRODUCTION

---

Thank you for choosing the KOKEBREN 10,000 BTU Portable Air Conditioner. This manual provides essential information for the safe operation, installation, and maintenance of your unit. Please read it thoroughly before use and retain it for future reference.

## 2. IMPORTANT SAFETY INSTRUCTIONS

---

To reduce the risk of fire, electric shock, or injury, observe the following safety precautions:

- Always operate the unit on a stable, level surface.
- Ensure the power supply matches the unit's requirements (110V/60Hz).
- Do not operate the unit with a damaged cord or plug.
- Keep the air intake and exhaust vents clear of obstructions.
- Do not insert objects into the air vents.
- Unplug the unit before cleaning or servicing.
- Do not use chemical solvents to clean the unit.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

## 3. PACKAGE CONTENTS

---

Verify that all items are present upon unpacking:

- KOKEBREN Portable Air Conditioner Unit
- Remote Control
- Air Exhaust Duct
- Connector for Air Exhaust Duct

- Window Exhaust Adapter
- Baffle Plate (Window Kit)
- User Manual



Image: The portable air conditioner unit shown with its remote control and various parts of the window installation kit, including the exhaust duct, connectors, and baffle plates.

## 4. PRODUCT OVERVIEW

### 4.1 Unit Components

The KOKEBREN portable air conditioner is a 3-in-1 unit offering cooling, fan, and dehumidifying functions. It features integrated casters and concealed handles for easy mobility.

# Powerful Efficient Cooling



10000 BTU ASHRAE



6500 BTU DOE/SACC



350 m<sup>3</sup>/h AIRFLOW MAX



450 sq.ft Max ROOM SIZE

Image: The KOKEBREN portable air conditioner unit shown from the side, highlighting its compact design and the included remote control.

## 4.2 Control Panel and Remote Control

The unit features a clear LED display and touch screen controls on the top panel. A remote control is also provided for convenient operation from a distance.

# Suitable for Most Windows



Image: A close-up view of the digital LED display panel with touch controls on the top of the unit, alongside the remote control, indicating various functions like power, mode, speed, temperature adjustment, sleep, and timer.

## 5. SETUP AND INSTALLATION

### 5.1 Placement

Place the air conditioner on a firm, level surface in the desired room. Ensure there is at least 20 inches (50 cm) of space around the unit for proper airflow. The unit is designed for rooms up to 450 square feet.

### 5.2 Window Kit Installation

The included window installation kit is suitable for both vertical and horizontal sliding windows. Follow these steps for proper exhaust setup:

1. **Adjust the Baffle Plate:** Adjust the baffle plate to the length of your window opening and secure it with screws if necessary.
2. **Install Window Kit:** Place the adjusted window kit into the window track and close the window securely against it.

3. **Connect Hose to Unit:** Attach the connector of the air exhaust duct to the exhaust port on the back of the air conditioner unit.
4. **Extend Hose to Window:** Extend the exhaust hose and insert the window exhaust adapter into the opening of the window kit.
5. **Secure Connections:** Ensure all connections are tight to prevent air leakage.



Image: A visual guide illustrating five steps for installing the window kit: adjusting the plate, placing it in the window track, connecting the hose to the unit, extending the hose to the window kit, and showing the complete installation.

## 6. OPERATING INSTRUCTIONS

Operate the unit using either the control panel on top of the unit or the remote control.

### 6.1 Powering On/Off

Press the **Power** button (

# Suitable for Most Windows



) to turn the unit on or off.

## 6.2 Mode Selection (Cool, Fan, Dehumidify)

Press the **Mode** button (

# Suitable for Most Windows



) to cycle through the available modes: Cool, Fan, and Dehumidify.

- **Cool Mode:** Provides cooling for the room.
- **Fan Mode:** Circulates air without cooling.
- **Dehumidify Mode:** Removes moisture from the air (up to 46 pints per day).

## 6.3 Temperature Adjustment

In Cool mode, use the **Up** (

# Suitable for Most Windows



) and **Down** (

# Suitable for Most Windows



) buttons to set the desired temperature between 59°F and 88°F (16°C-31°C).

## 6.4 Fan Speed Adjustment

Press the **Speed** button (

# Suitable for Most Windows



) to select between Low, Medium, and High fan speeds.

## 6.5 Timer Function

The 24-hour timer allows you to schedule the unit to turn on or off automatically. Press the **Timer** button (

# Suitable for Most Windows



) and use the Up/Down buttons to set the desired duration.

## 6.6 Sleep Mode

Activate **Sleep Mode** (

# Suitable for Most Windows



) for quiet operation (as low as 49dB) and energy-efficient cooling during nighttime hours. The temperature will gradually increase by 1°F after the first hour and another 1°F after the second hour, maintaining this temperature for 7 hours before returning to normal operation.

# 3-in-1 Portable AC



Cool: 59°F-88°F



Dry: 46 Pint / Day



High / Middle / Low



Image: The portable air conditioner operating quietly in a bedroom setting, emphasizing its sleep mode feature and low noise level, with icons for Sleep Mode, 24H Timer, and Remote Control.

## 7. MAINTENANCE

---

Regular maintenance ensures optimal performance and extends the lifespan of your unit.

### 7.1 Filter Cleaning

The unit includes a removable, washable filter. Clean the filter every two weeks or more frequently depending on usage and air quality. To clean:

1. Unplug the air conditioner.
2. Remove the filter from its housing.
3. Wash the filter with warm, soapy water.
4. Rinse thoroughly and allow it to air dry completely before reinstalling.

### 7.2 Drainage

This unit features self-evaporation technology, which typically eliminates the need for manual drainage. However, in areas of high humidity, the internal water tank may fill up. If the unit stops operating and displays a 'Full' indicator, you will need to manually drain the water. Refer to the full manual for specific drainage port location and procedure.

## 7.3 Storage

Before storing the unit for an extended period:

- Ensure the unit is completely drained of any water.
- Clean the air filter.
- Store the unit in a cool, dry place, away from direct sunlight and extreme temperatures.

## 8. TROUBLESHOOTING

---

Review the following table for common issues and their solutions:

Problem	Possible Cause	Solution
Unit does not turn on	No power supply; Power cord not plugged in; Circuit breaker tripped	Check power outlet; Ensure cord is securely plugged in; Reset circuit breaker
Insufficient cooling	Air filter dirty; Exhaust hose blocked or improperly installed; Room too large; Doors/windows open	Clean air filter; Check exhaust hose for kinks/blockages and proper installation; Close doors/windows; Ensure unit is appropriate for room size
Water leakage	Drain plug loose; Unit not level; Water tank full (in high humidity)	Ensure drain plug is secure; Place unit on a level surface; Manually drain water if tank is full
Unit is noisy	Unit not on a level surface; Obstruction in fan; Filter dirty	Place unit on a level surface; Check for and remove any obstructions; Clean air filter

## 9. SPECIFICATIONS

---

Detailed technical specifications for the KOKEBREN Portable Air Conditioner:

Feature	Specification
Cooling Capacity (ASHRAE)	10,000 BTU
Cooling Capacity (SACC)	6,500 BTU
CEER	6.9
Rated Input Current	7.7A
Power Supply	110V 60Hz
BCSC	18A
Fan Speeds	3 (Cool/Fan/Dry)
Dry Capacity	46 Pints/Day
Working Temperature Range	59°F - 88°F
Product Dimensions (D x W x H)	14.96" x 13.39" x 35.24"
Item Weight	56 pounds
Refrigerant	R32
Noise Level (Sleep Mode)	49dB



Image: The portable air conditioner unit shown in a living room setting, with an accompanying table detailing its key specifications such as cooling capacity, power supply, fan speeds, and dimensions.

## 10. WARRANTY AND SUPPORT

**Warranty Information:** No specific warranty information was provided with the product details. Please refer to your purchase documentation or contact the seller for warranty terms.

**Customer Support:** For any questions, technical assistance, or service inquiries, please contact KOKEBREN customer support through the retailer's platform or the contact information provided at the time of purchase. Always have your model number (dVcDP5M2qLACEdp-Tdku6A6j) and purchase date ready when contacting support.