onerbl AC-DC Adapter

onerbl AC-DC Adapter User Manual

Model: AC-DC Adapter

Introduction

This manual provides essential instructions for the safe and effective use of your onerbl AC-DC Adapter. This power supply is designed to convert AC power from electrical outlets into DC power required by compatible devices, such as the Gooloo A3 JS-506 JS506 Jump Starter. Please read this manual thoroughly before use and retain it for future reference.

Package Contents

- 1 x onerbl AC-DC Adapter
- 1 x USB-C Power Supply Cord Cable (as per product description)



Image Description: A black AC-DC wall adapter with a standard US two-prong plug is shown on the right. It features a single USB-A output port. On the left, a coiled black USB cable is displayed, with a USB-A connector on one end and a Micro-USB connector on the other. *Note: While the image displays a Micro-USB cable, the product is specified to include a USB-C cable.*

Setup

1. **Inspect the Adapter:** Before first use, carefully inspect the AC-DC adapter and the power cord for any signs of damage. Do not use if any damage is observed.
2. **Connect the USB Cable:** Insert the USB-A end of the power supply cord into the USB output port of the onerbl AC-DC adapter.
3. **Connect to Device:** Insert the USB-C end of the power supply cord into the charging port of your compatible device, such as the Gooloo A3 JS-506 JS506 Jump Starter.
4. **Plug into Power Outlet:** Plug the onerbl AC-DC adapter into a standard AC 100-240V electrical wall outlet. Ensure the outlet is easily accessible.
5. **Verify Connection:** Confirm that the adapter is securely plugged into the wall outlet and the cable is firmly connected to both the adapter and your device.

The adapter is designed for worldwide AC input (100-240V, 50/61Hz), making it suitable for travel.

Operating Instructions

Once properly set up, the onerbl AC-DC adapter will begin supplying power to your connected device. It is primarily used for charging the internal battery of compatible devices or powering them directly from an electrical outlet.

- **Charging:** When connected to a compatible device, the adapter will initiate the charging process. Refer to your device's manual for specific charging indicators and times.
- **Safety Features:** The adapter is equipped with built-in safety mechanisms including Over Voltage Protection, Over Heat Protection, and Short Circuit Protection to ensure safe operation and protect your devices.
- **Disconnection:** To disconnect, first unplug the adapter from the wall outlet, then disconnect the USB cable from your device, and finally from the adapter.

Maintenance

- **Cleaning:** Disconnect the adapter from all power sources and devices before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Handling:** Avoid dropping or subjecting the adapter to strong impacts. Do not attempt to open or modify the adapter, as this will void any warranty and may pose a safety risk.

Troubleshooting

- **Device Not Charging:**
    - Ensure the adapter is securely plugged into a working wall outlet.
    - Verify that the USB cable is firmly connected to both the adapter and the device.
    - Check if the device's charging port is clean and free of debris.
    - Test the adapter with another compatible device or try a different wall outlet.
- **Adapter Overheating:**
    - Disconnect the adapter immediately.

- Ensure the adapter is used in a well-ventilated area and not covered.
- If overheating persists, discontinue use and contact customer support.

Specifications

Brand	onerbl
Model	AC-DC Adapter
Input Voltage	AC 100-240V, 50/61Hz
Output	USB-C 5V (Output current not specified, assumed standard for USB-C 5V charging)
Connector Type	USB Connector (USB-A output on adapter, USB-C on cable)
Special Features	Over Voltage Protection, Over Heat Protection, Short Circuit Protection
Compatible Devices	Gooloo A3 JS-506 JS506 Jump Starter Tire Inflator 150PSI with Air Compressor 3000A Portable Car Battery Booster, and other compatible USB-C 5V devices.
Manufacturer	Shenzhen Waweis Technology Co., Ltd
ASIN	B0F1MYDP3W

Warranty and Support

For warranty information or technical support, please refer to the documentation provided with your purchase or contact the retailer/manufacturer directly. Keep your purchase receipt as proof of purchase.

© 2025 onerbl. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question