

ViewSonic VX2479A-HD-PRO

ViewSonic VX2479A-HD-PRO 24-inch Full HD SuperClear IPS 240Hz Gaming Monitor User Manual

Model: VX2479A-HD-PRO

1. INTRODUCTION

Welcome to the user manual for your ViewSonic VX2479A-HD-PRO gaming monitor. This document provides essential information for setting up, operating, and maintaining your monitor to ensure optimal performance and longevity. The VX2479A-HD-PRO is a 24-inch Full HD (1920x1080) monitor featuring a SuperClear IPS panel, a rapid 240Hz refresh rate, and a 1ms (MPRT) response time, designed for an immersive and responsive gaming experience. It supports HDR10, 102% sRGB color coverage, and includes EyePro Tech for enhanced viewing comfort during extended use.



Figure 1: Front view of the ViewSonic VX2479A-HD-PRO monitor.

2. PACKAGE CONTENTS

Please verify that all items listed below are included in your package. If any items are missing or damaged, please contact your retailer or ViewSonic customer support.

- ViewSonic VX2479A-HD-PRO Monitor x1
- Power Cable x1
- HDMI Cable x1
- Quick Start Guide x1

3. SETUP

Follow these steps to set up your monitor:

1. **Unpacking:** Carefully remove the monitor and all components from the packaging. Place the monitor face down on a soft, clean surface to prevent scratches.

2. **Stand Assembly:** Attach the monitor stand to the monitor panel according to the instructions in the included Quick Start Guide. Ensure it is securely fastened.
3. **Connecting Cables:**
 - Connect the power cable to the monitor's power input and then to a power outlet.
 - Connect the included HDMI cable from your computer's graphics card or gaming console to one of the HDMI 1.4 ports on the monitor. Alternatively, use a DisplayPort 1.4 cable for optimal performance.
 - If desired, connect headphones or external speakers to the 3.5mm audio-out jack.
4. **Power On:** Press the power button on the monitor. Power on your computer or gaming console. The monitor should automatically detect the input signal.

The monitor is also compatible with 100 x 100 mm VESA mounts for alternative mounting solutions (mounting hardware sold separately).




Figure 2: Rear view illustrating the monitor's connectivity ports.

4. OPERATING THE MONITOR

The monitor features an On-Screen Display (OSD) menu for adjusting various settings. Use the buttons located on the monitor's bezel to navigate and select options.

4.1. OSD Menu Navigation

- Press any OSD button to activate the menu.
- Use the navigation buttons (usually arrows) to move between menu options.
- Press the 'Select' or 'Enter' button to confirm a selection or enter a sub-menu.
- Press the 'Exit' or 'Back' button to return to the previous menu or exit the OSD.

4.2. ViewMode Settings

The ViewMode feature offers preset color profiles optimized for different viewing scenarios. These modes fine-tune brightness, contrast, and gamma settings.

- **Game:** Optimized for gaming, enhancing visibility in dark areas and sharpening details.
- **Movie:** Provides a cinematic viewing experience with enhanced contrast and color saturation.
- **Web:** Balanced settings for general internet browsing and document viewing.
- **Text:** Reduces blue light and adjusts brightness for comfortable reading.
- **Mono:** Displays content in grayscale.



Zero compromise. Game with precision
Experience flawless gaming and precise video editing with 240Hz refresh rate and 1ms response time. Enjoy seamless visuals, smooth pixel transitions, and minimal ghosting for a competitive edge in every frame, ensuring you never miss a beat in intense gaming sessions

Goodbye stutter. Hello flawless gameplay
Say goodbye to display stutter and screen tearing this monitor ensures your immersion in lightning-fast action and razor-sharp visuals, even during heart-pounding, fast-paced games

The illustration features a large monitor on the left displaying a soldier in a blue and orange tactical suit aiming a futuristic rifle. The monitor has the 'AMD FreeSync' logo at the bottom. To the right of the monitor, a smaller inset shows a first-person view of a gun in a fiery, orange-hued environment. Below the inset, the text '1ms Response Time' and '240Hz' are displayed. A stylized orange flame or smoke trail extends from the monitor towards the right.

Figure 3: Illustration of preset game modes available through ViewMode.

5. KEY FEATURES

5.1. Ultra-Smooth Full HD Visuals

The 24-inch (23.8-inch viewable) SuperClear IPS screen delivers Full HD 1920 x 1080 resolution with vibrant visuals and sharp detail. The ultra-slim frameless design supports immersive viewing, whether in single or multi-monitor setups.

5.2. Exceptional Speed with 240Hz Refresh Rate and 1ms Response Time

Built for competitive gaming, the ultra-fast 240Hz refresh rate ensures incredibly smooth visuals. Paired with a 1ms (MPRT) response time and Variable Refresh Rate (VRR) support, this monitor eliminates screen tearing and ghosting for seamless gameplay and motion clarity.




Figure 4: Visual comparison demonstrating blur reduction at 240Hz versus 60Hz refresh rates.

5.3. AMD FreeSync Support

Experience tear-free and stutter-free gameplay with AMD FreeSync technology, which synchronizes the monitor's refresh rate with your GPU's frame rate.

Gameplay in Sync



AMD
FreeSync

Figure 5: Gameplay comparison showing the effect of AMD FreeSync on screen synchronization.

5.4. HDR10 and 102% sRGB Color Coverage

Experience deeper contrast, richer colors, and brighter highlights with HDR10 technology. The monitor also boasts 102% sRGB color coverage, ensuring vivid and accurate color reproduction for both gaming and content creation.




Figure 6: Visual representation of HDR10 enhancing contrast and color in a game scene.

5.5. Enhanced Eye Comfort with EyePro Tech+

The monitor incorporates Flicker-Free technology and a Blue Light Filter to reduce eye strain during extended use, making it ideal for long gaming sessions, studying, or professional work.

5.6. Wide Viewing Angles with SuperClear IPS

The SuperClear IPS panel technology ensures consistent color accuracy and brightness from wide viewing angles, up to 178 degrees horizontally and vertically.

Glare-free Gaming with SuperClear® IPS




Figure 7: Demonstrating wide viewing angles of the SuperClear IPS panel.

6. CONNECTIVITY

The VX2479A-HD-PRO offers versatile connectivity options to integrate with various devices:

- **2 x HDMI 1.4 Ports:** For connecting PCs, laptops, and gaming consoles like PS5 and Xbox.
- **1 x DisplayPort 1.4:** Provides high-bandwidth connectivity for optimal refresh rates and resolutions.
- **3.5mm Audio-Out Jack:** For connecting headphones or external speakers.

The monitor is compatible with both PS5 and Xbox consoles, allowing for seamless switching between gaming platforms.

7. MAINTENANCE

Proper maintenance ensures the longevity and performance of your monitor.

- **Cleaning the Screen:** Gently wipe the screen with a soft, lint-free cloth. For stubborn marks, lightly dampen the cloth with water or a specialized screen cleaner. Avoid using harsh chemicals or abrasive materials.

- **Cleaning the Casing:** Use a soft, dry cloth to clean the monitor casing.
- **Power Off When Not in Use:** Turn off the monitor when not in use for extended periods to save energy and prolong its lifespan.
- **Avoid Direct Sunlight:** Do not expose the monitor to direct sunlight or excessive heat.
- **Ventilation:** Ensure proper ventilation around the monitor to prevent overheating. Do not block the ventilation openings.

8. TROUBLESHOOTING

If you encounter issues with your monitor, refer to the following common troubleshooting steps:

- **No Power:**
 - Ensure the power cable is securely connected to both the monitor and the power outlet.
 - Check if the power outlet is functioning correctly by plugging in another device.
 - Verify the monitor's power button is pressed.
- **No Signal/Black Screen:**
 - Confirm that the video cable (HDMI or DisplayPort) is securely connected to both the monitor and your computer/console.
 - Ensure your computer/console is powered on and not in sleep mode.
 - Try connecting the monitor to a different video source or using a different video cable to rule out cable or source issues.
 - Select the correct input source via the OSD menu.
- **Image Issues (Blurry, Distorted, Incorrect Colors):**
 - Adjust the resolution and refresh rate settings on your computer to match the monitor's native resolution (1920x1080) and desired refresh rate (up to 240Hz).
 - Reset the monitor to factory default settings via the OSD menu.
 - Check your graphics card drivers for updates.
 - Ensure the video cable is not damaged.
- **Flickering Screen:**
 - Ensure Flicker-Free technology is enabled in the OSD menu.
 - Check for external interference from other electronic devices.
 - Verify the video cable connection.

For further assistance, please refer to the ViewSonic support website or contact customer service.

9. SPECIFICATIONS

Below are the technical specifications for the ViewSonic VX2479A-HD-PRO monitor:

Feature	Specification
Brand	ViewSonic
Model	VX2479A-HD-PRO
Screen Size	23.8 Inches (60.96 cm)
Panel Type	SuperClear IPS

Feature	Specification
Resolution	Full HD (1920 x 1080)
Refresh Rate	240Hz
Response Time	1ms (MPRT)
Contrast Ratio (Static)	1,000:1
Contrast Ratio (Dynamic)	80M:1
Brightness	250 cd/m ²
Color Coverage	102% sRGB
HDR Support	HDR10
Connectivity	2 x HDMI 1.4, 1 x DisplayPort 1.4, 1 x 3.5mm Audio Out
VESA Mount Compatible	100 x 100 mm
Physical Dimensions (W x H x D)	540 x 414 x 170 mm
Net Weight	2.9 kg
Power Consumption (Typical)	26W
Power Consumption (Eco Mode)	19W

10. WARRANTY AND SUPPORT







Your ViewSonic VX2479A-HD-PRO monitor comes with a **3 Years Standard On-site Manufacturer Warranty**. Please retain your proof of purchase for warranty claims.

For technical support, warranty service, or further inquiries, please visit the official ViewSonic website or contact their customer service department. Contact information can typically be found on the ViewSonic website or in the Quick Start Guide included with your product.

Manufacturer: VIEWSONIC, ViewSonic International, 192, Lien Chen Road Zhonghe Dist. New Taipei City 235 Taiwan, R. O. C.

Importer (India): ViewSonic Technologies INDIA Private Limited, No.25/14 B-8 GEMS Court., Khadher Nawaz Khan Road., Nungambakkam Chennai -600006

Related Documents - VX2479A-HD-PRO

	ViewSonic VX2479A-HD-PRO Manuale Utente - Guida Completa Scopri come installare, configurare e utilizzare al meglio il tuo monitor ViewSonic VX2479A-HD-PRO con questo manuale utente completo. Trova soluzioni ai problemi comuni e specifiche tecniche.
	ViewSonic VX2479A-HD-PRO Monitor Korisnički Priručnik Detaljan korisnički priručnik za ViewSonic VX2479A-HD-PRO monitor (model VS19535). Sadrži uputstva za podešavanje, povezivanje, korišćenje, bezbednosne mere i rešavanje problema na srpskom jeziku.
	ViewSonic VX2479A-HD-PRO Οδηγός Χρήστη Οδηγός χρήστη για την οθόνη ViewSonic VX2479A-HD-PRO. Περιλαμβάνει οδηγίες εγκατάστασης, χρήσης, ασφάλειας και τεχνικές προδιαγραφές.
	Manual do Utilizador ViewSonic VX2479A-HD-PRO: Guia Completo Obtenha informações detalhadas sobre o monitor ViewSonic VX2479A-HD-PRO, incluindo instalação, utilização, especificações técnicas e manutenção. Este guia do utilizador abrange todas as funcionalidades essenciais para uma experiência otimizada.
	ViewSonic VX2479A-HD-PRO Manuel Utilisateur Guide complet pour le moniteur ViewSonic VX2479A-HD-PRO, couvrant l'installation, la configuration, l'utilisation, les spécifications techniques, le dépannage et les informations réglementaires.
	Panduan Pengguna ViewSonic VX2479A-HD-PRO Panduan pengguna untuk monitor ViewSonic VX2479A-HD-PRO, mencakup informasi keselamatan, konfigurasi awal, penggunaan, pemecahan masalah, spesifikasi, dan informasi peraturan.



[ViewSonic VX2479A-HD-PRO دليل المستخدم لجهاز](#)

يغطي الإعداد، التشغيل، السلامة، المواصفات، واستكشاف الأخطاء وإصلاحها.

lang:i-klinton **score:55** filesize: 4.02 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Ръководство на потребителя](#)

Изчерпателно ръководство за потребителя на монитора ViewSonic VX2479A-HD-PRO, включващо инструкции за безопасност, инсталация, употреба, спецификации и поддръжка.

lang:i-klinton **score:55** filesize: 3.86 M page_count: 46 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO: Руководство пользователя и технические характеристики](#)

Подробное руководство пользователя для монитора ViewSonic VX2479A-HD-PRO, охватывающее установку, настройку, использование, устранение неполадок и технические характеристики.

lang:i-klinton **score:55** filesize: 3.9 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Οδηγός Χρήστη](#)

Οδηγός χρήστη για την οθόνη ViewSonic VX2479A-HD-PRO. Περιλαμβάνει οδηγίες εγκατάστασης, χρήσης, ασφάλειας και τεχνικές προδιαγραφές.


lang:i-klngon **score:55** filesize: 3.9 M page_count: 47 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Посібник користувача](#)

Детальний посібник користувача для монітора ViewSonic VX2479A-HD-PRO, що охоплює налаштування, безпеку, експлуатацію та технічні характеристики.

lang:i-klngon **score:55** filesize: 3.83 M page_count: 46 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO](#)

ViewSonic VX2479A-HD-PRO . , , , .


lang:tl **score:55** filesize: 4.11 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO](#)

ViewSonic VX2479A-HD-PRO

lang:i-klnglon **score:54** filesize: 4.05 M page_count: 45 document date: 2025-08-27



[\[pdf\]](#) User Manual Quick Start Guide Guide Warranty

LCD QSG Cleaning Revision 20230524 A3 ChenBo ViewSonic VX2479A HD PRO 24 Quick Start Guide
0c4401081732c2c41f0f8af89ca390c95f95 gzhl5 at blob ldb 7 3 c 4 |||

VX2479A-HD-PRO Display Quick Start Guide Guide de dmarrage rapide

Schnellstarthandbuch Gua de inicio rpido Guida introduttiva Guia de Incio Rpido

Startvejledning hurtigstartveiledning Przewodnik Szybki start Snabbstartsguide Pika-
aloitusopas Aan de slag Panduan Mulai Cepat <http://www.viewsonicg...>

lang:en **score:52** filesize: 33.66 M page_count: 2 document date: 2024-09-21



[ViewSonic VX2479A-HD-PRO Käyttöopas](#)

ViewSonic VX2479A-HD-PRO -näytön käyttöopas. Sisältää asennusohjeet, turvallisuusvarotoimet, käyttöohjeet, tekniset tiedot ja vianmäärittäksen.

lang:fi **score:51** filesize: 3.87 M page_count: 45 document date: 2025-08-27




[\[pdf\]](#) Guide

Download ViewSonic VX2479A HD PRO COMING SOON UG TCH viewsonicglobal public products user guide display |||

VX2479A-HD-PRO VS19535 P/N**VX2479A-HD-PRO** ViewSonic ViewSonic ViewSonic ViewSonic 2 18 /45cm 4 /10cm 3 ViewSonic 120/240V20A 4 / x 100 x 100 mm M4 x 10 mm 4 or VESA VwEaSl...

lang:i-klngon **score:50** filesize: 4.58 M page_count: 44 document date: 2024-10-18



[ViewSonic VX2479A-HD-PRO](#) -

ViewSonic VX2479A-HD-PRO

lang:i-klngon **score:50** filesize: 4.03 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Användarguide - Installation och Användning](#)

Komplett användarguide för ViewSonic VX2479A-HD-PRO bildskärm. Innehåller installationsinstruktioner, säkerhetsföreskrifter, funktioner, specifikationer och felsökning.

lang:no **score:50** filesize: 3.86 M page_count: 45 document date: 2025-08-27



[Uživatelská příručka ViewSonic VX2479A-HD-PRO](#)

Kompletní průvodce pro monitor ViewSonic VX2479A-HD-PRO, včetně instalace, nastavení, bezpečnostních pokynů a řešení problémů.

lang:hr **score:50** filesize: 3.82 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Felhasználói útmutató – Beállítás, Használat és Biztonság](#)

Ez a felhasználói útmutató részletes információkat nyújt a ViewSonic VX2479A-HD-PRO monitor beállításához, használatához, biztonsági óvintézkedéseire és karbantartásához. Ismerje meg a termék funkcióit és optimális teljesítményét.

lang:no **score:50** filesize: 3.88 M page_count: 47 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Brukerveiledning](#)

Utforsk ViewSonic VX2479A-HD-PRO skjermen med denne komplette brukerveiledningen. Lær om sikkerhet, oppsett, tilkobling, bruk, vedlikehold og tekniske spesifikasjoner for optimal ytelse.

lang:no **score:50** filesize: 3.86 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Brugervejledning](#)

Komplet brugervejledning til ViewSonic VX2479A-HD-PRO skærmen, der dækker opsætning, brug, sikkerhed, fejlfinding og specifikationer.

lang:da **score:50** filesize: 3.87 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Kullanım Kılavuzu](#)

ViewSonic VX2479A-HD-PRO monitörünüz için kapsamlı kullanım kılavuzu. Kurulum, bağlantı, kullanım, bakım ve sorun giderme bilgilerini içerir.

lang:id **score:50** filesize: 3.86 M page_count: 47 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Monitor Korisnički Priručnik](#)

Detaljan korisnički priručnik za ViewSonic VX2479A-HD-PRO monitor (model VS19535). Sadrži uputstva za podešavanje, povezivanje, korišćenje, bezbednosne mere i rešavanje problema na srpskom jeziku.

lang:hr **score:50** filesize: 3.85 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Monitor Bedienungsanleitung](#)

Umfassende Bedienungsanleitung für den ViewSonic VX2479A-HD-PRO Monitor. Enthält Anleitungen zur Einrichtung, Nutzung, Sicherheit und Wartung. Finden Sie technische Daten und Garantieinformationen.

lang:de **score:50** filesize: 3.87 M page_count: 46 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO: Podręcznik Użytkownika i Instrukcje](#)

Szczegółowy podręcznik użytkownika dla monitora ViewSonic VX2479A-HD-PRO, zawierający instrukcje dotyczące konfiguracji, użytkowania, bezpieczeństwa, rozwiązywania problemów i specyfikacji technicznych.

lang:pl **score:50** filesize: 3.9 M page_count: 46 document date: 2025-08-27



[Korisnički vodič za ViewSonic VX2479A-HD-PRO Monitor](#)

Detaljan korisnički priručnik za ViewSonic VX2479A-HD-PRO monitor, koji pokriva postavljanje, sigurno korištenje, podešavanje slike, rješavanje problema i jamstvo.

lang:hr **score:50** filesize: 3.86 M page_count: 45 document date: 2025-08-27



[Panduan Pengguna ViewSonic VX2479A-HD-PRO](#)

Panduan pengguna untuk monitor ViewSonic VX2479A-HD-PRO, mencakup informasi keselamatan, konfigurasi awal, penggunaan, pemecahan masalah, spesifikasi, dan informasi peraturan.

lang:id **score:50** filesize: 3.86 M page_count: 45 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Monitor Handleiding - Gebruikersgids](#)

Gedetailleerde gebruikershandleiding voor de ViewSonic VX2479A-HD-PRO monitor (VS19535). Bevat installatie-instructies, veiligheidsvoorschriften, configuratie-opties en specificaties.

lang:nl **score:49** filesize: 3.87 M page_count: 46 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Manuale Utente - Guida Completa](#)

Scopri come installare, configurare e utilizzare al meglio il tuo monitor ViewSonic VX2479A-HD-PRO con questo manuale utente completo. Trova soluzioni ai problemi comuni e specifiche tecniche.

lang:it **score:49** filesize: 3.86 M page_count: 46 document date: 2025-08-27



[Ghid Utilizator Monitor ViewSonic VX2479A-HD-PRO](#)

Ghidul utilizatorului pentru monitorul ViewSonic VX2479A-HD-PRO, oferind instrucțiuni detaliate despre instalare, configurare, utilizare, întreținere, depanare și informații de reglementare.

lang:it **score:49** filesize: 3.86 M page_count: 45 document date: 2025-08-27



[Manual do Utilizador ViewSonic VX2479A-HD-PRO: Guia Completo](#)

Obtenha informações detalhadas sobre o monitor ViewSonic VX2479A-HD-PRO, incluindo instalação, utilização, especificações técnicas e manutenção. Este guia do utilizador abrange todas as funcionalidades essenciais para uma experiência otimizada.


lang:pt **score:49** filesize: 3.87 M page_count: 46 document date: 2025-08-27



[ViewSonic VX2479A-HD-PRO Manuel Utilisateur](#)

Guide complet pour le moniteur ViewSonic VX2479A-HD-PRO, couvrant l'installation, la configuration, l'utilisation, les spécifications techniques, le dépannage et les informations réglementaires.


lang:fr **score:49** filesize: 3.88 M page_count: 46 document date: 2025-08-27



[Guía del usuario ViewSonic VX2479A-HD-PRO: Instalación, Uso y Especificaciones](#)

Manual completo para el monitor ViewSonic VX2479A-HD-PRO. Incluye instrucciones de instalación, precauciones de seguridad, configuración, uso, solución de problemas y especificaciones técnicas.

lang:es [score:49](#) filesize: 3.94 M page_count: 49 document date: 2025-08-27




[\[pdf\] Quick Start Guide Datasheet Guide Warranty](#)

ViewSonic VX2479A HD PRO 24 240Hz Gaming Monitor Datasheet Global 22 set 2025 — Quick Start Guide x1 Recycle Disposal Please dispose of in accordance with local state or federal laws Warranty

*Warranty offered may differ from marketdatatika me wa data public site datika monitori |||

9/22/25, 10:49 AM ViewSonic **VX2479A-HD-PRO** 24 240Hz Gaming Monitor - Datasheet - ViewSonic Global LCD DISPLAY **VX2479A-HD-PRO** Key Features SuperClear IPS panel 240Hz Refresh rate delivers fluid visuals Rapid 1ms MPRT for crisp image AMD FreeSync and NVIDIA G-Sync Compatible eliminate scree...

lang:en [score:47](#) filesize: 549.04 K page_count: 2 document date: 2025-09-22




[\[pdf\] User Manual Instructions Guide Warranty](#)

ViewSonic VX2479A HD PRO 24 Manual a67a2545bd07edfc3635ec36381c6832201c gzhl5 at blob ldb 6 5 c 3 |||

VX2479A-HD-PRO Display User Guide IMPORTANT: Please read this User Guide to obtain important information on installing and using your product in a safe manner, as well as registering your product for future service. Warranty information contained in this User Guide will describe your limited coverage...

lang:en [score:44](#) filesize: 4.19 M page_count: 48 document date: 2024-10-14



[pdf] Datasheet

ViewSonic VX2479A HD PRO 24 Data sheet 0d7a78b8a84110d20f11275f62afc10558ec gzhl5 at blob ldb 2 a 6 3 |||

LCD DISPLAY SuperClear IPS panel 240Hz Refresh rate delivers fluid visuals Rapid 1ms MPRT for crisp image AMD FreeSync™ eliminates screen tearing and reduce stuttering HDR10 Delivers Stellar Contrast and Color Accuracy The ViewSonic **VX2479A-HD-PRO** is a 24 FHD monitor featuring HDMI. It is als...

lang:en score:41 filesize: 898.51 K page_count: 2 document date: 2025-03-11




[pdf]

VX2479A HD PRO 24 240Hz Gaming Monitor ViewSonic Europe View Viewsonic VX Series computer monitor 61 cm 1920 x 1080 pixels Full LED Black mmo 123759478 1748513206 1527 64 objects icecat biz |||

29.05.2025, 12:06 Key Features **VX2479A-HD-PRO** 24 240Hz Gaming Monitor - ViewSonic Europe LCD DISPLAY **VX2479A-HD-PRO** SuperClear IPS panel 240Hz Refresh rate delivers fluid visuals Rapid 1ms MPRT for crisp image AMD FreeSync™ eliminates screen tearing and reduce stuttering HDR10 Delivers Stellar C...

lang:en score:39 filesize: 543.79 K page_count: 2 document date: 2025-05-29




[pdf]

TanDo Download ViewSonic VX2479A HD PRO COMING SOON VS19535 BSMI RoHS 1 viewsonicglobal public products safety compliance lcd |||

The Presence Condition of the Restrnc it ed Substances Marking VS19535, **VX2479A-HD-PRO**, VX2479AJ-HD-PRO,XG2409A Equipment name Type designation Type Restricted substances and its chemical symbols nit Lead Mercury Cadmium Hexavalent chromium 6 Polybrominated biphenyls Polybro...

lang:en score:31 filesize: 285.39 K page_count: 1 document date: 2024-11-13




[\[pdf\]](#) Label

ViewSonic VX2479A HD PRO 24 Energy label 622c877b511f679a9c735a08989a82c912e3 gzhls at blob
ldb 7 4 1 9 |||

ViewSonic VS19535 VX2479A-HD-PR O 18 kWh/1000h 26 kWh/1000h 1920 px 60
cm 24 1080 px ...

lang:en score:23 filesize: 78.33 K page_count: 1 document date: 2024-10-26




[\[pdf\]](#) Specifications Dimension Guide Guide Warranty

User GuideViewSonic VX2479A HD PRO 24 240Hz Gaming Monitor ViewSonic StoreVX2479 UG
ENGcdn shopify s files 1 0600 4883 4772 VX2479 ENG v 1748398131 |||

VX2479-HD-PRO Display User Guide IMPORTANT: Please read this User Guide to
obtain important information on installing and using your product in a safe manner, as
well as registering your product for future service. Warranty information contained in
this User Guide will describe your limited coverage...


lang:en score:22 filesize: 3.78 M page_count: 46 document date: 2024-03-29



[pdf] User Manual Quick Start Guide Guide Warranty

LCD QSG no Fcc Revision 20230412 A3 ChenBo Quick Start GuideViewSonic VX2479A HD PRO 24 240Hz Gaming Monitor ViewSonic StoreVX2479 QSGcdn shopify s files 1 0600 4883 4772 VX2479 v 1748398187 |||

VX2479-HD-PRO Display Quick Start Guide Guide de dmarrage rapide Schnellstarthandbuch Gua de inicio rpido Guida introduttiva Guia de Incio Rpido Startvejledning hurtigstartveiledning Przewodnik Szybki start Snabbstartsguide Pika-aloitusopas Aan de slag Panduan Mulai Cepat http://www.viewsonicgl... lang:en score:20 filesize: 13.12 M page_count: 2 document date: 2025-05-28



[pdf] Label

Energy Label ViewSonic VX2479A HD PRO 24 Full IPS 240Hz Gaming Monitor CCL NRG cclonline content images |||


... lang:en score:17 filesize: 390.73 K page_count: 1 document date: 2025-04-03

Product Information Sheet		
COMMISSION DELEGATED REGULATION (EU) 2019/2013 with regard to energy labelling of electronic displays		
Parameter	Parameter or value and precision	Unit
1. Supplier's name or trademark	ViewSonic	
Supplier's address	VSE EPREL, Haaksbergweg 75, 1101 BR Amsterdam, NL	
2. Model identifier	VX2479A (VX2479A-HD-PRO)	
3. Energy Efficiency Class for Standard Dynamic Range (SDR)	E	
4. On mode power demand in SDR	18.0	W
5. Energy Efficiency Class for High Dynamic Range (HDR)	G	
6. On mode power demand in HDR, if implemented	26.0	W
7. Off mode power demand, if applicable	0.3	W
8. Standby mode power demand, if applicable	0.5	W
9. Networked standby mode power demand, if applicable	0.0	W
10. Electronic display category	Monitor	
11. Slot ratio	16 : 9	
12. Screen resolution	1 920 x 1 080	pixels
13. Screen diagonal	60.0	cm
14. Screen diagonal	24	inches
15. Visible screen area	15.6	dm²
16. Panel technology used	LED LCD	
17. Automatic Brightness Control (ABC) available	No	
18. Voice recognition sensor available	No	
19. Room presence sensor available	No	
20. Image refresh frequency rate (default)	60	Hz
21. Minimum guaranteed availability of software and firmware updates (from the date of end of the placement on the market)	5	Years
22. Minimum guaranteed availability of spare parts (from the date of end of the placement on the market)	8	Years
23. Minimum guaranteed product support	8	Years
24. Minimum duration of the general guarantee offered by the supplier	2	Years
25. Power supply type	External	
26. External power supply (from standardized and included in the product box)	External Adapter	

[pdf] Label

ViewViewsonic VX Series VX2479A HD PRO computer monitor 61 cm 24 1920 x 1080 pixels Full LED Black View Viewv1objects icecat biz objects mmo 123759478 1759863624 9965 837885 |||

Product Information Sheet COMMISSION DELEGATED REGULATION EU 2019/2013 with regard to energy labelling of electronic displays Parameter Parameter or value and Unit precision 1. Supplier s name or trademark. ViewSonic Supplier s address. VSE EPREL, Haaksbergweg 75, 1101 BR Amsterdam, NL 2. ... lang:en score:16 filesize: 94.47 K page_count: 2 document date: 2025-02-03



Gaminių informacijos lapas

KENWOODS ELEKTROSINĖS REGULIATORIŲ (ES) 2019/2013 d. de elektroninių vairojimo prietaisų įrašinė

Parametras	Parametro vertė ir tikslumas	Vienetas
1. Taisymo pradžios arba pabaigos tikslumas	Vid. 0,01% / taikant koregavimą	
2. Taisymo greitis	Vid. 1000 / min. / taikant koregavimą	
3. Modelio žymenys	Vid. 195155 / 254794-Hd-PRO	
4. Energijos vairojimo efektyvumo klaida vienkartinės dinaminės sritys (DOR) veikimo		
4.1 Jungties veikimo galios pakenkimas vienkartinės DOR veikimo		W
4.2 Energijos vairojimo efektyvumo klaida vienkartinės dinaminės sritys (DOR) veikimo	G	
4.3 Jungties veikimo galios pakenkimas vienkartinės HDK veikimo		W
4.4 Jungties veikimo galios pakenkimas, kai taikytina		W
4.5 Būklės įėjimo galios pakenkimas, kai taikytina		W
4.6 Taisymo laiko veikimo galios pakenkimas, kai taikytina		W
5. Elektroninės valdymo kategorija	Monitorius	
5.1 Oro srauto spūdis	16	
5.2 Brūkšnių skaičių gėba	1 920 x 1 080	pixels
5.3 Brūkšnių spūdis	60	Hz
5.4 Brūkšnių spūdis	24	coliai
5.5 Matavimo erdvinis plotas	150	dm ²
5.6 Naujienų kaitos technologija	LED	
5.7 Yra automatinio skaičiavimo reguliavimo (ABC) funkcija	Ne	
5.8 Yra baltos apšvietimo įrenginys	Ne	
5.9 Yra baltos apšvietimo įrenginys	Ne	
5.10 Vario skaičiavimo dalis (Hysteresis)	60	Hz
5.11 Automatinis apšvietimo įrenginys (jei įrengtas) apšvietimo apšvietimo įrenginio pakenkimas (jei įrengtas)	9	metrai
5.12 Minimalus pakenkimas atstui darant prietaisui	8	metrai
5.13 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.14 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.15 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.16 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.17 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.18 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.19 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.20 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.21 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.22 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.23 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.24 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.25 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.26 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.27 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.28 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.29 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.30 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.31 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.32 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.33 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.34 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.35 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.36 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.37 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.38 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.39 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.40 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.41 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.42 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.43 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.44 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.45 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.46 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.47 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.48 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.49 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.50 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.51 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.52 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.53 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.54 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.55 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.56 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.57 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.58 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.59 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.60 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.61 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.62 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.63 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.64 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.65 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.66 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.67 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.68 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.69 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.70 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.71 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.72 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.73 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.74 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.75 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.76 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.77 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.78 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.79 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.80 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.81 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.82 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.83 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.84 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.85 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.86 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.87 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.88 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.89 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.90 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.91 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.92 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.93 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.94 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.95 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.96 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.97 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.98 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.99 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai
5.100 Minimalus pakenkimas tolimumui darant prietaisui	8	metrai

ViewViewsonic VX Series VX2479A HD PRO computer monitor 61 cm 24 1920 x 1080 pixels Full LED
Black View Viewmmo 123759478 1759863630 9785 1870686objects icecat biz objects mmo 1870686 |||
ViewSonic VS19535 VX2479A-HD-PR O 18 kWh/1000h 26 kWh/1000h 1920 px 60
cm 24 1080 px ...
lang:en score:16 filesize: 78.33 K page_count: 1 document date: 2024-10-26