

COLAMY VC-6225-2P-BK1-FL

COLAMY Bar Stools Set of 2 Instruction Manual

Model: VC-6225-2P-BK1-FL

	Safety Information	Product Overview	Specifications	Package
Contents	Assembly	Operation	Maintenance	Troubleshooting
				Warranty & Support

1. IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before assembling and using this product. Failure to follow these instructions may result in injury or damage.

- **Maximum Weight Capacity:** Do not exceed the maximum weight capacity of 250 lbs (113.4 kg) per stool.
- **Stability:** Ensure the stool is fully assembled and all fasteners are tightened securely before use. Periodically check all connections to ensure they remain tight.
- **Clearance:** Keep the area around the stool clear to prevent tripping hazards.
- **Children:** Do not allow children to play on or around the bar stools. Adult supervision is required.
- **Movement:** Avoid sudden movements or leaning excessively while seated, especially when adjusting height or swiveling.
- **Floor Protection:** Use appropriate floor protectors if placing stools on delicate flooring to prevent scratches.

2. PRODUCT OVERVIEW

The COLAMY Bar Stools are designed for comfort and versatility, suitable for various settings such as kitchen islands, home bars, and dining areas. They feature a modern design with adjustable height and a 360-degree swivel function.

Key Features:

- **Adjustable Seat Height:** Easily adjust the seat height from 24.92 inches to 32.68 inches to match counter heights between 34 to 47 inches.
- **360° Swivel:** Provides effortless rotation for dynamic interaction and easy access.
- **Comfortable Seating:** Upholstered with breathable PU leather and high-density sponge foam padding for

comfort.

- **Durable Construction:** Features a robust 17.72-inch diameter metal base for enhanced stability, supporting up to 250 lbs.
- **Easy Maintenance:** Water-resistant PU leather is simple to clean with a damp cloth.

PRODUCT DIMENSION



Figure 2.1: Front view of the COLAMY Bar Stool, showcasing its modern design and black finish.



Figure 2.2: Side view of the COLAMY Bar Stool, highlighting the adjustable height mechanism and footrest.

3. SPECIFICATIONS

Feature	Detail
Model Number	VC-6225-2P-BK1-FL
Overall Dimensions (W x D x H)	45W x 53D x 89-109H cm (17.72"W x 20.87"D x 35.04"- 42.91"H)
Adjustable Seat Height	63.3-83 cm (24.92"-32.68"H)
Base Diameter	45 cm (17.72")
Seat Size (W x D)	41.5W x 41.5D cm (16.34"W x 16.34"D)
Seat Thickness	6 cm (2.36")

Feature	Detail
Back Size (W x H)	45W x 26.4H cm (17.72"W x 10.42"H)
Back Thickness	4.4 cm (1.73")
Maximum Weight Capacity	250 LBS (113.4 kg)
Material	High-quality PU leather, metal base, sponge foam
Color	Black
Number of Stools	2

PRODUCT DETAILS



Water -Resistant Material



Easy to Clean PU Leather



High Density Comfort Sponge



SGS Standard Gas Lift

Figure 3.1: Detailed product dimension diagram, illustrating the height, width, and depth measurements of the bar stool.

4. PACKAGE CONTENTS

Before assembly, please ensure all parts are present and undamaged. If any parts are missing or damaged, do not proceed with assembly and contact customer support.

- Barstool Body (2 units)
- Hardware Pack (screws, washers, Allen wrench, etc.)
- User Manual (this document)

Note: Each set is packed into 2 separate cartons for safer handling. These may arrive together or separately.

5. ASSEMBLY INSTRUCTIONS

Assembly typically takes about 15 minutes per stool. Follow these steps carefully.

1. **Unpack Components:** Carefully remove all parts from the packaging. Place them on a clean, soft surface to prevent scratches.
2. **Attach Seat to Gas Lift:** Align the seat plate (usually pre-attached to the seat) with the top of the gas lift cylinder. Press down firmly until it is securely seated.
3. **Insert Gas Lift into Base:** Place the gas lift cylinder into the central hole of the stool base. Ensure it is fully inserted and stable.
4. **Attach Footrest:** Slide the footrest ring over the gas lift cylinder and secure it according to the hardware pack instructions. Typically, this involves tightening screws to hold it in place.
5. **Final Check:** Once assembled, gently test the stool for stability. Ensure all connections are tight and the stool does not wobble.



Figure 5.1: Illustration of bar stool components, including the seat, gas lift, base, and footrest, prior to assembly.



Figure 5.2: Close-up of the gas lift mechanism and the sturdy base, essential for height adjustment and stability.

6. OPERATING INSTRUCTIONS

Height Adjustment:

To adjust the seat height, locate the lever under the seat.

- **To raise the seat:** While standing, pull the lever upwards. The seat will automatically rise. Release the lever when the desired height is reached.
- **To lower the seat:** While seated, pull the lever upwards. The seat will lower under your weight. Release the lever when the desired height is reached.

Swivel Function:

The seat is designed to swivel 360 degrees. Simply rotate the seat in any direction while seated or standing.



Figure 6.1: Visual guide demonstrating the adjustable height range and 360-degree swivel capability of the bar stool.

7. MAINTENANCE

Proper care will extend the life and appearance of your bar stools.

- **Cleaning:** The PU leather upholstery is water-resistant and easy to clean. Wipe with a damp cloth to remove spills and dirt. For tougher stains, use a mild soap solution and then wipe with a dry cloth. Avoid harsh chemicals or abrasive cleaners.
- **Frame Care:** Wipe the metal frame with a dry cloth to remove dust.
- **Regular Checks:** Periodically check all screws and bolts to ensure they are tight. Re-tighten if necessary to maintain stability.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight can cause the PU leather to fade or crack.



Figure 7.1: Close-up view of the PU leather, emphasizing its texture and ease of cleaning.

8. TROUBLESHOOTING

Stool is Wobbly:

- Ensure all screws and bolts are securely tightened.
- Check that the base is on a flat, even surface.
- Verify that the gas lift is fully inserted into the base.

Height Adjustment Not Working:

- Ensure the lever is fully engaged when pulled.
- Check for any obstructions around the gas lift mechanism.
- If the gas lift is completely unresponsive, it may need replacement. Contact customer support.

Squeaking Noise:

- Apply a small amount of silicone-based lubricant to moving parts, such as the swivel mechanism or gas lift connection points.
- Ensure all connections are tight.

9. WARRANTY AND CUSTOMER SUPPORT

For warranty information or if you encounter any issues not covered in this manual, please contact COLAMY customer support. Keep your purchase receipt for warranty claims.

COLAMY Customer Support: Refer to the contact information provided at the point of purchase or on the official COLAMY website.

© 2026 COLAMY. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question