

[Manuals.plus](#) /

› [LINKHOO](#) /

› 8' x 6' Outdoor Storage Shed with Floor Frame, Sturdy Metal Building with Lockable Doors for Garden, Backyard, Poolside and Lawn, Black Black 8x6 Ft

LINKHOO W1350

LINKHOO 8' x 6' Outdoor Storage Shed User Manual

Model: W1350

1. PRODUCT OVERVIEW

The LINKHOO 8' x 6' Outdoor Storage Shed provides a secure and organized solution for storing tools and equipment. Crafted from durable, corrosion-resistant galvanized steel, this metal shed is designed to withstand various weather conditions. Its reinforced steel wall columns offer exceptional structural strength, facilitating the easy installation of shelves or hanging garden tools inside.

Key features include:

- 48 sq.ft Floor + 240 cu.ft Volume for ample storage.
- Wind & Snow Certified Tests (anchoring required for optimal performance).
- Reinforced Steel Gable Roof Design for enhanced durability.
- Four vents for excellent ventilation.
- Lockable Double Door Entry for security.



Figure 1.1: The LINKHOO 8' x 6' Outdoor Storage Shed in black, featuring its double doors and window.

2. SAFETY INFORMATION

Please read and understand all instructions before assembly and use. Failure to follow these instructions may result in injury or property damage.

- **Two-Person Assembly Recommended:** For safety and ease of installation, it is highly recommended that two people assemble this shed.
- **Use Power Tools:** Power tools can significantly speed up the assembly process.
- **Sharp Edges:** Metal components may have sharp edges. Wear appropriate protective gloves during assembly.
- **Level Foundation:** Ensure the shed is built on a level foundation for stability and proper door operation.
- **Anchoring:** For optimal performance and resistance to wind and snow, the shed must be properly anchored to the ground. Consider a DIY raised wooden base (10–15 cm) to protect against ground moisture and enhance storm

resistance.


- **Ventilation:** The shed features four vents for air circulation. Do not block these vents.

3. SETUP (ASSEMBLY)


Assembly of the LINKHOO storage shed typically takes approximately 4 hours with a two-person team. Follow the included step-by-step manual carefully.

1. **Prepare the Base:** Bolt pre-drilled frame pieces on a leveled ground. Ensure the foundation is stable and level.
2. **Assemble Wall Panels:** Secure the main galvanized steel sheets to the frame. Pay attention to the alignment of screw holes.
3. **Install Roof Frame:** Construct and install the roof frame components.
4. **Secure Roof Sheets:** Attach the roof sheets to the installed roof frame.
5. **Install Doors and Windows:** Assemble and attach the double doors and translucent windows.


1 Bolt pre-drilled frame pieces on leveled ground.



2 Secure main galvanized steel sheets.



3 Install roof frame.



4 Secure roof sheets.




Figure 3.1: Visual guide to the main assembly steps.

For detailed instructions, refer to the comprehensive manual provided in the packaging. If you encounter missing or damaged parts, please contact our support team immediately for free replacements within 48 hours.

4. OPERATING THE SHED

The LINKHOO storage shed is designed for straightforward operation.

- **Double Door Entry:** The shed features double doors for easy access. To open, unlatch the locking mechanism and pull the doors outwards. Ensure doors are fully closed and latched when not in use to maintain security.
- **Lockable Doors:** Utilize the integrated lockable mechanism to secure your belongings. A lock and assembly gloves are included with your purchase.
- **Ventilation:** The four vents provide continuous airflow. No specific operation is required for the vents as they are

passive.



Figure 4.1: Close-up of the double lockable doors, durable hinges, and louver vents.

5. MAINTENANCE

The LINKHOO storage shed boasts a maintenance-free design and is built for long-term reliability, with a lifespan of up to 10 years. To ensure its longevity and optimal condition, consider the following:

- **Regular Cleaning:** Periodically clean the exterior panels with mild soap and water to remove dirt and debris. Avoid abrasive cleaners that could damage the galvanized steel finish.
- **Inspect Anchoring:** Regularly check the shed's anchoring to ensure it remains securely fastened to the ground, especially after strong winds or heavy rainfall.
- **Door and Hinge Inspection:** Lubricate hinges as needed to ensure smooth operation of the double doors. Check

the locking mechanism for proper function.

- **Ventilation Check:** Ensure the four vents remain clear of obstructions to maintain proper airflow and prevent moisture buildup inside the shed.

6. TROUBLESHOOTING

While the LINKHOO shed is designed for durability, some common issues may arise. Here are potential solutions:

- **Bent Panels:** In some cases, panels may arrive bent due to rough handling during shipping. Gently straighten them before installation.
- **Misaligned Screw Holes:** If screw holes do not align perfectly, minor adjustments or careful drilling may be required.
- **Uneven Surface:** If the shed floor feels uneven after assembly, consider adding plywood on top of the base to create a flat surface.
- **Doorway Height:** The doorway height is fixed. Ensure it meets your requirements before assembly.
- **Missing/Damaged Parts:** If you receive missing or damaged parts, please contact our support team immediately. We offer free replacements within 48 hours.

7. SPECIFICATIONS

Attribute	Detail
Brand	LINKHOO
Color	Black
Material	Metal (Galvanized Steel)
Product Dimensions	96"D x 66"W x 77"H
Style	Garden
Top Material Type	Metal
Assembly Required	Yes
Manufacturer	LINKHOO
UPC	755793400673
Item Weight	35.8 pounds
ASIN	B0F1XN745Y
Country of Origin	China
Item model number	W1350

8. WARRANTY AND SUPPORT

LINKHOO is committed to providing reliable products and excellent customer service.

- **Product Lifespan:** This shed is designed for a lifespan of up to 10 years.
- **Missing/Damaged Parts:** In the event of missing or damaged parts due to rough handling or incorrect transportation, we ship replacements free of charge within 48 hours. Please contact our support team immediately for assistance.
- **Customer Support:** We offer 24/7 support for any inquiries or issues you may have.
- **Delivery:** Oversized items are split into multiple boxes for safe shipping. All boxes typically arrive within 3-5 days with tracked shipping.

For further assistance, please visit the LINKHOO official website or contact our customer service hotline.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question

Open the live page

<https://manuals.plus/asin/B0F1XPCZXZ>

More documents and user manuals: <https://manuals.plus/>