

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [FORIOUS](#) /

› [FORIOUS LED Kitchen Faucet with Soap Dispenser and Pull Down Sprayer, Model FF0033B-UZG Instruction Manual](#)

FORIOUS FF0033B-UZG

FORIOUS LED Kitchen Faucet with Soap Dispenser and Pull Down Sprayer (Model FF0033B-UZG) Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your FORIOUS LED Kitchen Faucet with Soap Dispenser and Pull Down Sprayer. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.

SAFETY INFORMATION

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are secure to prevent leaks.
- Do not use abrasive cleaners or harsh chemicals on the faucet finish, as this may damage the surface.
- The LED temperature indicator is for guidance only; always test water temperature manually before use, especially for children or individuals with sensitive skin.

PACKAGE CONTENTS

Please verify that all components are present before beginning installation.

- LED Kitchen Faucet with Pull-Down Sprayer
- Soap Dispenser
- Deck Plate (10-inch, detachable for 1 or 3-hole sinks)
- Mounting Hardware
- Hot and Cold Water Supply Lines
- Instruction Manual (this document)

PRODUCT FEATURES

LED Temperature Indicator

The faucet features an integrated LED light system that changes color based on water temperature. This system is powered by water flow and does not require batteries.

- **Blue Light:** Water temperature below 95°F (35°C)
- **Green Light:** Water temperature between 95°F (35°C) and 115°F (46°C)
- **Red Light:** Water temperature between 115°F (46°C) and 130°F (54°C)
- **Flashing Red Light:** Water temperature above 130°F (54°C) - Warning for excessively hot water.



This image displays the FORIOUS LED Kitchen Faucet in matte black, with water flowing from the pull-down sprayer. On the right, three circular insets show the sprayer head emitting blue light (for <95°F), green light (for 95-115°F), and red light (for 115-130°F), illustrating the LED temperature indicator feature.

Multi-Functional Pull-Down Sprayer

The pull-down sprayer offers three distinct spray modes for various kitchen tasks:

- **Stream Mode:** Provides a steady, aerated flow for filling pots and general washing.
- **Spray Mode:** Delivers a powerful, wide spray for rinsing dishes and cleaning the sink.
- **Pause Mode:** Temporarily stops water flow without turning off the faucet handle, useful for preventing splashes while moving the sprayer.

The sprayer head features a 360° rotating nozzle and an 18-inch retractable hose for extended reach and complete sink coverage.

TWO-FUNCTION SPRAYHEAD

Powered by hydro power, NO extra batteries needed!



This image illustrates the two-function sprayhead of the FORIOUS faucet. It shows the sprayer in both stream mode and spray mode, indicating that the LED light color changes in both modes. A comparison is shown with another faucet type that only changes color in stream mode.

Integrated Soap Dispenser

The included soap dispenser has an 11.83 oz (350 ml) capacity and can be refilled from the top for convenience. It is suitable for liquid soap or detergent.

PERFECT MATCH

Kitchen Faucet with Soap Dispenser



* Refill from the top for Convenience



* Suitable for liquid soap or detergent in kitchen



* Easy to press and smooth rebound



This image demonstrates the easy top-refill feature of the soap dispenser. It shows a hand pressing the dispenser, a bottle pouring soap into the dispenser opening, and the dispenser fully installed next to the faucet.

Quality and Certifications

The faucet is constructed from premium SUS 304 stainless steel and features a ceramic cartridge tested for leak-proof performance. It is certified lead-free and meets cUPC standards.



UPGRADED DRIP-FREE CARTRIDGE TECHNOLOGY

With high-quality drip-free ceramic cartridges and integrated aerators, which effectively helps prevent leaks and bursts.

This image displays various certifications for the faucet, including cUPC, NSF, and lead-free compliance, indicating adherence to quality and safety standards.



A diagram illustrating the upgraded drip-free ceramic cartridge technology, designed to prevent leaks and bursts.

SETUP (INSTALLATION)

Tools Required (Not Included)

- Adjustable Wrench
- Phillips Head Screwdriver
- Plumber's Putty or Silicone Sealant
- Flashlight (optional)
- Bucket (for catching drips)

Pre-Installation Steps

Before you begin, ensure your sink has the appropriate number of holes (1 or 3) for installation. The included deck plate can be used for 3-hole installations.



This image provides product dimensions and installation hole configurations. It shows the faucet's height (14.76 inches), spout height (6.69 inches), and spout reach (9.84 inches). It also illustrates how the faucet can be installed in 1, 2, 3, or 4-hole sinks, and provides dimensions for the soap dispenser and supply hoses.

Installation Procedure

- 1. Turn off Water Supply:** Locate the main water supply valves under your sink and turn them off. Open the existing faucet to drain any remaining water.
- 2. Remove Old Faucet:** Disconnect the old faucet's water supply lines and mounting nuts. Remove the old faucet from the sink.
- 3. Install Deck Plate (if needed):** If your sink has three holes, place the rubber gasket and then the deck plate over the holes.
- 4. Install Faucet Body:** Insert the faucet body through the center hole (and deck plate, if used). From underneath the sink, secure the faucet with the rubber washer, metal washer, and mounting nut. Tighten securely with an adjustable wrench.
- 5. Connect Water Supply Lines:** Connect the hot and cold water supply lines from the faucet to your home's hot and cold water valves. Ensure connections are tight to prevent leaks.
- 6. Install Soap Dispenser:** Insert the soap dispenser head through the desired hole. From underneath, secure it with the plastic nut. Attach the soap bottle to the dispenser pump.
- 7. Attach Sprayer Hose and Weight:** Connect the pull-down sprayer hose to the quick-connect fitting under the faucet. Attach the counterweight to the sprayer hose at the marked location to ensure smooth

retraction.

8. **Test for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. Run the faucet for a few minutes to flush out any debris and check for proper operation of all spray modes and the LED indicator.


OPERATING INSTRUCTIONS

Water Flow and Temperature Control

The single handle controls both water flow and temperature. Move the handle up to increase flow and down to decrease. Move the handle left for hot water and right for cold water.

Using the Pull-Down Sprayer

Pull the sprayer head down from the spout. Use the button on the sprayer head to switch between Stream, Spray, and Pause modes. After use, the hose will retract automatically with the help of the counterweight.



This image shows a hand holding the pull-down sprayer of the matte black faucet, with water spraying into a sink filled with grapes. The text highlights "18 Inches Pull Down" and "360° Rotating Nozzle Wider Cleaning Range," demonstrating the sprayer's flexibility and reach.

LED Temperature Indicator

The LED lights will automatically illuminate and change color according to the water temperature as described in the "Product Features" section.

Using the Soap Dispenser

Press down on the top of the soap dispenser pump to dispense liquid soap or detergent into your sink or onto a sponge.

MAINTENANCE

Cleaning the Faucet Finish

To maintain the matte black finish, clean regularly with a soft cloth and mild soap and water. Rinse thoroughly and dry with a soft cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.



This image compares the wear-resistant surface finish of the FORIOUS soap dispenser, which prevents water spots and fingerprints, against a dull, rusty finish of another brand.

Cleaning the Sprayer Nozzles

Over time, mineral deposits may accumulate on the rubber nozzles of the sprayer head. To clean, gently rub the nozzles with your finger or a soft brush to dislodge any deposits. This helps maintain optimal spray performance.

Ceramic Cartridge

The faucet is equipped with a durable ceramic cartridge designed for drip-free performance. If you experience persistent drips or leaks from the handle, the cartridge may need to be inspected or replaced. Contact customer support for assistance.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Aerator clogged with debris; Water supply valves not fully open; Kinked supply line.	Remove and clean aerator; Ensure water supply valves are fully open; Check supply lines for kinks.
Leaks from Faucet Base	Mounting nut loose; Insufficient plumber's putty/sealant.	Tighten mounting nut under the sink; Apply new plumber's putty or silicone sealant around the base.
Leaks from Sprayer Hose	Loose connection at quick-connect; Damaged O-rings.	Ensure quick-connect is fully seated; Inspect and replace O-rings if damaged.

LED Light Not Working	Insufficient water flow to power LED; Debris in LED generator.	Ensure adequate water pressure; Flush faucet by running water for a few minutes; Contact customer support if issue persists.
Sprayer Does Not Retract Fully	Counterweight improperly positioned or obstructed; Hose kinked.	Adjust counterweight position on the hose; Clear any obstructions under the sink; Straighten hose.

SPECIFICATIONS

Feature	Detail
Brand	FORIOUS
Model Name	LED Kitchen Faucet
Item Model Number	FF0033B-UZG
Material	SUS 304 Stainless Steel
Finish Type	Matte Black
Mounting Type	Deck Mount
Number of Handles	1 (Single Handle)
Hole Count	1 or 3 (with included deck plate)
Maximum Flow Rate	1.8 Gallons Per Minute (GPM) at 80psi
Spout Height	6.69 Inches
Spout Reach	8.27 Inches
Product Dimensions	9.84"D x 10.04"W x 14.76"H
Item Weight	4.08 pounds
Special Features	360° Swivel, Easy to Install, Lead Free, Pull Down Sprayer, LED Temperature Indicator
Soap Dispenser Capacity	11.83 oz (350 ml)

WARRANTY AND SUPPORT

Warranty Information

This FORIOUS faucet comes with a limited warranty. Please refer to the warranty card included in your package for specific terms and conditions. Retain your proof of purchase for warranty claims.

Customer Support

For technical assistance, replacement parts, or warranty inquiries, please contact FORIOUS customer support. Visit the official FORIOUS store for more information and contact details.

[Visit the FORIOUS Store on Amazon](#)

PRODUCT OVERVIEW VIDEO

Your browser does not support the video tag.

This video provides a visual overview of the FORIOUS LED Kitchen Faucet, demonstrating its features and operation.