

[manuals.plus](#) /› [VASAGLE](#) /› [VASAGLE Adjustable Rolling Side Table LSD601W01 User Manual](#)

## VASAGLE LSD601W01

# VASAGLE Adjustable Rolling Side Table LSD601W01 User Manual

Model: LSD601W01



## 1. INTRODUCTION

Thank you for choosing the VASAGLE Adjustable Rolling Side Table LSD601W01. This manual provides essential information for the safe assembly, operation, and maintenance of your new table. Please read these instructions carefully before use and retain them for future reference.

This versatile side table features a height-adjustable design, smooth-rolling casters, and integrated storage solutions for your convenience. It is designed to enhance your workspace or living area with its modern aesthetic and practical functionality.

## 2. SAFETY INFORMATION

- **Weight Limit:** Do not exceed the maximum load capacity of 20 kg (44 lbs) for the tabletop. Overloading may cause instability or damage.
- **Stable Surface:** Always use the table on a flat, stable, and level surface to prevent tipping.
- **Children and Pets:** Keep children and pets away from the table during assembly. Small parts can be a choking hazard.
- **Assembly:** Ensure all parts are correctly assembled and fasteners are tightened before use. Periodically check and re-tighten fasteners as needed.
- **Moving the Table:** When moving the table, especially over uneven surfaces, ensure the tabletop is at its lowest position and any items are removed to prevent accidental spills or damage.
- **Gas Lift Mechanism:** Do not attempt to disassemble or tamper with the gas lift cylinder. It contains pressurized gas.

## 3. PACKAGE CONTENTS

Please verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, please contact customer support.



Image: Assembly diagram showing all parts and hardware for the VASAGLE LSD601W01 side table. Includes tabletop (A), support column (B), base (C), cup holder (D), and various screws/tools.

- Tabletop (A) x 1
- Support Column with Gas Lift (B) x 1
- Base (C) x 1
- Rotatable Cup Holder (D) x 1
- Assembly Hardware (Screws, Allen Key)

## 4. SETUP AND ASSEMBLY INSTRUCTIONS

Assembly is designed to be straightforward. Follow these steps carefully:

1. **Attach Support Column to Tabletop:** Place the tabletop (A) upside down on a soft, clean surface to prevent scratches. Align the support column (B) with the pre-drilled holes on the underside of the tabletop. Secure it using the provided screws and Allen key.
2. **Attach Base to Support Column:** Connect the base (C) to the bottom of the support column (B). Ensure the holes align and fasten securely with the appropriate screws.
3. **Install Cup Holder:** Slide the rotatable cup holder (D) into its designated slot on the side of the tabletop. It should click into place or be secured with a small screw if provided.
4. **Final Check:** Once assembled, gently lift the table and place it upright. Ensure all screws are tight and the table is stable before use.



Image: This table utilizes a gas lift mechanism for smooth height adjustment, indicated by a thumbs-up icon, contrasting with a manual crank mechanism shown with a thumbs-down icon.

## 5. OPERATING INSTRUCTIONS

## 5.1 Height Adjustment

The table features a premium gas lift cylinder for stable and easy height adjustment.

- **To Raise:** While holding the tabletop, locate the lever under the tabletop. Lift the lever and gently pull the tabletop upwards. Release the lever at the desired height.
- **To Lower:** While holding the tabletop, lift the lever and apply gentle downward pressure on the tabletop. Release the lever at the desired height.

The height can be adjusted smoothly between 65 cm and 102 cm.



Image: A person demonstrates adjusting the table height by lifting a lever located beneath the tabletop, allowing the gas lift

mechanism to move the table up or down.



Image: Two individuals are shown using the table: one seated on a sofa with the table at its lowest height (65 cm), and another standing with the table at its maximum height (102 cm), illustrating its versatility.

## 5.2 Mobility

The table is equipped with concealed casters, allowing for easy movement. The low-profile base (3 cm high) can slide under most sofas or beds, saving space.

↓ ↓ ↓  
**20 kg**




Image: A close-up view of the table's base highlights its concealed casters, which are only 3 cm high, enabling the table to slide easily under furniture. A comparison shows this design is superior to a bulkier base.

### 5.3 Integrated Features

- **Cup Holders:** The table includes two cup holders, one integrated into the tabletop and another rotatable side cup holder. The side cup holder can rotate 360 degrees for convenient access.
- **Tablet/Phone Slot:** A dedicated slot on the tabletop provides a secure place for your tablet or smartphone.



Image: A detailed view of the tabletop, measuring 80 cm in length and 45 cm in width, showcasing the integrated cup holder, a tablet/phone slot, and the rotatable side cup holder.



Image: A close-up of the rotatable side cup holder, illustrating its 360-degree rotation capability for flexible positioning.

## 6. MAINTENANCE

- **Cleaning:** Wipe the table surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Spills:** Clean up spills immediately to prevent staining or damage to the tabletop material.
- **Fasteners:** Periodically check all screws and bolts to ensure they remain tight. Re-tighten as necessary to maintain stability.
- **Avoid Extreme Conditions:** Do not expose the table to direct sunlight for prolonged periods or extreme humidity, as this may cause material degradation.

## 7. TROUBLESHOOTING

- **Table is Unstable:**
  - Ensure all assembly screws are fully tightened.
  - Verify the table is on a flat and level surface.
- **Difficulty Adjusting Height:**
  - Check if the gas lift lever is fully engaged or disengaged.
  - Ensure no obstructions are blocking the gas lift mechanism.
  - Do not exceed the maximum weight capacity.
- **Casters Not Rolling Smoothly:**
  - Check for debris or hair caught in the casters. Clean if necessary.
  - Ensure the casters are properly installed and not damaged.

## 8. SPECIFICATIONS

<b>Model Number</b>	LSD601W01
<b>Brand</b>	VASAGLE
<b>Color</b>	Cloud White
<b>Material</b>	Alloy Steel, Engineered Wood, Plastic
<b>Product Dimensions (L x W x H)</b>	80 x 45 x 65-102 cm (31.5" x 17.7" x 25.6"-40.2")
<b>Adjustable Height Range</b>	65 cm to 102 cm (25.6" to 40.2")
<b>Item Weight</b>	11.4 kg (25.1 lbs)
<b>Max. Load Capacity</b>	20 kg (44 lbs)
<b>Special Features</b>	Height Adjustable, Rolling Casters, 2 Cup Holders, Tablet/Phone Slot



Image: A technical diagram illustrating the table's dimensions (80 cm length, 45 cm width, 65-102 cm height range) and indicating a maximum load capacity of 20 kg.

## 9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or visit the official VASAGLE website. If you have any questions or require assistance, please contact the retailer or manufacturer directly.

Please have your model number (LSD601W01) and purchase date available when contacting support.

© 2026 VASAGLE. All rights reserved.