

[Manuals.plus](#) /

> [CLP](#) /

> CLP Laflin I Swivel Work Stool User Manual

## CLP Laflin I

# CLP Laflin I Swivel Work Stool User Manual

Model: Laflin I

## 1. INTRODUCTION

Thank you for choosing the CLP Laflin I Swivel Work Stool. This manual provides essential information for the safe and efficient use of your new stool. Please read these instructions carefully before assembly and use, and retain them for future reference.





Image 1: The CLP Laffin I Swivel Work Stool, featuring a white upholstered seat and chrome base with casters.

## 2. SAFETY INFORMATION

---

- **Maximum Weight Capacity:** This stool is designed to support a maximum weight of 130 kg (286 lbs). Do not exceed this limit.
- Ensure all components are securely fastened before and during use. Periodically check all screws and connections for tightness.
- Do not stand on the stool. Use it only for sitting.
- Keep hands and fingers clear of moving parts, especially during height adjustment.
- Use the stool on a flat, stable surface to prevent tipping.
- Keep children away from the stool during assembly and ensure they do not play with it unsupervised.



Image 2: Visual representation of the stool's maximum weight capacity of 130 kg.

### 3. PACKAGE CONTENTS

---

Please verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- 1x Seat with upholstered cushion and backrest
- 1x Gas lift cylinder
- 1x Star base (with 5 arms)
- 5x Casters (wheels)
- Mounting hardware (screws, washers, Allen key - if applicable)

### 4. SETUP AND ASSEMBLY

---

Assembly of the CLP Laflin I stool is straightforward, though some steps may require careful alignment. Follow these steps:

1. **Attach Casters:** Insert each of the five casters firmly into the holes at the end of each arm of the star base until they click into place.
2. **Insert Gas Lift:** Place the gas lift cylinder into the central hole of the assembled star base. Do not remove the protective cap from the top of the gas lift until instructed.
3. **Attach Seat:** Carefully align the mechanism under the seat with the top of the gas lift cylinder. Remove the protective cap from the gas lift. Gently lower the seat onto the gas lift, applying slight pressure until it is securely seated.
4. **Secure Seat (if applicable):** If your model includes screws to attach the seat to the mechanism, use the provided hardware and Allen key to firmly secure them. Ensure the seat is properly aligned before tightening.

*Note: Some users have reported that securing the seat cushion to the base may require firm pressure or careful alignment. Ensure all parts are correctly positioned before tightening any screws.*

### 5. OPERATING INSTRUCTIONS

---

The CLP Laflin I stool offers adjustable height and 360-degree swivel functionality for optimal comfort and flexibility.

- **Height Adjustment:** To raise the seat, lift the lever located under the right side of the seat while standing up. To

lower the seat, lift the lever while seated, allowing your weight to push the seat down. Release the lever at your desired height. The seat height can be adjusted between approximately 43 cm and 53 cm.

- **Swivel Function:** The seat is designed to rotate 360 degrees, allowing for easy movement and access to different areas without needing to reposition the entire stool.
- **Mobility:** The smooth-rolling casters allow you to move the stool effortlessly across various floor surfaces.



Image 3: Illustration of the stool's 360-degree swivel and adjustable height features.

## 6. MAINTENANCE

Regular maintenance will help prolong the life and appearance of your work stool.

- **Cleaning the Seat:** Wipe the faux leather upholstered seat with a soft, damp cloth. For stubborn stains, use a mild soap solution and immediately wipe dry. Avoid harsh chemicals or abrasive cleaners.
- **Cleaning the Base and Casters:** Clean the chrome metal base and casters with a soft, dry cloth. For dirt on casters, you may use a slightly damp cloth. Ensure no hair or debris is tangled in the caster wheels.
- **Hardware Check:** Periodically (e.g., every 3-6 months) check all screws and bolts to ensure they are tight. Retighten if necessary to maintain stability.

## 7. TROUBLESHOOTING

If you encounter any issues with your CLP Lafin I stool, refer to the following common problems and solutions:

- **Stool is Wobbly or Unstable:**
  - Ensure all assembly screws are fully tightened.
  - Verify that the gas lift cylinder is properly seated in both the base and the seat mechanism.
  - Check that the casters are fully inserted into the star base.
- **Height Adjustment Not Working:**
  - Ensure the height adjustment lever is fully engaged when attempting to adjust.
  - Check for any obstructions around the gas lift mechanism.
  - If the gas lift is completely unresponsive, it may need replacement. Contact customer support.
- **Castors Not Rolling Smoothly:**

- Inspect casters for tangled hair, lint, or debris. Clean them thoroughly.
- Ensure casters are securely inserted into the base.

## 8. SPECIFICATIONS

<b>Brand</b>	CLP
<b>Model</b>	Lafin I
<b>Color</b>	White
<b>Material (Frame)</b>	Metal
<b>Material (Seat Upholstery)</b>	Synthetic Leather (Polipiel)
<b>Material (Seat Filling)</b>	Foam
<b>Overall Dimensions (Depth x Width x Height)</b>	55 cm x 51 cm x 78 cm
<b>Adjustable Seat Height</b>	43 cm - 53 cm
<b>Seat Depth</b>	44 cm
<b>Product Weight</b>	5 kg
<b>Maximum Weight Recommendation</b>	130 kg
<b>Swivel</b>	360 degrees
<b>Casters</b>	Yes
<b>Assembly Required</b>	Yes (Minimal)



Image 4: Detailed dimensions of the CLP Laflin I Swivel Work Stool, including height, width, and depth measurements.

## 9. WARRANTY INFORMATION

---

CLP products are manufactured to high-quality standards. This product comes with a standard manufacturer's warranty against defects in materials and workmanship. The specific terms and duration of the warranty may vary by region. Please refer to the warranty card included with your purchase or visit the official CLP website for detailed warranty information. *Please retain your proof of purchase for any warranty claims.*

## 10. CUSTOMER SUPPORT

---

For further assistance, questions, or to report missing/damaged parts, please contact CLP customer support.

- **Online:** Visit the official CLP website for FAQs and contact forms.
- **Email:** Refer to your purchase documentation for the customer service email address.
- **Phone:** Check the CLP website or product packaging for regional contact numbers.

When contacting support, please have your product model (Lafin I) and purchase details ready.

